Pharmaceutical Catalogue

The J. F. HARTZ Co. Limited

PHARMACEUTICAL MANUFACTURERS

HALIFAX · TORONTO · MONTREAL

615.1 H338

William Boyd Library
of the
Academy of Medicine
Toronto
55361
Presented by
Mrs. Stewart from the Estate
of Dr. E.S. Lauder

CATALOGUE

of

HARTZ

Pharmaceutical Specialities

Hyplets Infant Pulvets

Pulvets and Solvets

Injectable Solutions

Galenicals

Microscopic Stains

Photrometer and Colorimeter

Reagents

Chemicals and Drugs

▼

Produced in

the Laboratories of

The J. F. Hartz Co., Limited

Pharmaceutical Manufacturers

Toronto - Montreal - Halifax

Narcotic Regulations

Regulations issued by the Federal Department of Health, under authority of the Opium and Narcotic Drugs Act, require that narcotic drugs and preparations be sold only on receipt of an order signed, in ink, by a bona fide, practising physician, graduate druggist, dentist or veterinary surgeon, and such order must be on our premises and approved by an executive before goods can be delivered or shipped.

We are not permitted to accept the signature of a Sister Superior, Graduate Nurse or Hospital Superintendent and in hospitals where there is no Medical Superintendent or Graduate Pharmacist, orders must be signed by an attending physician.

No Physician, Pharmacist, Dentist or Veterinary Surgeon may purchase more than one ounce of Cocaine, Heroin or Morphine during a calendar month without a special permit from the Department of Health.

We are not permitted to ship narcotics on telephone or telegraph orders.

Goods listed in this catalogue requiring signed narcotic order are marked thus — ★

Those requiring a prescription for retail sales are marked ℞

Please co-operate with us in complying with departmental regulations, thus permitting us to serve you promptly and efficiently within legal requirements.

Introduction

FOR more than forty-five years THE J. F. HARTZ CO., LIMITED have been constantly endeavouring to supply Physicians, Pharmacists and Hospitals with the finest and highest quality of Chemicals, Drugs and Pharmaceutical Products. May we, in presenting this edition of our Pharmaceutical Catalogue, express our appreciation of the steady support and patronage of our numerous clients and friends, and assure them that we will in the future continually endeavour to merit the confidence reposed in us, by diligent efforts to supply efficient service and products on which the physician may rely with absolute trust.

This catalogue represents the Hartz Pharmaceutical Specialties and other products in general use. Many other general Pharmaceuticals are carried in stock, and we welcome the opportunity to supply your request for any item you may require. Please write us direct or ask our representative to forward your requirements.

Send orders and requests to our nearest store.

32-34 GRENVILLE STREET
TORONTO, ONTARIO

1434 MCGILL COLLEGE AVE.
MONTREAL, QUEBEC

107 MORRIS STREET
HALIFAX, NOVA SCOTIA

55361

GENERAL INDEX

Title of Section	Page
Specialties	1- 58
Hyplets	59
Pulvets for Infants	60- 63
Pulvets	64-117
Solvets	118-125
Injectable Solutions	126-133
Fluid Extracts	134-135
Granular Effervescent Salts	136
Liniments	137
Ointones	138-141
Ophthalmic Ointones	142
Compound Powders	143
Solutions & Liquors	144-146
Spirits, Essences and Waters	147
Suppositories and Cones	148
Medicinal Syrups	149-150
Tinctures	151-153
Colorimeter & Photrometer Reagents	154-156
Microscopic Stains & Solutions	157
Test Solutions & Urine Test Solutions	158
Chemicals & Drugs	159-164
Dispensing Supplies	165-171
Pharmacological Index	172-177
Therapeutic Index	178-189
Terms and Information	190-191
Price List	192-230

ALPHABETICAL INDEX

Pr — Prescription required for retail sale.
★ — Narcotic signature required.

A

Acetyl Sal—Pulvets 64-65
Acetyl Sal—Infant Pulvets 60
Acetyl Sal—Solvets 118
Acetylone—Pulvets 60, 64
Acids—Chemicals & Drugs ... 159
Acid Boric & Salol—Pulvets 65
Acid Boric B.P. 1953—
Ointone 138
Acne Corrective—Pulvets 66
Acnelone—Ointone Specialty 1
Acriflavine Emulsion—
Specialty 1
Adamin R C—Specialty 1
Adhesive Remover—Specialty 1
Albasulphidi—Specialty 2
Alcohols—Chemicals & Drugs 160
Alka Antiseptol—Specialty 2
Alkaline Antiseptic—Solvets
(Carl Seiler Formula) 118

A

Alkaline Sippy A & B—Pulvets ... 66
Alkalone—Specialty ... 2
Aloin Belladonna Strychnine & Cascara—Pulvets ... 67
Alugel—Specialty ... 2
Alugel—Pulvets ... 67
Aluminium Paste for Lewis Colostomy—Outfits ... 138
Pr Ambarlone—Pulvets ... 67
Pr Amephabarb—Pulvets ... 67
★ Amilone—Hyplets/Pulvets 59, 67
Ammonia Inhalant Ampoules 3
Ammonium Chloride—Pulvets ... 68
Amolyn—Specialty ... 3
Ampoules ... 126
Analgesone Cream—Specialty 3
Analgesone Ointone—Specialty ... 3
★ Anapyrone—Infant Pulvets ... 61
Anodyne—Infant Pulvets ... 61
Anti Grippe A & B—Pulvets 68
Antipruriticum—Ointone ... 4
Antipyrin—Pulvets ... 69
Antiseptic A & B—Solvets ... 118
Antiseptic Powder—Specialty 4
Argolone ... 4, 119, 142
Aromatic Elixir—Specialty ... 4
Ascorbone—Pulvets ... 69
Aseptico Ointone—Specialty ... 4
Aseptone Detergent—Specialty 5
Astringone—Specialty ... 5
Atropine Alkaloid—Ophthalmic Ointment ... 142
Atropine Sulphate ... 59, 69
Auralone—Specialty ... 5

B

Baby Oil—Specialty ... 5
Baby Powder—Specialty ... 6
Pr Barbitone—Pulvets ... 70
Barilone—Specialty ... 6
Benzalkone—Specialty ... 6
Benzocide—Specialty ... 7
Pr Benzolone A, B & C—Pulvets ... 70, 71
Betuline—Specialty ... 7
Bismalone—Specialty ... 7
Bismuth Compound—Specialty ... 8
Bismuthone—Specialty ... 8
Bitter Tonic—Specialty ... 8
Black Haw Sedative—Specialty ... 8
Blaud—Pulvets ... 71, 72
Bone Wax Aseptic—Specialty 9
Borated Emollient Lotion—Specialty ... 9
Borolan Ointone—Specialty ... 9
Breast Ointment—Ointone ... 138
Brewers Yeast—Pulvets ... 72
Bromo Valerian Elixir—Specialty ... 9
Bronchial Improved—Pulvets 72
★ Bronchitis Improved—Pulvets 72
Broncholone—Specialty ... 10
Brovalone—Specialty ... 10
★ Brown Mixture Pulvets ... 73
Burn Dressing—Specialty ... 10
Pr Butylone—Pulvets ... 73

C

C.A.D.C.—Specialty ... 11
Caffeine Citrate—Pulvets ... 74
Calamine Ointone ... 138
Calcium Iodized—Pulvets ... 74-75
Calcium Lactate—Pulvets ... 75
Calcium Sulphide—Pulvets ... 75
Calefact Ointone—Specialty ... 11
Calgesone Ointone—Specialty 11
Calomel Pulvets ... 61, 75, 76
Calphovit—Pulvets ... 76
Calsolone—Specialty ... 12
Camalone—Specialty ... 12
Carbilone—Pulvets ... 77
Carozyme—Specialty ... 12
Cascara Aromatic—Specialty ... 12
Cascara Cathartic, Hinkle—Specialty ... 77
Cathartic Compound—Pulvets 77
Cathartic Granules—Pulvets ... 78
Cathartic Special—Pulvets ... 78
Cetabrom Preparations—Specialty ... 13
Charcoal Activated—Pulvets ... 78
Chemicals & Drugs ... 159-164
★ Cherry Cordial—Specialty ... 13
Chionanthus—Specialty ... 14
★ Chloral Compound—Specialty 14
Chloralone—Solvets ... 119
★ Chlorodyne 1 & 2—Pulvets ... 79
★ Chlorodyne—Specialty ... 14
Chloroform—for Anesthesia ... 15
Chlorxylone—Specialty ... 15
★ Cholera Infantum—Pulvets ... 79
Chrysarobin—Ointone ... 139

C

Citro Salone—Specialty 15
★ Cocaine Hydrochloride—Solvets 120
★ Codeine Hyplets & Pulvets 59, 79, 80
★ Codelone—Specialty **16**
Colcholone—Specialty 16
★ Cold Special—Pulvets 80
★ Colic Infantile—Pulvets 80
Colorimeter Solutions 154
Colosan—Specialty 16
Compound Powders 143
Cones 148
Contraseptone—Specialty 17
Corks 166
Corrective Cordial—Specialty 17
Corrective Infant—Pulvets 81
★ Coryza A, B, C—Pulvets 81
Cream of Magnesia—Specialty 17
Cream of Magnesia—Pulvets ... 82
Creosol—Specialty 18
Cutigen—Specialty 18
Cystitis—Specialty 18
Cystitis—Pulvets 82, 83

D

Decalone—Specialty 19
Deodoro—Specialty 19
Dermal Lotion—Specialty 19
Dermalone Ointone—Specialty 19
Dermigerm—Specialty 20
Detergo—Specialty 20
Dextrose—Ampoule 127
Diachylon B.P.C. Ointone 139
☆ Diarrhoea—Infant Pulvets 61
☆ Diarrhoea—Pulvets 83
Pr Diazolone—Pulvets 84
Dicalcone—Pulvets 84
Difolone—Pulvets 84, 85
Digestive Aromatic—Pulvets ... 85
Digestone—Acid-Alkaline—Arseniated—Specialty 20
Digitalin—Pulvets 85
Digitalin & Strychnine 21
★ Diolone—Specialty 21
Dispensing Supplies 165-171
Diuretic—Elixir Specialty 21
Diuretic—Pulvets 85
Dobell's (for making solution)—Solvets 120
★ Dovers Powders—Pulvets 143, 62, 86
Drugs 159-164

E

Electrode Lubricant—Specialty 21
Enzymolone—Specialty 22
Ephalone Hydrochloride—Ampoules 127
Hyplets 19
Solutions 22
Pr Ephiazone Nasal Drops—Specialty 22
Epithelone Ointone—Specialty 23
Pr Epyrone—Specialty 23
Pr Ergalone—Specialty 23
Eserine—Ophthalmic Ointones 142
Essences 147
Ether—for Anaesthesia 24
Ether—Nitrous 147
Eucalone—Specialty 24
Eucerone Ointone—Specialty 24
Euflavone—Solvets 120
Euflavone—Acriflavine 160
Eye Oil—Specialty 24
Eye Water (Kistler's)—Specialty 25

F

Ferro B—Pulvets 88
Ferrone Preparations—Specialty 25
Ferrous Phosphate 149
Ferrous Sulphate—Pulvets 88
Fibrolone—Specialty 25
Flatulence—Pulvets 89
Flaverole—Specialty 26

F

Fluid Extracts 134-135
Flulone—Pulvets 89
Fluorescein 144
Flurochrom—Specialty 26
Formalin—Solvets 121
Freezable Goods III
Furunculone—Pulvets 89
Fruit Saline—G .E. Salts 136

G

★ Galls & Opium—Ointone 139
Gastrolone—Pulvets 89
Germaform—Specialty 26
Glucalone—Pulvets 90
Granular Effervescent Salts 136
Green Soap Hartz 152, 27

H

Haematone—Pulvets 90
Pr Harcilone—
Ointone 27
Ophthalmic 142
Heart Tonic Pulvets 91, 92
Hepatic—Pulvets 92
★ Herodine—Specialty 27
★ Heroin Hydrochloride—
Injectable 128
Pulvets 92
★ Heroin & Terpin Hydrate—
Pulvets 92
Elixir 28
Homolone—Pulvets 93
Hydroxyl—Specialty 28
Hyoscine Hydrobromide—
Pulvets 93
Hyoscyamus—
Fluid Extracts 134
Tincture 152
Pr Hypatrone—Pulvets 93
Hyplets 59
Pr Hypnolone—
Powder 29
Pulvets 93-94
Sodium 30
Pr Hypnolone Elixirs—Specialty 29
Hypophosphites Haematic
Syrup 149

I

Ichtholone Ointone 139
Pr Incontinence—Pulvets 94
Indigestion Powder—
Infant Pulvet 62
Infalone—Specialty 30
Infant—Pulvets 60-63
Injectable Solutions 126
Intestinal Antiseptic—
Pulvets 62
Iodine Applicator Ampoules—
Specialty 30
Iodine Stainless Ointone—
Specialty 30
Iodolone—Specialty 30

K

Kayalone
Emulsion—Specialty 31
Powder—Specialty 31
Keratolone—Ointone 31, 32
Kinetolime, Plain—Specialty ... 32
Indicating—Specialty 32

L

Labels (loose) 168
Prescription 167-171
Lactated Pepsin Elixir—Specialty 32
Lanolin Cream—Specialty 32
Larkspurcide—Specialty 33
Lavo—Specialty 33
Lavorone—Specialty 33
Laxagrada—Specialty 33
Laxogen—Pulvets 95
Liniments 137
Liquors 144-146
Localone—Specialty 34
Lubra Septol—Specialty 34
Lubricol—Specialty 34
Lusan—Specialty 34

M

Pr Magalone—Specialty 35
Pr Magalone—Pulvets 95
Magnesium Citrate—Granular Effervescent 136
Maltalone with Red Bone Marrow & Cod Liver Oil Vitamins—Specialty 35
Mastisol—Specialty 35
Medicinal Syrups 149-150
Menthalone Inhalant—Specialty 36
Menthalone Ointone—Specialty 36
Pr Mephatrone—Infant Pulvets ... 62
Mephenesin—Pulvets 96
Mercurolone—Specialty 36
Mercury Protoiodide—Pulvets 96
Mersone Preparations—Specialty 36, 37
Metalime—Specialty 37
Methidone—Specialty 37
Methylene Blue Compound—Pulvets 96
Microscopic Stains & Solutions 157
Migraine A. D, & E—Pulvets 97
Milk of Bismuth—Specialty ... 38
★ Mistura Tussi—Specialty 38
★ Morphine Sulphate—Pulvets 97
Hyplets 59
Injectable Solutions 129
Morrhulone—Specialty 38
Morrhumel Ointone—Specialty 39

N

★ Narcotic Regulations ii
Nasal Balm—Specialty 39
Pr Natribarb—Pulvets 98
Nausea (**A**, **Pr**) & (B, ★)—Pulvets 98
Neuritic Liniment—Specialty 39
Neutralizing Plain—Pulvets ... 98
Nicotinic Acid—Pulvets 99
Nitroglycerin—Pulvets 99
Hyplets 59
Nitrosol—Solvets 123
Nuperlone Ointone—Specialty 39
Nux Vomica 135

O

Pr Obesolone—Pulvets 99
Ointments—Ointones 138-141
Ophthalmic Ointments 142
★ Opium—Pulvets 99
★ Opium and Lead—Pulvets 100
Pr Otolone—Specialty 39
Oxymelone—Specialty 40

P

Papaya Compound—Pulvets ... 100
Parola—Specialty ... 40
★ Pavodeine—Pulvets ... 100
Pr Pentalone—Pulvets ... 100
Peptonated Hypophosphites —Specialty ... 40
Pertussalone—Specialty ... 41
Petrolone—Specialty ... 41
Petrolone with Magnesia—Specialty ... 41
Petrolone with Phenolphthalein —Specialty ... 42
Pharmacological Index ... 172
Phedrose Spray—Specialty ... 42
Phenalone—Pulvets ... 101
Pr Phenephedrone—Specialty ... 42
Phenyl Iodide—Specialty ... 42
Phosiodol—Specialty ... 43
Phosmalone—Specialty ... 43
Phosphorus & Lecithin Elixir—Specialty ... 43
Phostone—Specialty ... 44
Phylone—Pulvets ... 101
Pichimetto—Specialty ... 44
Picrocaine Ointone—Specialty 44
Plexone—Specialty ... 45
★ Poison Ivy Lotion—Specialty 45
Powders, Compound ... 143
Protecto Cream—Specialty ... 45
Protecto Lotion—Specialty ... 45
Pulvets ... 60-117
Pyrimalone—Pulvets ... 102-103

Q

Quinidine Sulphate—Pulvets 103
Quinine Sulphate—Pulvets ... 103

R

★ Rectol Ointone—Specialty ... 46
Renaform—Specialty ... 46
Returned Goods ... 191
Rheitone—Specialty ... 46
Rheumatism—Pulvets ... 104
Rhinitis—Infant Pulvets ... 63
Rhinitis—Pulvets ... 104
Rhubarb-Ipecac—Pulvets ... 104
Rhubarb and Soda—Pulvets ... 104

S

Saccharin—Pulvets ... 105
Salicylone Compound Elixir—Specialty ... 47
Saline Laxative—Granular Efferv. ... 136
Salol ... 105
Salsub—Specialty ... 47
Sani-Sope—Specialty ... 47
Scabenzone Ointone—Specialty ... 47
Scabide Lotion—Specialty ... 48
Pr Secolone—Pulvets ... 106
Pr Sedative—Pulvets ... 106
Silver Nitrate Applicators—Specialty ... 48
Sixavit—Pulvets ... 107
Soda Mint—Pulvets ... 107
Sodium Bicarbonate—Pulvets ... 107, 108
Sodium Chloride—Pulvets ... 108
Solvets ... 124
Sodium Nitrite—Pulvets ... 108
Sodium Phosphate—Pulvets ... 108
Granular Effervescent ... 136
Sodium Salicylate—Pulvets ... 109
Solutions and Liquors ... 144-146
Solvets ... 118-125
Specialties ... 1-58
Spirits ... 147
Pr Stilbestrone—Pulvets ... 109
Sterile Solutions ... 125-133
Stocaine—Specialty ... 48
Stomachic—Pulvets ... 109
★ Stokes' Expectorant—Specialty ... 49
Stomatone Elixir—Specialty ... 49
Strychnine Sulphate—Pulvets ... 110
Hyplets ... 59
Pr Sulphocyalone Elixir—Specialty ... 49
Suppositories ... 148
Syrups Medicinal ... 149-150

T

Tablets (Pulvets, Hyplets and Solvets) 59-125
Tarmalone Ointone—Specialty 49
Taroxone Ointone—Specialty 50
Tectone—Specialty 50
Pr Tensilone—Pulvets 110
★ Terpogen—Specialty 50
Terms .....
Test Solutions 158
Pr Thebarlone—Pulvets 110
Theolone—Pulvets 111
Pr Theophylone—Pulvets 111
Therapeutic Index 178
Thermotine—Specialty 51
Thiamin—
Pulvets 112
Injectable 133
Pr Thiazolone
Emulsion 51
Ointone 51
Pulvets 112
Pr Thiazomel Ointone—Specialty 52
Threbrolone—Specialty 52
Three Bromides—Pulvets 113
★ Throat Mentholated—Pulvets 113
Pr Thyalone—Pulvets 113
Thymolyptine—Specialty 52
Pr Thyroid—Pulvets 114
Tinctures 151-153
★ Toothache Drops—Specialty..... 53
Pr Triple Sulfa Suspension—Specialty 54
Triplex—Pulvets 115
Triseptol—Specialty 53
Trisilone—Pulvets 115
Pr Trisulfone—Pulvets 115
Pr Trizine—Specialty 54
★ Tussilago Compound—Specialty 54

U

Urine Test Solutions 158
Uro Cystine—Pulvets 115
Urolone—Granular Effervescent 55
Uroset—Solvets 125
Uro Vesical—Pulvets 116
Ustol—Specialty 55
Uterine Tonic—Pulvets 116

V

Vaginal Cones 148
Vapo Antiseptol—Specialty ... 55
Vapolone—Specialty 56
Vegetable Laxative—Pulvets ... 116
Vermolone—Pulvets 116, 117
Vitabolone—Elixir—Specialty 56
Pulvets 117
Vitaplex Caplets 56
Vulnulone 57

W

Waters 147
Whitehead's Varnish 57
White Liniment 57
★ White Pine Compound Syrup 57
★ White Pine Compound with Eucalyptol & Honey Syrup 58

Z

Zincone Ointone—Specialty ... 58

SPECIALTIES

List No.

1 **Acnelone — Ointone**

An antipruritic, greaseless ointment containing Sulphur 8%, Resorcin 2%, in a flesh-matching vehicle.

Acnelone effectively masks acne lesions, acts rapidly, and is a new specific in acne therapy.

Directions: Cleanse affected areas with soap and water; dry, and apply a thin coating of Acnelone without rubbing.

Supplied in 2¼ oz. and 16 oz. jars.

2 **Acriflavine**

Emulsion 1:1000

A bland oil, wax and cholesterin emulsion representing one part of **Euflavone**, *Hartz Brand of Neutral Acriflavine*, in one thousand parts of the emulsion, with **Thymol** for additional germicidal potency.

A powerful antiseptic application for general use on **Abrasions** and **Wounds.** Useful in the treatment of **Furuncles** and **Otitis Media.** Apply on gauze with a protective dressing.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

3 **Adamin B, C, Hartz**

A concentrated solution of A and D Vitamins, containing in each gramme not less than 60,000 International Units of Vitamin A and 6,000 International Units of Vitamin D.

Adamin exerts a favourable influence on the metabolism of Calcium and Phosphorus, in general, and is of particular value in the prevention of rickets.

Dose: As a prophylactic for normal infants, ten drops daily; as a curative, up to twenty drops daily.

Supplied in 2 oz. dropper bottles.

4 **Adhesive Remover**—*Stokes'*

A Non-pulling Adhesive Tape Remover

Quickly and efficiently removes adhesive plaster from all surfaces without pain, leaving skin smooth and soft.

Non-inflammable and non-irritating. Particularly useful for removal of adhesive material from hairy skin surfaces. Contains no Acetone, Alcohol, Chloroform or Ether and will not explode even when brought into contact with open flame.

For External Use Only.

Directions: Saturate a pledget of absorbent cotton with Stokes' Adhesive Remover and press gently under one corner of the adhesive tape, allowing some of the Remover to run under the tape. Pull tape gently, squeezing a little of the Remover from cotton onto the skin at junction point with tape.

Supplied in 16 oz., 80 oz., 160 oz. bottles.

List No.

5 Albasulphidi (Acne Lotion)

A suspension of freshly precipitated Sulphur and Zinc Sulphide in a solution of alkaline Thiosulphate with Camphor, Phenol and Glycerin.

Effective local treatment for Acne, Dermatitis, Eczema and similar affections requiring astringent detergent treatment.

Applied two or three times daily by means of a small soft sponge or pledget of absorbent cotton and allowing application to dry spontaneously, repeating the application during ten minutes as the lotion dries.

Supplied in 16 oz., 80 oz., 160 oz. bottles.

6 Alka-Antiseptol

An effective alkaline antiseptic solution composed of Sodium Borate, Sodium Bicarbonate, Sodium Benzoate, Betula Lenta, Eucalyptol, Menthol, Mentha Piperita, Pinus Pumilio. Thymol and Glycerol.

Useful for preparing antiseptic and deodorant solutions for external or internal use. As a mouth wash, gargle and general deodorizer; as an application to ulcers, wounds and morbid conditions of the mucous membranes. As a spray, dilute with water and glycerin in twenty to fifty per cent. strengths according to conditions.

Dose: One to four fluid drachms.

Supplied in 16 oz., 80 oz., 160 oz. bottles.

7 Alkalone

A non-laxative, effervescent mixture of balanced alkalies.

Each heaping dessertspoonful, when dissolved, represents approximately fifty-six grains of Potassium and Sodium Bicarbonates in the form of Citrates and Tartrates and twenty-five grains of free Potassium and Sodium Bicarbonates and five grains of Calcium Gluconate combined with proportionate amounts of Magnesium, Phosphorus and Sulphur.

Indications: In systemic diseases where the Alkali Reserve has been depleted Alkalone is most efficient in restoring the normal balance.

Before an operation Alkalone is indicated to counter-act shock and the acidosis caused by anaesthesia. Alkalone both before and after operations is a palatable and effective means of introducing water into the tissues.

In Rheumatism and allied affections Alkalone is of service to neutralize acidity and prevent depletion of the alkali reserve when the salicylates are being administered.

Dose: A teaspoonful to a heaping dessertspoonful in a glassful of cold water every three hours.

Supplied in 4 oz. and 8 oz. bottles.

8 Alugel

Hartz brand of Aluminium Hydroxide Gel.

A palatable antacid and absorbent representing 4% of Al_2O_3 in the form of a colloidal gel.

Indicated in the treatment of gastric or duodenal ulcer associated with hyperacidity.

Dose: One to four fluid drachms half an hour before meals, or two hours after meals.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

List No.

9 Ammonia Inhalant Ampoules

These thin glass ampoules contain Aromatic Spirit of Ammonia, protected by an absorbent sheathing.

Indicated in fainting spells, at which time one vial should be crushed and the stimulating ammonia vapours inhaled.

Supplied in boxes of 6 and 100 ampoules.

10 AMOLYN

Hartz Brand of

Dibutyl-aminopropyl-p-aminobenzoate Sulphate

$[NH_2C_6H_4COO(CH_2)_3N\ (C_4H_9)_2]2\ H_2SO_4$

A potent non-narcotic local anæsthetic. Very effective for surface anæsthesia and possessing many essential advantages over Cocaine.

Amolyn is not decomposed by boiling and its solutions are therefore easily and quickly sterilizable and are stable and slightly antiseptic.

Amolyn produces anæsthesia more rapidly than Cocaine and the effect is more prolonged.

Amolyn is very efficacious in eye operations as it rarely dilates the pupil or affects the vessels, the accommodation or ocular tension and does not dehydrate the conjunctiva.

For surface anæsthesia on intact mucous membranes *Amolyn* is particularly efficient.

Dosage:, A two percent. solution is recommended for surface anæsthesia and produces the effect usually expected from a similar amount of four per cent. Cocaine. In Ophthalmology, two or three drops of a two per cent. solution will in about one minute permit the painless removal of superficially placed foreign bodies while four or five instillations about three minutes apart will in five minutes permit operative procedure.

For topical use in nose, throat or urethra a two per cent. solution may be employed.

Caution: Extreme care is imperative when any local anæsthetic is injected into a traumatized urethra or in conditions where trauma may occur.

Available in 2% solution.

11 Analgesone Cream

An analgesic formulation containing Camphor, Chloral Hydrate, Eucalyptol, Guaiacol, Menthol, Methyl Salicylate, and Volatile Oil of Mustard, in a Vanishing Cream Base.

The medication is readily absorbed by the skin tissues, leaving a non-greasy appearance, and producing an effective analgesic and local anaesthetic action.

Supplied in 2 oz. tubes, 4 oz. jars and 1 lb. jars.

12 Analgesone — Ointone

(Balm Analgesic)

A penetrating compound of Camphor, Chloral Hydrate, Eucalyptol, Guaiacol, Menthol, Methyl Salicylate and Volatile Oil of Mustard in a cholesterin base which carries the Medication deeply into the tissues producing an effective analgesic and local anaesthetic action also a systematic effect from the absorption of the Methyl Salicylate.

Directions: Wash the affected parts with warm water and soap and apply Analgesone with massage and cover with flannel.

Supplied in ¼ lb. and 1 lb. glass jars; small and large collapsible tubes.

List No.

13 Antipruriticum — Ointone

An emollient product composed of Balsam Peru, Amylum, Glycerin, Menthol, Phenol and Zinc Oxide in a soothing and protective base.

A useful application for the relief of pruritus wherever found, also effective in the treatment of coryza, rhinitis and similar affections.

Directions: Apply to affected parts as required.

Supplied in ¼ lb. and 1 lb. glass jars.

14 Antiseptic Powder

A soluble compound containing Aluminium and Ammonium Sulphate, Boric Acid, Eucalyptol, Menthol, Phenol, Salicylic Acid, Sodium Biborate and Thymol.

Useful in all affections of the mucosa requiring Antiseptic, Astringent and Detergent treatment. Particularly effective in Gonorrhœa, Leucorrhœa, Pruritis, Vaginitis and all abnormal discharges.

Directions: An efficient injection for Vaginal Washing may be prepared by dissolving a heaping teaspoonful in a pint of hot water, which may be used freely three or four times daily. Solutions for a gargle, douche or spray are readily prepared. More effective when used as warm as can be borne.

Supplied in 4 oz. and 16 oz. bottles.

15 Argolone

Hartz Brand of Pure Silver Protein, Mild.

Contains not less than nineteen and not more than twenty-five per cent. of metallic Silver.

An active antiseptic and astringent product, rendered colloidal by the action of Protein on Silver. Freely soluble in water and non-irritant. Its chief application is as an antiseptic and as a mechanical cleanser of mucous membrane.

In Conjunctivitis use twenty-five per cent. solution, or ten per cent. ointment. As a prophylactic of Ophthalmia neonatorum use twenty-five per cent. solution. For Corneal Ulcers apply fifty per cent. solution. Ten to twenty per cent. solutions are effective as spray for nose and throat or twenty-five to fifty per cent. as a swab. Three to ten per cent. solution for injection in Acute Gonorrhoea, and ten to twenty per cent. in the chronic stages.

Supplied in 1 oz., 2 oz. and 4 oz. bottles.

16 Aromatic Elixir (Clear or Red)

A pleasing neutral vehicle for acrid, bitter or saline remedies.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

17 Aseptico — Ointone

A protective dressing compounded from Boric Acid, Eucalyptol, Zinc Oxide and a Special Base of such a constitution that it will hold the medicaments in contact with the affected area even though the part be subjected to considerable heat due to inflammation or other cause.

List No.

An efficient antiseptic soothing application for the treatment of Burns, Cuts, Scalds, Suppurative Tumors and Ulcers.

As a base for other medicaments Aseptico has no equal.

Directions: Apply freely to affected parts.

Supplied in 4 oz and 16 oz. glass jars and collapsible tubes.

18 Aseptone Detergent

A compound of Iodine, Naphtha and Perchloromethane.

An efficient, non-inflammable antiseptic solution for cleansing abrasions, bruises, burns, and wounds which have been contaminated with dirt, grease or oil.

Directions: Moisten a gauze sponge or pledget of cotton with Aseptone Detergent, and sponge the affected area until clean.

Supplied in 16 oz., 80 oz., and 160 oz. bottles.

19 Astringone

A palatable non-narcotic antiseptic and astringent emulsion designed particularly for the treatment of diarrhoea in children. Each fluid drachm represents Salol, 1/5 grain; Zinc Sulphocarbolate, 1/10 grain; Bismuth Subgallate, ½ grain; Bismuth Tannate, 1 grain; Oil of Peppermint and Carozyme.

Dose: Infants of three months, fifteen minims. Six to twelve months, one-half drachm.

Astringone while especially prepared for children will be found effective for the treatment of Colitis and Diarrhoea in adults when administered in sufficient dosage. Adult dose will range from one to two tablespoonfuls.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

20 Auralone

An analgesic and antiseptic compound for the treatment of otitis media, and other ear affections requiring antiseptic, analgesic and antiphlogistic action.

Contains: Benzocaine 1.2%, Phenazone 4.5%, with Phenol 0.5% in a specially prepared Glycerol Base.

Directions: Warm the Auralone to body temperature, and drop into the ear until the canal is filled. Insert a small retaining pledget of absorbent cotton.

Supplied in ½ oz., 1 oz., and 2 oz. dropper bottles—or 4 oz., 8 oz., 16 oz. and 80 oz. bottles (regular).

21 Baby Oil — Hartz

A bland combination of refined vegetable oils and metacholesterol alcohol in a refined paraffin oil base with non-irritating antiseptics.

Baby Oil—Hartz may be used safely for bathing and anointing babies when oil bathing is indicated.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

List No.

22 **Baby Powder — Hartz**

(For Nursery and Toilet)

Hartz Baby Powder is not an ordinary talcum powder, but is a scientific combination of the best healing and protective agents known to the medical profession, for chafed and irritated skins. It is waterproof and is especially useful in the nursery. Also a delightful toilet requisite.

Supplied in: Small—2½ oz. shaker top tins. Large—10 oz. shaker top tins.

23 **Barilone**

(Hartz X-Ray Barium Meal)

A nicely flavoured Barium Meal for X-Ray Diagnosis. Prepared from physiologically pure Barium Sulphate in an agreeably flavoured base which keeps the Barium well suspended and also provides some nourishment.

Supplied in 1 lb. and 5 lb. packages.

Benzalkone

Hartz Brand of Benzalkonium Chloride

A cationic detergent and germicide with efficient bactericidal potency.

Indicated in preoperative disinfection of the skin, and "wash up" of the surgeons' hands; also valuable as an antiseptic in surgery, obstetrics and gynecology, urology, and general practice.

Benzalkone is supplied in the following formulations:

24 **Benzalkone 16% w/v Solution**

For preparing aqueous solutions or acetone-alcohol tinctures. One fluid ounce is sufficient to produce one gallon of 1:1000 dilution.

25 **Benzalkone 1:1000 Aqueous Solution**

26 **Benzalkone 1:1000 Tincture (Tinted)**

27 **Benzalkone 1:1000 Tincture (Untinted)**

Directions:—

For preoperative skin antisepsis: Use 1:1000 aqueous solution or tincture.

For surgeons' "wash up": Use 1:1000 aqueous solution or plain tincture.

For broken skin and mucous membranes: Use 1:10,000 to 1:2000 aqueous solution.

For vaginal use: 1:5000 to 1:2000 aqueous solution.

For urethral and vesical irrigation: Use 1:20,000 to 1:5000 aqueous solution.

For running, open infections: Use 1:5000 to 1:2000 aqueous solution.

For wet dressings: Use 1:10,000 to 1:5000 aqueous solution.

All Benzalkone preparations are supplied in 4 oz., 16 oz., 80 oz. and 160 oz. bottles.

List No.

28 Benzocide

A Potent Brand of Paradichlorbenzene

Prevents destruction of clothing, carpets, furs, upholstery and fabrics by moths, carpet beetles and other destructive larvae.

Exterminates fleas in infested rooms, also kills peach tree borers and some other insects.

Directions for use: Benzocide releases a heavy vapor which is harmless to human beings and domestic animals under ordinary circumstances, but which is fatal to moths, carpet beetles, fleas and some other insects when used as directed.

For Carpet Beetles and Moths: Place clothing such as furs, woollens, etc., in chests, trunks or tight paper bags and sprinkle Benzocide through the garments. Not less than four ounces should be used in a small trunk or garment bag; approximately one ounce to each cubic foot of space; eight ounces in a large chest or trunk. Keep clothes containers tightly closed and the Benzocide vapors will penetrate the clothing killing any larvae, eggs or moths present.

As Benzocide vapor is heavier than air the Benzocide should be placed in a cheesecloth bag and hung on the hook in the top of garment bags, thus allowing the vapor to work downward.

Supplied in 1 lb. and 5 lb. cans.

29 Betuline

An efficacious rubbing liniment, composed of Camphor, Capsicine, Oil of Cajuput, Chloral Hydrate, Chloroform, Oil of Rosemary, Menthol, Methyl Salicylate, Oil of Amber and Volatile Oil of Mustard in a penetrating and lubricating base which carries the medication into the tissues deeply and at the same time prevents vesication and irritation from massage, a valuable adjunct when using a liniment.

A useful anodyne for the local treatment of Lumbago, Sciatica, Muscular Rheumatism and Neuralgias.

Directions: Best results will be obtained if the affected parts are thoroughly washed with a good castile soap and as hot water as the patient can bear, dry well and apply Betuline with massage and cover area with a flannel cloth.

When Betuline is thoroughly rubbed in, a systemic effect is obtained from the Methyl Salicylate in addition to the local action and without digestive disturbance.

Supplied in 16 oz., 80 oz., 160 oz. bottles.

30 Bismalone

An ideal Alimentary Corrective agent in those cases where a laxative action is not desired. Composed of Bismuth Subcarbonate, Bismuth Subgallate, Calcium Carbonate, Magnesium Carbonate, Jamaica Ginger, Shensi Rhubarb, Sodium Bromide, Sodium Bicarbonate, Oil of Peppermint and Aromatic Carminatives, in nicely balanced proportions, Bismalone is an active antacid and sedative to the alimentary tract. The ingredients of Bismalone are comminuted to a state of extremely fine subdivision, thus increasing the activity of the antacid ingredients and the efficiency of the Bismuth Salts by causing them to cover more surface and to adhere better to the mucosa.

Dosage: A level to a heaping teaspoonful, in half a glass of water, two to three hours after food.

Supplied in 3 oz. dispensing tins and 1 lb. bottles.

List No.

31 Bismuth Compound

A non-narcotic antiseptic and astringent for the treatment of diarrhœa. Each fluid ounce representing Bismuth Hydroxycarbonate fifty per cent. by volume in a colloidal suspension combined with Fluid Extract Red Gum, thirty-two minims, Fluid Extract Rubus Villosus, forty minims, Fluid Extract Kino, twenty-four minims, Salol, two grains, Pancreatin, four grains, Chloroform, two minims, with Antiseptic and Carminative Oils.

A palatable aromatic mixture, which will check Diarrhœa, relieve Pain and produce an aseptic condition throughout the digestive tract without disagreeable after effect. Entirely free from Opium or other Narcotic. Promotes a speedy return of the alimentary tract to normal function.

Dose: One to two fluid drachms, well diluted with water, every two hours until relief obtained.

Supplied in 16 oz., 80 oz., 160 oz. bottles.

32 Bismuthone

Hartz Brand of Pulvis Bismuthi Compositus

An agreeable antacid and demulcent powder with effective carminative and digestant properties.

Formula:

Bismuth Oxycarbonate	40 grains.
Calcium Carbonate	160 grains.
Sodium Bicarbonate	80 grains.
Papain	10 grains.
Pancreatin	20 grains.
Magnesium Carbonate	160 grains.
Aromatic Carminatives	10 grains.

In the intensive alkaline treatment of gastric and duodenal ulcer, Bismuthone provides effective treatment, coating the walls of stomach and intestines and thus protecting them from irritation and allaying inflammation. Bismuthone is of special value in Dyspepsia, Gastritis, Diarrhœa and Vomiting.

Dose: One to two level teaspoonfuls, well diluted with water half an hour before food.

Supplied in 2½ oz. dispensing bottles and 1 lb. bottles.

33 Bitter Tonic — Elixir

Each fluid ounce represents:

Tincture Calumba	120 minims.
Tincture Nux Vomica	30 minims.
Tincture Gentian	30 minims.
Tincture Taraxacum	60 minims.

A pleasant stomachic tonic. Useful in convalescence and other conditions requiring a stimulant and tonic to the digestive functions.

Dose: One to two fluid drachms in water half an hour before food.

Supplied in 16 oz., 80 oz., 160 oz. bottles.

34 Black Haw Sedative

Each fluid ounce represents:

Viburnum Prunifolium (Bark of the Root)	30 grains.
Hydrastis (as represented by alkaloids)	30 grains.

List No.

Jamaica Dogwood ..... 30 grains.
Combined with Aromatic Carminatives.

A useful utero-ovarian anodyne and sedative. Indicated in Dysmenorrhea, Menorrhagia, and related functional disorders. As a sedative to prevent threatened abortion and to control hæmorrhage and in spasmodic affections of plain muscle.

Dose: One half to one fluid drachm in water every two or three hours as may be indicated.

Supplied in 16 oz., 80 oz., 160 oz. bottles.

35 Bone Wax — Aseptic

A combination of waxes carefully prepared and sterilized for surgical use and protected with 1:500 solution of mercuric chloride.

May be used safely when required to stop bleeding from bones and other cavities.

Supplied in 2 oz. glass stoppered jars.

36 Borated Emollient Lotion

A soothing and healing lotion prepared from Cydonia Seeds and Dragon Gum combined with Benzoin, Acid Boric, Glycerin, Witch Hazel, Resorcin and Phenol one-half per cent.

Prepared especially for physicians and nurses as an application for chapped hands, face, lips or any irritation or roughness of the skin due to exposure in severe weather or the handling of irritant germicidal solutions such as bichloride, etc.

Directions: Wash and dry affected parts thoroughly, then rub in a small quantity of the lotion, repeating three or four times a day.

Supplied in 16 oz., 80 oz., 160 oz. bottles.

37 Borolan

Unguent Acidi Borici—*Stokes'*

An emollient and Sedative Antiseptic product of Boric Acid incorporated in a Meta-Cholesterol base which is more readily absorbed by the skin and mucous membranes than the official ointment and is therefore more effective.

Borolan is uniform in consistence and composition and will not become rancid. It is a healing and soothing application for abrasions, burns, chaps and scalds. When applied to the lips it prevents the blistering sometimes caused by chloroform anæsthesia.

Supplied in large collapsible tubes and in 1 lb. glass jars.

38 Bromo-Valerian Elixir

Each fluid ounce represents:

Sodium Bromide	60 grains.
Extract Hyoscyamus	1 grain.
Cascara Aromatic	20 minims.
Tincture Valerian Ammoniated	60 minims.

An effective Antispasmodic and Nervine Stimulant.

Dose: One to four fluid drachms, well diluted with water, every four hours.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

List No.

39 Broncholone

Each fluid ounce represents:

Ammonium Carbonate	16 grains.
Ammonium Chloride	16 grains.
Menthol	¼ grain.
Chloroform	1½ minims.
Fluid Extract Licorice	24 minims.
Liquor Senega	36 minims.
Syrup Wild Cherry	36 minims.

A palatable, non-narcotic, stimulating expectorant, especially useful in the treatment of catarrhal affections of the respiratory passages. Alleviates irritation of mucous membranes in acute and chronic bronchial affections. Particularly valuable in pneumonia when narcotic sedatives cannot be administered.

Dose: One to two fluid drachms every hour or so as may be indicated.

Supplied in 16 oz., 80 oz., 160 oz. bottles.

40 Brovalone

Each fluid ounce represents:

Sodium Bromide	80 grains.
Extract Hyoscyamus	1 grain.
Laxagrada	20 minims.
Tincture Valerian Ammoniated	80 minims.

Combined with Aromatic Carminatives.

A useful Antispasmodic, Nervine and Stimulant.

The characteristic odor and taste of Valerian are pleasantly disguised and rendered palatable to the most fastidious taste.

Indicated in Insomnia, Hysteria and the functional diseases associated therewith. Headache and the nervous symptoms of the menstrual period are favourably controlled by two fluid drachm doses administered every three or four hours. An adequate means of control of the menopause nervous symptoms.

Dose: One to four fluid drachms well diluted with water.

Supplied in 16 oz., 80 oz., 160 oz. bottles.

41 Burn Dressing — *Stokes'*

A convenient and effective Tannic Acid Treatment for Burns, Scalds and other skin abrasions.

A soothing, healing, antiseptic and emollient dressing containing five per cent. of Chemically Pure Tannic Acid with 0.05 per cent. of Potassium Oxyquinoline Sulphonate in a bland, water soluble vegetable base. Provides effective treatment for Burns, Cuts and all bleeding abrasions.

Directions: Remove oil or greasy applications with ether or Stokes' Adhesive Remover and thoroughly cleanse affected area, removing all dead tissue, such as blistered skin, so as to expose the raw surface, then apply a liberal coating of the Dressing and cover with a sterile bandage. Remove after twenty-four hours and apply a fresh dressing. When a firm coagulum is formed over the denuded area, dry dressings only are required.

Supplied in small and large collabsible tubes.

List No.

42 C.A.D.C. Local Anæsthetic

A sterile solution containing Stocaine, two per cent., combined with Chlorbutanol one-half per cent. and one part of Epinephrine in twenty thousand parts of a solution isotonic with blood serum.

The use of this anæsthetic renders operations painless in all minor surgery. A much safer and more efficient local anæsthetic than solutions of Cocaine. Used by Physicians and Dentists, for Nerve Blocking, Painless Extraction of Teeth and all Surgical Operations of a minor nature.

43 C.A.D.C. Local Anæsthetic ½A Half Strength

A sterile solution containing one per cent. Stocaine combined with Chlorbutanol one-half per cent. and one part of Epinephrine in twenty thousand parts of a solution isotonic with blood serum.

44 C.A.D.C. Local Anæsthetic ½B Without Epinephrine

A sterile solution containing two per cent Stocaine combined with Chlorbutanol one-half per cent. in a solution isotonic with blood serum.

45 C.A.D.C. Local Anæsthetic ½C Half Strength Without Epinephrine

A sterile solution containing one per cent. Stocaine combined with Chlorbutanol one-half per cent. in a solution isotonic with blood serum.

All C.A.D.C. formulae supplied in 2 c.c. Ampoules in boxes of 12 and 100 Ampoules and 33 c.c. multiple dose bottles with rubber cap.

46 Calgesone — Ointone

An analgesic, non-greasy ointment composed of Specially Prepared Calamine 10%, Benzocaine 5%, Hexylresorcinol 0.05%, with Camphor, Menthol and Phenol, in a water miscible base.

Calgesone assures rapid, efficient relief for superficial skin irritations caused by sunburn, insect bites, poison ivy, and other skin affections requiring analgesic, antiseptic and astringent treatment.

Drections: Apply locally to affected areas.
Supplied in 2 oz. tubes; 4 oz. and 16 oz. jars.

47 Calefact — Ointone

A mildly stimulating ointone compounded from Camphor, Capsicine, Chloral Hydrate, Croton Oil, Chloroform, Menthol, Methyl Salicylate, Cajuput Oil, Eucalyptol, Oil Sassafras and Volatile Oil of Mustard in a penetrating base.

A useful Rubefacient and Counter-Irritant in the treatment of Bronchitis, Neuralgia, Sore Throat and other conditions where Rubefacient action is indicated, such as Bruises, Sprains, Articular and Muscular Rheumatism.

List No.

Calefact can be used with absolute safety on all surfaces where indicated, if the skin is unbroken, as it will not blister and is superior to mustard plasters.

Supplied in small and large collapsible tubes and in 16 oz. glass jars.

48 Calsolone

A complex mixture of Sodium Polyphosphates for Sequestering many metals, such as Calcium, Magnesium, Iron, etc., which are found in hard water. Calsolone will soften hard water, and prevent the formation of soap curds.

Directions: Dissolve a small quantity in the laundry water before adding soap or detergent. Smaller amounts added to the rinse water will assist in the elimination of any remaining soap.

Supplied in 1 lb., 5 lb. and 50 lb. packages.

49 Camalone

Each fluid ounce represents:

Chamomile (Roman)	40 grains.
Sodium Bicarbonate	24 grains.
Laxagrada	16 minims.
Tr. Nux Vomica	24 minims.
Tr. Rhubarb Comp.	80 minims.
Tr. Gentian Comp.	120 minims.

An agreeable alkaline carminative, stomachic and tonic. An effective aid to digestion, improving the appetite, increasing the flow of natural bile thus overcoming constipation. Non-irritant and effective in atonic dyspepsia of delicate constitutions. Useful in hæmorrhoids.

Dose: One to four fluid drachms before meals.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

50 Carozyme

A solution of vegetable digestive enzymes standardized so that each fluid drachm will digest and make soluble four hundred grains of blood fibrin.

Agreeable to the stomach and delicious to the taste.

This preparation is active in acid, alkaline or neutral media, and its medicinal properties are not affected by prescribing it along wth such chemicals as the bromides, salicylates, etc.

An efficient digestant and an excellent vehicle for the administration of other drugs liable to disturb digestion.

Dose: One to four fluid drachms.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

51 Cascara, Aromatic

A pleasing aromatic extract of genuine Cascara Sagrada Bark, which has been properly aged and matured to eliminate the griping principles.

Dose: One-half to one fluid drachm.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

List No.

52 Cetabrom — Powder

Hartz brand of Cetyltrimethylammonium Bromide.

Cetabrom is readily soluble in water, and a 1% solution exhibits excellent detergent and bactericidal properties. It is of low toxicity and has no injurious action on the intact skin or raw surface of wounds, burns, etc. It is indicated for preoperative skin sterilization, and "wash up" of surgeons' hands; also effective for cleansing and disinfection of general hospital equipment.

Supplied in ¼ lb., 1 lb. and 5 lb. containers.

Cetabrom is also available in the following formulations:—

53 Cetabrom Detergent

An aqueous solution containing 1% Cetabrom, with a rust inhibitor. A safe antiseptic detergent for use in cleansing wounds. May be used for storage of sterilized instruments, etc.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

54 Cetabrom Tincture 1:200

A tinted alcohol-acetone aqueous solution of Cetabrom. An efficient germicide and antiseptic for preoperative skin sterilization and first aid.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

55 Cetabrom Tincture 1:200 — Untinted

As above only untinted.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

56 ★ Cherry Cordial

Each fluid ounce represents:

Acetum Scillae	48 minims.
Acid Hydrocyanic Dilute	2 minims.
Fluid Extract Ipecac	1 minim.
Acid Sulphuric Aromatic	8 minims.
Tartar Emetic	¼ grain.
Spirits of Aniseed	2 minims.
*Morphine Acetate	⅛ grain.

A palatable Expectorant and Cough Sedative. Agreeably flavored and brilliantly colored.

Dose: One to two fluid drachms.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

57 Cherry Cordial

Without Morphine

Each fluid ounce represents:

Acetum Scillae	48 minims.
Acid Hydrocyanic Dilute	2 minims.
Fluid Extract Ipecac	1 minim.
Acid Sulphuric Aromatic	8 minims.
Tartar Emetic	¼ grain.
Spirits of Aniseed	2 minims.

A pleasant and safe expectorant for infants and children.

Dose: One to two fluid drachms.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

★ Narcotic signature required.

List No.

58 Chionanthus Compound — Elixir

Each fluid ounce represents:

Chionanthus	40 grains.
Mandrake	24 grains.
Wild Indigo	24 grains.
Blue Flag	12 grains.
Culver's Root	12 grains.
Sodium Salicylate	24 grains.

An active hepatic stimulant for sluggish liver. Indicated in hepatic insufficiency, constipation, biliousness, gout, hypertension, obesity and fermentative conditions in the intestinal tract.

Combined with equal parts of Rheitone, Elixir Chionanthus Compound is a most effective remedy for that feeling of lassitude and malaise so often encountered and where it is so difficult to diagnose the exact cause.

Dose: One to four fluid drachms well diluted with water. Effectiveness increased if dose followed by a glass of hot water.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

59 ★ Chloral Compound — Liquor

Each fluid ounce represents:

Chloral Hydrate	120 grains.
*Extract Cannabis	1 grain.
Extract Hyoscyamus	1 grain.
Potassium Bromide	60 grains.

An effective hypnotic and sedative. Indicated in sleeplessness, functional nervous disorders, epilepsy, hysteria, all forms of mania, neuralgia, spasms and other conditions requiring hypnotic and sedative treatment. Particularly valuable when pain is a prominent factor or in spasms of involuntary muscles, as in asthma and colic. Croup and whooping cough are relieved by small frequent doses.

Dose: One-half to one fluid drachm well diluted with sweetened water, repeated at intervals as may be indicated, until desired result obtained.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

60 ★ Chloral Compound with Morphine — Liquor

Each fluid ounce represents:

*Morphine Sulphate	½ grain.
*Extract Cannabis	1 grain.
Extract Hyoscyamus	1 grain.
Potassium Bromide	60 grains.
Chloral Hydrate	120 grains.

Dose: One-half to one fluid drachm well diluted with sweetened water, repeated at intervals as may be indicated, until desired result obtained.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

61 ★ Chlorodyne

Each ten minims represents:

*Morphine Hydrochloride	1/16 grain.
Hydrocyanic Acid Dilute	1/3 minim.
Oil Peppermint	1/80 minim.

★ Narcotic signature required.

List No.

Tincture Capsicum	1/16 minim.
Fluid Extract Licorice	2 minims.
Chloroform	1¼ minims.

An efficient anodyne, carminative, diaphoretic and sedative. Very effective in relieving pain and quieting nervous excitement, especially in Cholera Morbus, Dysmenorrhœa, Gastralgia and Neuralgia, etc.

Dose: Ten minims in hot water, repeated every hour if necessary until relief is obtained.

Note: Each two drops from an ordinary small prescription bottle are equivalent to one minim.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

62 Chloroform —

Physiologically Pure

Especially purified for Anesthesia

Store in a cool, dark place.

Supplied in ¼ lb., ½ lb. and 1 lb. bottles.

63 Chlorxylone, *Hartz*

Non-Irritating, Non-Poisonous and Non-Staining Antiseptic and Germicidal Solution of 4-Chloro—3-hydroxyxylene. *Carbolic Acid Coefficient* 3.1 *by Hygienic Laboratory Method.*

Directions: For Use as a Vaginal Douche—Add two to three teaspoonfuls to a quart of warm water.

For bathing Abrasions, Bites, Cuts, Insect Stings, etc., add three to four tablespoonfuls to a pint of warm water.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

64 Chlorxylone Cream

A water soluble obstetrical cream

A non-irritating, non-poisonous and non-staining emulsion of Para-Chlor-Meta-Xylenol, which provides effective and convenient antisepsis in obstetrical practice. As a disinfectant Hartz Chlorxylone Cream is more efficient than Pure Carbolic Acid but is non-corrosive.

Caution: Do not use as a catheter lubricant.

Phenol Coefficient 1.0 *by the Hygienic Laboratory Method*

Supplied in 5 oz. tubes; 8 oz. dispenser top bottles and 5 lb. jars.

65 Citro-Salone

Each fluid ounce represents:

Lithium Benzoate	8 grains.
Piperazine Salicylate	10 grains.
Colchicine Salicylate	1/15 grain.
Methyl Salicylate	¾ grain.
Potassium Citrate	20 grains.
Sodium Salicylate	30 grains.

In a palatable vehicle of the Carozyme Enzymes which prevent digestive disturbance, thus permitting the dosage to be pushed to a greater extent and over a longer period than is possible with most salicylate preparations.

List No.

Citro-Salone will be found an agreeable and effective Anti-Arthritic, Anti-Rheumatic and Uric Acid Solvent.

The administration of Piperazine Salicylate keeps Uric Acid in a soluble state in the blood and uratic deposits are dissolved and eliminated. Citro-Salone is therefore especially indicated in the Uric Acid Diathesis in Gout, Renal Calculus, Rheumatism and similar affections.

Dose: One to two fluid drachms well diluted with water every three or four hours, preferably half an hour before or two hours after food. If desirable to increase the salicylate dosage, especially in those patients having an idosyncrasy for Colchicine and the preparation thus proves too laxative, the additional amount of Sodium Salicylate indicated should be prescribed in a vehicle consisting of one part Citro-Salone with one, two or even three parts of Carozyme.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

66 ★ **Codelone**

(Syrup Codeine Compound)

Each fluid ounce represents Codeine Phosphate one and one-third grains combined in an aromatic glycerin vehicle with Terpin Hydrosulphonate eight grains, Eucalyptol one-sixteenth grain and Ipecac one grain.

A palatable expectorant and sedative cough mixture. It does not depress the respiratory centre, nor arrest secretion, but diminishes local irritation in the respiratory organs. It is therefore most useful to allay hard, dry coughs which cause insomnia due to incessant coughing. Particularly valuable for aged patients and in Asthma and Chronic Bronchitis.

Dose: One to three fluid drachms repeated as may be indicated.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

67 **Colcholone**

Each fluid ounce represents:

Colchicine Alkaloid	1/40 grain.
Cimicifuga Racemosa	16 grains.
Gentiana Lutea	16 grains.
Potassium Citrate	80 grains.
Lithium Benzoate	4 grains.
Methyl Salicylate	1 grain.
Strontium Salicylate	6 grains.
Sodium Salicylate	96 grains.

An efficient Anti-Arthritic and Anti-Rheumatic combination. Useful in Acute and Chronic Rheumatism, Gout and other conditions of rheumatic origin, such as, Lumbago, Sciatica and many neuralgic affections.

Dose: One to two fluid drachms well diluted with water half an hour before or two hours after food.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

68 **Colosan**

A readily soluble powder composed of detergent and odour eliminating chemicals.

Colosan solutions effectively clean and deodorize colostomy pouches, urinal bags, and other medical appliances.

★ Narcotic signature required.

List No.

Directions: Dissolve one heaping teaspoonful of Colosan in one pint of warm water, and use the resulting solution to wash and rinse any odorous articles. This procedure will clean the article, and will also effectively eliminate any lingering odour.

Supplied in 8 oz. and 16 oz. bottles.

69 Contraseptone

An antiseptic vaginal jelly containing Mercuric Oxycyanide in combination with Alphahydroxypropionic Acid, Hydrogen Orthoborate and Propenyl Alcohol in a water soluble vegetable base.

Recommended by leading clinics for Feminine Hygiene, Leucorrhea, Vaginitis and other vaginal disorders. It effectively neutralizes vaginal alkalinity without irritation.

A special vaginal nozzle attached to the collapsble tube renders application of the jelly easy and convenient.

Supplied in collapsible tubes with and without applicator.

70 Corrective Cordial

A pleasing Antacid and Carminative Laxative prepared especially for Children.

Each fluid ounce represents:

Cascara Sagrada	80 grains.
Senna	80 grains.
Cucurbita Pepo	32 grains.
Licorice Root	80 grains.
Rhubarb	32 grains.
Chenopodium	40 grains.
Aniseed	20 grains.
Oil Wintergreen	½ minim.
Oil Peppermint	¼ minim.
Rochelle Salt	80 grains.
Sodium Bicarbonate	32 grains.

An agreeable mixture for the treatment of infantile alimentary derangements, due to Constipation, Teething and Disordered Digestive Function usually caused by improper diet. It acts as a stimulant and aids the expulsion of flatus, alleviating abdominal pain and exerting a non-narcotic sedative influence. Counteracts gastric hyperacidty, relaxes a rigid pyloric orifice, increases peristalsis and assists assimilation.

Dose: Under one year, five to ten minims; one to three years, twenty to forty minims; three to six years, one teaspoonful; older children and adults, one to four teaspoonfuls.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

71 Cream of Magnesia

An efficient antacid, each fluid ounce representing forty grains of Magnesium Hydroxide in extremely fine subdivision thus permitting its suspension without the use of gum, sugar or other emulsifying agent.

A palatable aperient and corrective for the many disorders of children and adults.

Add a fluid drachm to baby's milk as an antacid instead of Lime Water and the milk will be more easily digested and stomach and intestinal trouble averted.

List No.

An effective neutralizing mouth wash in acidity of the oral secretions.

Dose: One to four fluid drachms well diluted with water or milk.

Affords prompt relief in cases of gastric hyperacidity accompanied with epigastric distress, nausea, sick headache or pyrosis.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

71 Creosol

An effective disinfectant for sick-rooms, closets, stables, etc. Composed of saponified high-boiling tar distillates. Miscible with water in all proportions forming milky emulsions.

Efficient dilutions range from one part of Creosol in fifty parts of water to one part in two hundred and fifty parts.

Phenol Coefficient five to six.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

73 Cutigen

A non-alcoholic solution of one part of Mercury Bichloride in two thousand five hundred parts of a glycerinated vehicle combined with Nitric and Hydrocyanic Acids and Antiseptic Oils.

For external use only.

Used in Eczema and other Parasitic Skin Diseases.

This lotion is a specific in the local treatment of Eczema, allaying the itching, removing the crusts, and allowing the surface beneath to heal. It confirms Unna's theory that Eczema depends upon the inoculation of a specific germ. It contains several antiseptic remedies combined with Glycerin. Cases of Parasitic Eczema have yielded after as few as three applications.

Directions: The solution may be applied full strength or reduced with water, on absorbent cotton, or the parts affected lightly moistened with the solution and allowed to dry spontaneously.

Supplied in 16 oz. bottles.

74 Cystitis — Elixir

For Acid Urine.

Each fluid ounce represents:

Formin	20 grains.
Potassium Bicarbonate	32 grains.
Hyoscyamus	16 grains.
Triticum Repens	32 grains.
Buchu	24 grains.
Oil Sandalwood	1 minim.
Oil Juniper Berries	½ minim.
Atropine Sulphate	1/100 grain.

A palatable and effective formula for the treatment of irritating conditions due to excess acidity, and as a sedative and tonic to the Genito-Urinary system. Valuable for its soothing and diuretic effect in inflammatory cases, particularly those of Cystitis.

Dose: One to two fluid drachms well diluted with water as may be indicated.

Supplied in 16 oz., 80 oz., and 160 oz. bottles.

List No.

75 Decalone — Ointone

An effective combination of Acid Undecylenic 5%, with Zinc Undecylenate 20%, in a Vanishing Cream Base.

Indicated in the treatment of fungous infections of the skin.

Directions: Wash the affected areas thoroughly each night; apply Ointone Decalone, and rub in thoroughly.

Supplied in 1 oz. tubes, 4 oz. and 16 oz. jars.

76 Decalone — Powder

A dusting powder containing Acid Undecylenic 2%, with Zinc Undecylenate, for use as an adjuvant with Ointone Decalone.

Directions: Dust liberally over the affected areas, following the treatment with Ointone Decalone.

Supplied in 2½ oz. shaker tins and 16 oz. bottles.

77 Deodoro

A pleasant deodorant and germicide composed of Eucalyptol, Oil of Pine, Linalyl Acetate, Bergamot, Lavender, Heliotropine, Terpineol and Thymol in an Acetone-Formaldehyde Base.

Effective as a disinfectant and deodorant of sickrooms and utensils. A few drops placed in a pus basin and diluted with water will disinfect the basin and deodorize the room.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

78 Dermal Lotion — *Stokes'*

A healing and soothing application, especially prepared for the use of physicians and nurses, for Chapped Hands and Rough or Irritated Skin.

Composed of Boric Acid, Oil of Bay Leaves, Bergamot, Lavender and Rosemary with Benzoin, Menthol, Thymol, Witch Hazel, Glycerin and Phenol one-half per cent.

Directions: Wash the skin with castile soap and warm water, dry thoroughly and apply a few drops of the lotion and rub in well.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

79 Dermalone — Ointone

An improved Antipruritic and Anodyne Formula highly recommended by Dermatologists.

A soothing antiseptic dressing containing, Ichtholone, Resorcin, Eucalyptol, Oil of Juniper Tar, Zinc Stearate and Zinc Oxide in a bland and healing base.

Dermalone is a powerful alterative and germicidal application indicated in Psoriasis, Pruritis, Parasitic diseases and all acute and chronic inflammation and irritation of the skin.

Apply Dermalone freely on gauze as an effective remedy for Ringworm, Eczema, Scalds, Burns and other skin abrasions and eruptions.

Supplied in 2 oz., 4 oz. and 16 oz. jars.

List No.

80 Dermigerm

A neutral liquid soap free from caustic or other irritants.

Strongly germicidal but practically non-toxic. An efficient detergent and cleansing agent.

Dermigerm is valuable in gynecological practice, in preparing the hands for examinations and as an antiseptic lubricant.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

81 Detergo — Skin Cleanser

Detergo is an effective non-alkaline Skin Cleanser especially useful in Dermatosis caused by alkaline soaps and detergents. Used regularly Detergo soothes and lubricates the skin, enhancing the natural oil film, thus preventing the penetration of grime and other irritants.

Detergo is not a soap, does not lather and is efficient in soft or hard water.

Directions: Apply a small quantity of Detergo to the dry hands and rub well into the skin; add small amounts of water at a time and continue a brisk rubbing action until the skin is clean. Rinse thoroughly under running water.

Supplied in 40 oz., 80 oz. and 160 oz. bottles.

82 Digestone — Acid

Each fluid ounce represents:

Pepsin	16 grains.
Maltose	4 grains.
Lactic Acid	q.s.
Hydrochloric Acid	q.s.

This Elixir is of definite strength and presents in a combined form all of the principal agents contributing to the process of stomach digestion.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

83 Digestone — Alkaline

Each fluid ounce represents:

Pancreatin	12 grains.
Diastase	1 grain.
Sodium Bicarbonate	20 grains.

A palatable alkaline elixir representing the digestive agents of the intestines. Converts starchy foods into soluble sugars and is useful in conditions of defective nutrition where there is a deficiency of pancreatic secretion.

Dose: One to two fluid drachms two hours after food.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

84 Digestone — Arseniated

Each fluid ounce represents:

Arsenic Sesquioxide	1/15 grain.
Maltose	4 grains.
Pepsin	16 grains.
Acid Lacto-Hydrochloric	6 minims.

A palatable alterative and digestive tonic. Especially active in promoting nutrition of the skin.

List No.

An efficient adjunct to our Cutigen Lotion in the treatment of Eczematous Conditions of the skin, also valuable in debilitated conditions of the system, it is of decided benefit in all cases of loss of appetite, impaired digestion, flatulence and malnutrition.

Dose: One to four fluid drachms after meals.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

85 Digitalin and Strychnine — Elixir

Each fluid ounce represents:

Digitalin	8/100 grain.
Nitroglycerin	8/100 grain.
Strychnine Sulphate	8/50 grain.

A palatable and potent heart stimulant in cases of acute cardiac depression.

Dose: One-half to two fluid drachms.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

86 ★ Diolone

An expectorant and sedative cough mixture containing one-half grain * Dionin to each fluid ounce combined with Guaiacol, Terpin Hydrate, Calcium and Sodium Glycerophosphates in a Special Elixir Pinus Strobus.

An effective remedy in irritating bronchial affections.

Specially indicated in chronic coughs accompanied by general debility.

Dose: One to two fluid drachms every two or three hours as indicated.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

87 Diuretic — Elixir

Each fluid ounce represents:

Buchu	12 grains.
Uva Ursi	12 grains.
Collinsonia	12 grains.
Asparagus	12 grains.
Digitalis	2 grains.
Juniper Berries	24 grains.
Potassium Acetate	20 grains

An effective and reliable alkaline diuretic.

Indicated in many forms of Bacteriuria arising from Pyelitis, Pyelonephritis, Ureteritis, Cystitis and Gonorrhœal Infection.

Dose: Half to two fluid drachms well diluted with water.

Supplied in 16 oz., 80 oz., and 160 oz. bottles.

88 Electrode Lubricant "Type A" — with Abrasive

An antiseptic jelly, possessing high conductivity, especially prepared for use as a safety contact medium in electrocardiography, diathermy and electrosurgery. The addition of the finely subdivided abrasive aids in stimulating the circulation of blood to the surface of the skin.

89 "Type B" — without Abrasive

Similar to "Type A", but without abrasive.

Each type is supplied in 5½ oz. collapsible tubes.

★ Narcotic signature required.

List No.

90 Enzymolone

A palatable and richly colored solution of Digestive Enzymes which will be found an agreeable vehicle for the exhibition of nauseous drugs, particularly those having a tendency to derange the digestive function.

Contains no sugar and is compatible with the Bromides, Iodides and Salicylates thus making it possible to push their dosage over a longer period without digestive disturbances than with most vehicles.

A safe and pleasant vehicle for Diabetic Patients' Prescriptions.

Dose: One to four fluid drachms after meals and at bedtime.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

91 Ephalone Nebulant

A bland and soothing one per cent. aqueous solution of Ephalone Hydrochloride, **Hartz Brand of Pure Levoisomeric Ephedrine**, with Chlorbutanol 0.75%, Eucalyptol 0.1%, Phenol 0.05%, Menthol 0.05%, in a saline and water soluble vegetable base.

Ephalone Nebulant may be used in the form of a spray from a nebulizer; as a nasal pack by saturating pledgets of cotton and gauze, or as drops instilled into the nasal cavity from a medicine dropper.

Reduces congestion of the nasal mucous membranes, thus permitting free drainage and ventilation.

Ephalone Nebulant exhibits the therapeutic advantages of the pure Levoisomeric Alkaloid from Ephedra Vulgaris in a water soluble vegetable base. The effect thus rapidly penetrates the mucous membranes.

Supplied in 1 oz., 2 oz., 4 oz. and 16 oz. bottles.

92 Ephalone 3% — Solution

A three per cent. aqueous solution of Ephalone Hydrochloride, Hartz Brand of Pure Levoisomeric Ephedrine, in an isotonic base preserved with 0.75 per cent. of Chlorbutanol and slightly aromatized.

Ephalone Hydrochloride three per cent. solution may be sprayed, dropped or swabbed into the nose to relieve congestion in Hay Fever. It may be diluted with distilled water if a less intense action is desired.

Used as a local application in many conditions instead of epinephrine solutions.

Applied locally to blanch and shrink nasal mucous membranes.

Supplied in 1 oz., 2 oz., 4 oz. and 16 oz. bottles.

93 Ephiazone Nasal Drops

℞ An efficient Bacteriostatic Decongestant containing five per cent. micronized Thiazolone, "Hartz Brand of Sulfathiazole" with one per cent. of Ephalone "Hartz Brand of Ephedrine Hydrochloride" in an aromatic isotonic emulsion base.

Reduces congestion of nasal mucous membranes, thus permitting free drainage and ventilation.

℞ Prescription required for retail sales.

List No.

Directions: Instil a few drops into the nostrils every two to three hours as may be indicated.

Supplied in 1 oz. dropper bottles and 16 oz. bottles.

94 Epithelone — Ointone

Indicated in all Epithelial Deficiencies

An ointment for the rapid and thorough promotion of epithelial growth on granulating surfaces of wounds: also for treatment of eczema of a dry, scabious or weeping nature.

Contains two and one-half per cent. of Diacetylamidoazotoluol equaling in pharmacodynamic action a ten per cent. ointment of Scarlet Red.

Epithelone is non-irritating and its soothing action enables the physician to prescribe it in many cases where other cell proliferants prove too irritating.

Epithelone does not stain the skin of patient nor linen except in direct contact with the latter, in which event the stain is readily removed by washing with a neutral soap and water.

Directions: Apply to affected parts by spreading the ointone on gauze, as one spreads butter on bread, closing the mesh in the centre by a thick layer and leaving the edges devoid of ointone. The application of such a dressing holds the secretions in at the centre and allows the dry gauze at the periphery to be attached to the skin.

Change dressing every second to fifth day as may be indicated. Healing will be rapid and the wound clean throughout.

Supplied in 4 oz. and 1 lb. jars, and collapsible tubes.

95 Epyrone

℞ Each fluid ounce represents:

Ephalone Hydrochloride	1 grain.
Amidopyrine	12 grains.

in a pleasant, carminative vehicle.

An effective, quick acting Analgesic and Antipyretic indicated for the relief of Migraine and Dysmenorrhœa, also of value in the treatment of urinary incontinence, especially nocturnal enuresis in children.

Dose: One-half to one fluid drachm well diluted with warm water or milk, repeated every three or four hours. Severe cases in adults may require an initial dose of two fluid drachms.

Caution: Where an idiosyncrasy to Ephedrine exists, reduce the dose frequency.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

96 Ergalone

℞ *Hartz Brand of Liquid Extract of Ergot*

A purified and physiologically standardized solution of the active principles of the dried sclerotium of Claviceps purpurea.

Ergalone is specially processed to remove all oily and waxy constituents which interfere with the therapeutic activity of its medicinal principles and the purified solution is then physiologically standardized.

℞ Prescription required for retail sales.

List No.

As all liquid preparations of ergot gradually lose some of their therapeutic activity they should be stored in small well-filled bottles, in as cool a place as possible. Packages of **Ergalone** are protected with carbon dioxide and we recommend that it only be purchased in the smaller sized packages.

Dose: Ten to thirty minims.

Supplied in 4 oz. and 16 oz. bottles.

97 Ether

For Anaesthesia

Ether "Hartz" is especially prepared "for Anaesthesia" with the greatest care, and will be found absolutely free from contamination.

Hartz Ether for Anaesthesia not only answers all the pharmacopoeial requirements but in addition thereto, contains no impurities whatever, being free from Aldehydes, Vinyl Alcohol and Acidity.

We invite Physicians and Surgeons to compare Ether "Hartz" with that offered by other makers. Chemical and Clinical tests will show the superiority of our product.

Supplied in ¼ lb., ½ lb. and 1 lb. tins.

98 Eucalone

An alcoholic solution of the volatile antiseptic constituents of Eugenia aromatica, Eucalyptus Globulus, Cinnamomum Camphora, Abies, Picea, Lavandula Spica, Sassafras Variifolium, Cinnamomum Cassia and Styrax Benzoin.

An useful inhalant for treatment of Croup, Bronchitis, Pharyngitis and other forms of bronchial irritation with difficulty in breathing.

Directions: Put one to two fluid drachms into a pint of steaming hot water and inhale the vapor deeply.

Supplied in 4 oz., 8 oz. and 16 oz. bottles.

99 Eucerone

A stable ointment base composed of water-fixing metacholesterol alcohol, and pure neutral petrolatum jelly.

Eucerone is odourless, non-irritating and will absorb several times its weight of water or water solutions, forming permanent homogeneous mixtures, and is especially suitable as a basis for ointments containing insoluble powders.

Supplied in 4 oz. and 16 oz. jars.

100 Eye Oil — *Stokes'*

A sterile, sedative oil for relieving irritation in the eye caused by burns or the entrance of foreign material. Also effective for removing foreign bodies from the eye.

Directions: Raise the upper eyelid and drop one or two drops of Stokes' Eye Oil into the eye and then pull the lid down over the eye.

Supplied in 2 oz., 4 oz. and 16 oz. bottles.

List No.

101 Eye Water — *Kistler's*

An isotonic soothing, sterile solution of Acid Boric, Camphor and Zinc Sulphate.

Recommended as an antiseptic and astringent lotion for the relief of inflamed conditions in the eyes. Relieves the tired feeling resulting from eye-strain.

Use in an eye-cup or sponge eyes with the solution.

Supplied in 16 oz. bottles.

102 Ferrone

A General Tonic and Restorative

Each fluid ounce represents:

Ferrone	40 grains.
Copper	½ grain

in a palatable vehicle of Malt Extract and Glycerole of Red Bone Marrow.

A preparation of iron in colloidal form, neutral in reaction and therefore will not discolour or injure the teeth. Non-constipating and does not derange the digestive function.

The action of the iron content of Ferrone is assisted by the synergistic action of colloidal copper equivalent to one-half grain of metallic copper to each fluid ounce.

Effective and palatable in those cases in which an Iron Tonic is indicated. Compatible with laxatives such as Cascara and alteratives of the arsenical type.

Dose: One to four fluid drachms in water or wine after meals and at bedtime.

Supplied in 16 oz., 80 oz. and 160 oz. Bottles.

103 Ferrone with Quinine and Strychnine

Each fluid ounce represents:

Ferrone	40 grains
Quinine	4 grains
Strychnine	1/16 grain
Copper (colloidal)	½ grain

in a pleasant vehicle of Malt Extract and Glycerole of Red Bone Marrow.

An efficient general tonic and restorative producing none of the deleterious effects attending the exhibition of preparations containing inorganic salts of iron.

Dose: One to two fluid drachms after meals and at bedtime, taken in water or wine.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

104 Fibrolone

Each fluid ounce represents:

Potassium Bromide	60 grains
Sodium Bromide	40 grains
Ammonium Bromide	30 grains
Lithium Bromide	10 grains
Calcium Bromide	20 grains

Dose: One to two fluid drachms.

Supplied in 16 oz., 80 oz. and 160 oz bottles.

List No.

105 Flaverole

An active germicidal surgical dressing for the treatment of traumata.

This product is a glycerinated solution of Trypaflavine in the proportion of one part in one thousand.

Indications: For wounds which are suppurating, free drainage should first be established, then swab out with Flaverole and pack with gauze soaked in Flaverole. For surface wounds cleanse thoroughly and apply a pad of gauze saturated with Flaverole direct to the wound.

Change dressings as conditions may indicate.

For External Use Only.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

108 Flurochrom

Hartz Brand of **Disodium**
Dibromo-hydroxymercury-fluorescein
$C_{20}H_8O_6Br_2Na_2Hg$

A strong, rapidly acting germicide. Useful as a general antiseptic and also very efficient in the genito-urinary tract.

Indicated in Cystitis, Urethritis, Chancroidal Ulcerations, Ophthalmia Neonatorum, Otitis Media and in obstetrical practice. An excellent general antiseptic for first-aid work.

Flurochrom is incompatible with acids, the salts of most alkaloids, bromides, chlorides, iodides and many local anæsthetics. It should **not** be dispensed in normal saline solution. Flurochrom is freely soluble in water but only slightly in alcohol. It is insoluble in chloroform and ether.

Applications: One to four per cent aqueous solutions for local application to wounds. Two per cent solution for skin sterilization and one per cent for obstetrical practice. In kidney-pelvis infections one per cent solutions introduced into pelvis by catheter and retained five minutes. In vesical affections inject one fluid ounce of a one per cent solution and retain for one hour or longer. A five per cent ointment in chancroidal ulcerations.

Supplied in 10 gramme and 1 oz. bottles.

107 Germaform

An efficient non-corrosive and non-rusting germicide for disinfection of surgical and dental instruments.

Directions: Germaform should be used full strength in a covered glass, porcelain or steel container, and may be used repeatedly as long as the solution remains clear. Scalpels and other sharp edged instruments may be sterilized safely by immersion in Germaform without injuring or rusting the finest cutting edges.

Caution: Do not use aluminium containers.

Supplied in 40 oz., 80 oz. and 160 oz. bottles.

107A Glove Powder — Sterilized

Supplied in 16 oz. shaker top tins.

List No.

108 ★ Glyco-Thiocol

Each fluid ounce represents:

Calcium Glycerophosphate	6 grains
Sodium Glycerophosphate	16 grains
*Codeine Phosphate	½ grain
Strychnine Phosphate	1/15 grain
Potassium Guaiacol-Sulphonate	16 grains

A palatable compound of Guaiacol with tonic and sedative medication for the relief of tubercular cough and catarrhal conditions. Particularly effective in chronic coughs. The cough is loosened, appetite improved and the nervous system restored to more normal conditions.

Dose: One to two fluid drachms, well diluted with water, every three or four hours.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

109 Green Soap — Solid

A pure vegetable oil soap especially prepared for medicinal use. Especially effective in the treatment of infectious, parasitic and obstinate skin diseases. An effective detergent agent for preparing patients for operation and for physicians and nurses in surgical and gynæcological practice.

Supplied in 1 and 6 lb jars; 30 lb. pails; 125 and 450 lb. drums.

110 Green Soap — Liquid

A neutral liquid soap prepared from pure vegetable oils, pleasingly perfumed and containing thirty per cent Anhydrous Soap. An effective detergent for general hospital and medical use.

Supplied in 16 oz., 80 oz. and 160 oz bottles; 5 gallon, 25 gallon and 45 gallon drums.

111 Harcilone — Ointone

℞ Hartz brand of Penicillin Ointment.

Each gramme represents 1000 International Units of Crystalline Potassium Penicillin G in a specially prepared and sterilized base.

Supplied in 350 grain tubes, 4 oz. and 16 oz. jars.

112 ★ Herodine

Each fluid ounce represents:

Potassium Iodide	10 grains
Ammonium Chloride	24 grains
Syrup Hydriodic Acid	64 minims
Syrup Apomorphine	80 minims
Syrup Wild Cherry	240 minims
*Diacetylmorphine Hydrochloride	1/3 grain

An effective expectorant and cough sedative. Particularly useful in asthma, bronchitis and chronic bronchial coughs where expectoration is scant.

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.

Dose: One-half to one fluid drachm, repeated every two hours until expectoration is free, then thrice daily.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

113 ★ Heroin and Terpin Hydrate — Elixir

Each fluid ounce represents:

*Diamorphine Hydrochloride	1/3 grain
Terpin Hydrate	8 grains

Dose: One to two fluid drachms.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

114 Hyburlone

A palatable elixir representing the nervine tonic and uterine sedative properties of Viburnum opulus, Viburnum prunifolium, Cimicifuga racemosa, Turnera diffusa, Hydrastis canadensis, Piscidia erythrina and Anemone Pulsatilla.

An efficient sedative and tonic for the treatment of the numerous symptoms arising from utero-ovarian debility. Especially useful in Amenorrhœa and Dysmenorrhœa and for the relief of headache and neuralgia also spasmodic affections of plain muscle. Useful in inflammations of the uterine mucosa and in leucorrhœa.

Dose: One to two fluid drachms, well diluted with water every two or three hours, followed by a warm drink.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

115 Hydroxyl

A palatable antacid and laxative alimentary corrective

Each fluid ounce represents:

Magnesium Hydroxide (freshly precipitated) representing the Magnesium equivalent of Magnesium Carbonate	100 grains
Papain	1 grain
Pancreatin	1 grain
Diastase	1 grain
Sodium Sulphocarbolate	5 grains
Bismuth Hydroxide (freshly precipitated) representing the Bismuth equivalent of Bismuth Salicylate Normal	4 grains

The suspension of the Bismuth and Magnesium is accomplished without the use of gums, syrup or other mucilaginous principles. Suspension being obtained entirely by their extremely fine subdivision, which is produced by chemical precipitation. The therapeutic action of these medicaments is enhanced by their fine subdivision and excess stomach acidity is neutralized without the liberation of gas which would cause further distress to a patient already suffering from distention.

A valuable preparation for the restoration of the digestive function, in dyspepsia accompanied by gastro-intestinal acidity, dyspeptic diarrhœa, flatulent colic and kindred disorders.

Hydroxyl soothes irritated alimentary mucuous membranes.

★ Narcotic signature required.

List No.

quickly relieving the pain due to hyperacidity, corrects fermentative processes, prevents eructations, assists digestion and is an effective intestinal antiseptic. Indicated in flatulence, gastric and intestinal torpor, hyperacidity, palpitation, vomiting of pregnancy and as a mild laxative and antacid for children.

Keep in a cool place, protected from light and shake the container thoroughly before dispensing

Dose: One to four fluid drachmas, well diluted with water, half an hour before meals. For hyperchlorhydria, two hours after food will give best results. For all other conditions administer at least half an hour before food.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

116 Hypnolone — Elixir ℞A

℞ A palatable elixir, each fluid drachm represents ¼ grain. of Hypnolone (Hartz Brand of Physiologically Pure Phenobarbital) in an aromatic and carminative vehicle.

An efficient hypnotic and sedative for the treatment of various neuroses of cardiac, gastric or other origin.

Dose: One to two fluid drachms several times daily.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

117 Hypnolone — Elixir ℞B

℞ A pleasant elixir. Each fluid drachm represents ½ grain of Hypnolone (Hartz Brand of Physiologically Pure Phenobarbital) in an aromatic and carminative vehicle.

A useful hypnotic and sedative in nervous insomnia and various neuroses.

Dose: One to three fluid drachms.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

118 Hypnolone — Elixir ℞C

℞ A palatable elixir. Each fluid drachm represents ¾ of a grain of Hypnolone (Hartz Brand of Physiologically Pure Phenobarbital) in an aromatic and carminative vehicle.

A useful hypnotic and sedative in nervous insomnia and various neuroses.

Dose: One to two fluid drachms.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

Hypnolone elixirs are also available with added red colour.

119 Hypnolone — Powder

℞ *Hartz Brand of Physiologically Pure Phenobarbital*

A useful hypnotic and sedative in nervous insomnia, also useful in relieving migraine. The toxic action of local anæsthetics is reduced by the previous administration of Hypnolone. Hypnolone is especially useful in the treatment of epilepsy. Hypnolone is contra-indicated in arteriosclerosis, cardiac and pulmonary disease and in nephritis. In some individuals a skin rash may be produced by Hypnolone, necessitating withdrawal of the drug.

℞ Prescription required for retail sales.

List No.

Dosage: As a sedative in various neurosis (cardiac, gastric, etc.) one-quarter to one-half grain several times daily. In Epilepsy, three-quarters to one and one-half grains once or twice daily. For Insomnia, one and one-half to three grains. Severe cases may require five to ten grain doses but the larger doses must be administered with caution.

Supplied in 1 oz. and 4 oz. bottles.

120 Hypnolone-Sodium — Powder

℞ *Hartz Brand of Physiologically Pure Soluble Phenobarbital*

Indications and Dosage are the same as indicated above for Hypnolone Powder.

Supplied in 1 oz. and 4 oz bottles.

121 Infalone

A very palatable emulsion of vitamins in a malt extract of high diastatic and nutritionel value for polyvitamin supplementation of infant children and adult feeding diets. Each fluid drachm represents:

Vitamin A 5000 international units.

Vitamin B_1 1500 gamma.

Vitamin B_2 2000 gamma.

Vitamin C 80 mgm.

Vitamin D 1000 international units.

Recommended dose: One teaspoonful daily in formula, with cereal, or from a spoon.

Supplied in 10 oz. bottles.

122 Iodine Stainless — Ointone

A non-staining ointment containing five per cent of Pure Resublimed Iodine in a penetrating base which carries the medicament into the tissues and does not stain the skin.

An Antiseptic and non-irritating resolvent. Does not cause desquamation or vesication.

Directions: Apply to affected area and rub until all of the stain disappears.

Supplied in 4 oz. and 16 oz. glass jars.

123 Iodine Applicator Ampoules

Crushable ampoules containing Tincture Iodine 2½% for convenient application in first aid. The ampoule is enclosed in a protective sheath, which is used as a brush to apply the Tincture when the ampoule tip is crushed.

Supplied in boxes of 6 and 12 ampoules.

124 Iodolone

A glycerinated solution of the chemical produced by the synthesis of Iodine, Iron, Nitric and Hydrochloric Acids with Phenol five per cent.

℞ Prescription required for retail sales.

An antiseptic and astringent application for sore throat, tonsillitis, diptheria and in all cases of acute or chronic inflammation of the mucosa of the larynx and pharynx.

Directions: For use as gargle, dilute with from sixteen to thirty-two times the volume of water. In acute tonsillitis the weaker dilutions are to be preferred. May be used pure on a throat swab.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

125 Kayalone — Powder

A sterile, inert colloidal absorbent, consisting of Hydrated Aluminium Silicate, for the treatment of Colitis, Cholera, Dysentery, Typhoid, Gastroenteritis, Gastro-Intestinal Catarrh, Ptomaine Poisoning, Vomiting, etc.

Externally for the treatment of Leg Ulcers, Suppurating Wounds, Empyema, Gangrene, Fractures, Skin Grafting, Moist Eczema and as a dressing for Boils, Carbuncles, etc., also in Carcinoma, Cervical Catarrh, Metritis, Endometritis, Vulvovaginitis and Gonorrhoea.

Dose: Up to six or ten ounces suspended in water; Children: six to eight drachms. The usual adult dose is four ounces suspended in a tumbler of water and repeated in three hours.

Supplied in 4 oz. and 1 lb. containers.

126 Kayalone — Emulsion

A pleasantly-flavoured emulsion providing excellent absorbent and antiseptic properties for the treatment of diarrhoea, dysentery and other intestinal toxemias. Each fluid ounce represents:

Kayalone (Hartz brand of Hydrated Aluminium Silicate)	110 grains
Sodium Sulphocarbolate	2 grains
Pectin	5 grains

in a colloidal base.

Dose: One-half to one fluid ounce or more as may be indicated.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

127 Keratolone — Ointone

No. 1—Strong

A delicately perfumed ointone containing:

Acid Benzoic	12.00%
Acid Salicylic	6.00%
Chlorthymol	0.25%

in our special ointone base.

An antiseptic ointment employed in the treatment of ringworm of the scalp and body. As a antipruritic in parasitic skin diseases. Particularly effective in the treatment of athlete's foot and urticaria. Recommended to destroy lupus.

Supplied in 4 oz. and 16 oz. glass jars.

List No.

128 Keratolone — Ointone

No. 2—Mild

A delicately perfumed ointone containing:

Acid Benzoic	6.00%
Acid Salicylic	3.00%
Chlorthymol	0.25%

in our special ointone base.

An effective antiseptic ointment employed in the treatment of ringworm of the scalp and body. As an antipruritic in parasitic skin diseases and on inflamed surfaces. Particularly effective in the treatment of athlete's foot and urticaria. Recommended to destroy lupus.

129 Kinetolime — Plain

Hartz Brand of specially prepared, low moisture, Soda Lime for use in Kinet-O-Meters and other gas-oxygen anesthesia apparatus.

Supplied in 5 lb. jars and 35 lb. tins.

130 Kinetolime — Indicating

Similar to Kinetelime but with colour indicator incorporated which indicates when the material has absorbed its full capacity of Carbon Dioxide; this is indicated when the colour does not fade after the source of Carbon Dioxide has been removed.

Supplied in 5 lb. jars and 35 lb. tins.

131 Lactated Pepsin — Elixir

Each fluid ounce represents:

Lactated Pepsin	80 grains

The Pepsin used in our Pharmaceuticals is of the highest quality as is at once apparent from the appearance of the almost transparent granules, its ready solubility, freedom from odor, pleasant taste and high proteolytic activity.

It is most important that in preparing Pharmaceuticals containing Pepsin or other enzymes that preservatives or other substances materially retarding, inhibiting or destroying their action be avoided. Our process of manufacture is designed to preserve the full proteolytic activity of the Pepsin used and the physician is thus assured of receiving satisfactory therapeutic action from this elixir.

Dose: Two to four fluid drachms.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

132 Lanolin Cream — *Stokes'*

An emollient and healing lubricating cream, delicately perfumed and neutralized to prevent any solvent action on the natural oils and wax of the skin.

An excellent base for the application of medicaments such as Boric Acid, Zinc Oxide, Salicylic Acid, Bismuth Salts, Sulphur and others used for local application.

Supplied in 4 oz. and 16 oz. glass jars.

List No.

133 Larkspurcide

A delicately perfumed and non-irritant lotion similar to Tincture of Larkspur Seeds and possessing effective germicidal properties in addition to its efficient action as a parasiticide.

For External Use Only

Directions: Apply Larkspurcide to the affected areas twice daily until the pediculi are destroyed.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

134 Lavo

A pleasantly perfumed and refreshing lotion for bathing and rubbing patients, sterilizing the skin for injection and general medical practice.

Lavo is effective for soothing the skin, preventing bed sores, reducing excessive perspiration, massaging stiff muscles and as an application to bruises and sprains.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

135 Lavorone

An effective and healing antiseptic, astringent and deodorant solution prepared from chemically pure Zinc Chloride and blended with antiseptic and aromatic oils, Menthol and Formalin.

A particularly useful application for those conditions of the mucosa requiring antiseptic, astringent and detergent treatment. An effective mouth-wash, especially following extraction of teeth. Removes causes of halitosis, leaving breath clean and inoffensive. Effective as a gargle to remove annoying, clinging mucus.

Directions: As a gargle or mouth-wash, dilute with from one to three parts of water. As a douche, use two tablespoonfuls to one quart of water. As an application, saturate absorbent cotton or gauze with full strength Lavorone and apply to the affected area. To cleanse teeth and harden gums, use full strength with tooth brush.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

136 Laxagrada

A palatable solution of the active medicinal principles of prime, carefully selected, properly matured Bark of the Rhamnus Purshiana. Laxagrada retains the bitter principle of Cascara Sagrada, pleasantly disguised.

Laxagrada is purely a tonic laxative and should be given in small doses only, (five to fifteen minims) well diluted with water before meals and at bedtime.

Laxagrada is not recommended as a cathartic, and where this action is desired a saline should be used and then continue with Laxagrada until the normal function is restored.

Dose: Five to fifteen minims, well diluted with water, before meals and at bedtime.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

List No.

137 Localone

Hartz Brand of Lotio Calaminae

A mild astringent and soothing lotion for the skin in Eczema and Acne.

Prepared by a special precipitation process which enables us to present the Calamine and Zinc Oxide in extremely finely subdivided form, free from Arsenic, Lead and other contaminating substances found in natural Calamine.

The lotion will be found useful in acute skin lesions, especially when moist and can also be used to remove roughness and redness of the skin due to exposure.

Directions: Apply to affected parts with a pledget of cotton or a camel's hair brush.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

138 Lubra-Septol

A Sterile, Water Soluble, Surgical Lubricant

Neutral and non-greasy, containing no petrolatum, soap, starch or other objectionable material.

Non-irritating to the most sensitive Mucous Membrane.

Will not injure Nickel or Steel Instruments nor destroy Rubber or Web Catheters.

The ideal lubricant for the Hands, Sounds, Catheters, Bougies, Cystoscopes, Speculæ, Probangs, Syringe Nozzles, Rectal Tubes, Pessaries and similar devices. Insures an easy introduction and the least inconvenience to the patient.

Aqueous antiseptic solutions are soluble in Lubra-Septol which brings and holds them in contact with the mucous membrane, and for this property alone Lubra-Septol is to be preferred over oily lubricants.

Supplied in 2 oz. and 6 oz. tubes.

139 Lubricol

A highly refined, heavy mineral oil.

Perfectly odorless and tasteless.

Specific Gravity 0.875

Viscosity 175 Saybolt at 100° Fahrenheit.

Dose: Adults: One to two fluid ounces preferably given from one to two hours after meals. Children: One to two fluid drachms.

This oil must not be confounded with the ordinary Hydrocarbon Oils of commerce.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

140 Lusan

Lusan is a readily soluble mixture of detergent chemicals, which, when dissolved in hot water, quickly removes blood and tissue from surgical instruments and operating room appliances. Lusan acts quickly and safely, and is not difficult to use. Hard water forms clear solutions, as Calcium and Magnesium salts are not precipitated by Lusan, as is the case with soap.

List No.

Directions: Dissolve one ounce (four level tablespoonfuls) in a gallon of hot water. Immerse the articles which are to be cleaned in the solution, maintaining the temperature at about 160°F. for ten to thirty minutes. Agitate occasionally, and rinse in hot water after removing. When blood and tissue have been allowed to dry on instruments, a longer immersion may be required. It may be necessary, on some occasions, to brush the instruments in order to remove particles of tissue. After rinsing, instruments will be clean and bright, and ready for sterilization.

Supplied in 1 lb. and 5 lb. containers.

141 Magalone

℞

Hartz brand of Aluminium-Magnesium Gel.

Each fluid ounce represents:

Homatropine Methylbromide	1/20 grain
Mephobarbital	1 grain
Aluminium-Magnesium Gel	4%

A very palatable Antacid and Antispasmodic adsorbent for gastrointestinal disorders. Indicated in the treatment of gastric or duodenal ulcers associated with hyperacidity.

Directions: One to four fluid drachms half an hour before or two hours after meals.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

142 Maltalone with Red Bone Marrow and Cod Liver Oil Vitamins

An effective reconstructive tonic composed of Extract of Red Bone Marrow combined in a palatable mixture with an extract of malt of high diastatic value and Cod Liver Oil Vitamins.

Each fluid ounce represents:

Vitamin A	5000 International units
Vitamin D	1000 International units

A readily assimilable tonic and vitalizing food for flesh, bone, muscle and brain.

An efficient fattening and digestive food for thin undernourished children and useful in most cases of malnutrition.

Dose: Commence with one teaspoonful and gradually increase to four teaspoonfuls or more after meals and at bedtime according to age and other indications.

Supplied in 10 oz., 20 oz. and 40 oz. bottles.

143 Mastisol

A liquid adhesive dressing for wounds where drainage is not required. Particularly convenient for retaining dressings in place after appendectomy, hernioplasty, thyroidectomy and other abdominal and facial operations, not requiring drainage. The dressing dries out and is easily removed.

Directions: Apply a half inch strip of Mastisol around the wound and a little removed from it, then place gauze dressing over wound so that edges of the gauze come in contact with the Mastisol then sprinkle an antiseptic dusting powder

℞ Prescription required for retail sales.

List No.

such as Phenyl-Iodide around the edges of the dressing to dry up any excess of the Mastisol and prevent dressing from sticking to clothing.

Supplied in 4 oz., 8 oz. and 16 oz. bottles.

144 Menthalone — Liquid Inhalant

A pleasing compound of Natural Menthol, Oil of Pine, Camphor and Eucalyptol for the relief of head colds, catarrh, etc.

Affords safe and efficient relief for congested conditions of the nasal passages and upper respiratory tract.

Pour eight or ten drops on handkerchief or pillow and inhale vapor.

One teaspoonful in a pint of boiling water and the vapor inhaled will relieve loss of voice, hoarseness, laryngitis, etc.

Supplied in 1 oz., 2 oz., 4 oz., 8 oz. and 16 oz. bottles.

145 Menthalone — Ointone

A compound of Natural Menthol Crystals with Rectified Oil of Camphor, Oil of Pinus Sylvestris and Eucalyptol in an absorbable and penetrating base which carries the medication into the tissues thus obtaining the maximum therapeutic action from the medicaments.

This ointone provides effective treatment for asthma, bronchitis, colds, nasal catarrh, hay fever, burns, cuts, chilblains, rheumatism and similar painful affections.

Supplied in 1 oz. tubes and 4 oz. and 16 oz. jars.

146 Mercurolone — Ointone

An effective unguent for the treatment of impetigo and other obscure skin diseases.

Each ounce represents—Mercury Ammoniated, 20 grains; Zinc Oxide, 60 grains; Liquor Plumbi Subacetatis Dilutus, 30 minims; incorporated in an antiseptic and healing ointment base which holds the medication in contact with the affected areas even though subjected to considerable heat due to inflammation.

Indications: Mercurolone is an efficient application for the treatment of eczema and chronic ulcerations. It is soothing and astringent in inflammatory conditions of the skin, particularly impetigo, and similar obscure skin affections. Useful in herpes, scabies, acute and chronic eczema and other parasitic skin diseases, and to destroy pediculi.

Supplied in 1 oz. tubes, 4 oz. and 16 oz. jars.

147 Mersone

Hartz brand of Sodium Ethylmercurithiosalicylate. Mersone is a non-irritating bacteriostatic which is non-injurious to metallic or rubber instruments.

Mersone is relatively non-toxic when compared with other mercurials and does not precipitate proteins.

List No.

Mersone is recommended for disinfection of the skin and mucous membranes, is an effective parasiticide and fungicide particularly in fungous infections of the feet. It may be used as a preservative in biologicals, solutions for injection, and solutions for opthalmic, nasal and aural procedure.

Supplied in 1 gramme vials.

MERSONE IS AVAILABLE IN THE FOLLOWING FORMULATIONS

147-A Mersone Solution 1:1000

A stainless stable solution of Mersone for irrigation of open wounds, wet Dressings or instillation in body cavities.

Directions: For Ophthalmic and nasal use, dilute to 1:5000: for mouth and throat use from 1:1000 to 1:5000 and for use in genito-urinary tract 1:5000 to 1:20000 should be used.

Supplied in 4 oz., 16 oz., 80 oz. and 160 oz. bottles.

147-B Mersone — Tincture 1:1000

Tincture Mersone is a 1:1000 tinted alcohol-acetone-aqueous solution of Mersone of high bacteriostatic value.

Recommended for application to the skin, as a preoperative germicide and is of value in first aid treatment of superficial wounds.

Supplied in 4 oz., 16 oz., 80 oz. and 160 oz. bottles.

148 Metalime — Plain

Hartz Brand of specially prepared Soda Lime of correct density and granulation for use in metabolism apparatus and oxygen tents.

Supplied in 5 lb. jars and 40 lb. tins.

149 Metalime — Indicating

Similar to Metaline but with colour indicator incorporated which indicates when the material has absorbed its full capacity of Carbon Dioxide; this is indicated when the colour does not fade after the source of Carbon Dioxide has been removed.

Supplied in 5 lb. jars and 40 lb. tins.

150 Methidone — Ointone

A non-staining, antiseptic and non-irritating ointone containing five per cent of Resublimed Iodine with five per cent of Methyl Salicylate in a neutral, penetrating base which facilitates absorption of the medicaments through the skin thus exerting a systemic effect as well as the local action.

An excellent non-irritating antiseptic and resolvent for skin diseases requiring stimulating treatment. In bruises, burns, cuts and ulcers, when there is extensive destruction of tissue, granulation is stimulated and healing promoted by daily dressing with Methidone. Indicated also for the treatment of goitre, gout, muscular soreness, rheumatism and sciatica.

List No.

Directions: For treatment of affections with unbroken skin apply Methidone to affected area and rub until all of the stain disappears. Where skin is broken apply to area and cover with a gauze dressing.

Supplied in 1 oz. tubes, 4 oz. and 16 oz. jars.

151 Milk of Bismuth

A colloidal suspension of Bismuth Hydroxide, each fluid ounce representing the Bismuth equivalent of forty grains of Bismuth Subnitrate. It is free from gums, starch, sugar or other suspending media, the extremely fine subdivision of the Bismuth giving the efficient dispersion obtained in our product and increasing its therapeutic activity. An effective astringent and sedative for the prompt relief of inflammation and irritation of the mucous membrane of the alimentary tract.

Dose: One-half to four fluid drachms, well diluted with water.

Supplied in 16 oz., 80 oz. and 160 oz bottles.

152 ★ Mistura Tussi

Each fluid ounce represents:

Marrubium Vulgare	24 grains
Ammonium Carbonate	10 grains
Ammonium Chloride	10 grains
*Diamorphine	1/6 grain
Liquor Scillae	120 minims
Syrup Tolu	120 minims

An effective Expectorant and Sedative linctus in which the very efficient dosage of the ammonium salts is nicely combined with pectoral and sedative medicaments in a palatable vehicle which masks their disagreeable taste. Sufficient sedative action is afforded without locking up the secretions, while a mild laxative action is also secured from the Marrubium.

Indicated in both acute and chronic bronchial affections, particularly when accompanied by hard dry cough.

Dose: One to two fluid drachms, every two or three hours as may be indicated.

Supplied in 16 oz., 80 oz. and 160 oz bottles.

153 Morrhulone

A palatable wine containing Glycerole of Red Bone Marrow and Liver Extract combined with Malt Extract of high diastatic value, Wild Cherry and Peptonated Hypophosphites Compound.

A valuable general tonic which is easily assimilated by debilitated patients. Particularly indicated in chronic bronchitis, wasting diseases and impaired nutrition.

Dose: One to two fluid drachms after food.

Supplied in 16 oz., 80 oz. and 160 oz bottles.

★ Narcotic signature required.

List No.

154 Morrhumel — Ointone

An antiseptic, demulcent, healing and restorative unguent representing the Vitamin A and D content of four times its weight of pure Cod Liver Oil combined with purified Honey in a special synergistic base which promotes the bactericidal action of the Cod Liver Oil and healing with a minimum of scar tissue.

Morrhumel Hartz provides effective antiseptic and soothing treatment for burns, eczema, frost bite, chronic ulcers and wounds. Infected and suppurating wounds containing necrotic tissue react very satisfactorily to Morrhumel dressings.

Apply Morrhumel freely direct to the wound or on sterile gauze. Cover Morrhumel dressings well to prevent staining of clothing or bed linen.

Supplied in 1 oz. tubes and 4 oz. and 16 oz. glass jars.

155 Nasal Balm

A useful analgesic jelly, composed of Ephedrine Sulphate, Chlorbutanol, Menthol, Phenol and antiseptic essential oils in a water soluble jelly base.

An efficient decongestant and vasoconstrictor, which quickly reduces congestion of the nasal mucous membranes, thus permitting free drainage and ventilation. Indicated for the relief of colds, coryza, hay fever, rhinitis and inflamed nasal mucous membranes due to asthmatic or other congested conditions.

Supplied in 300 grain nasal applicator tubes.

156 Neuritic Liniment — *Stokes'*

A penetrating rubefacient and counter-irritant compound of Camphor, Capsicum, Menthol, Chloral Hydrate, Chloroform, Rectified Oil of Camphor, Volatile Oil of Mustard and Methyl Salicylate in a rapidly penetrating base.

Relieves the painful conditions of lumbago, neuritis, rheumatism and sciatica.

An excellent rub for sore muscles and stiffness resulting from athletic exercise.

Directions: Apply with friction to affected parts. Should not be applied where skin is broken.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

157 Nuperlone — Ointone

An effective antipruritic ointment having a prolonged analgesic action. Nuperlone contains Dibucaine 1 per cent in aqueous metacholesterol-alcohol petrolatum base.

Nuperlone will be found of particular value in treating sunburn, scalds, burns, insect bites and etc.

Supplied in 390 grs. tubes and 4 oz. and 1 lb. jars.

158 Otolone

℞ A solution of Thiazolone Carbamide in a specially prepared Glycerol Base of high specific gravity representing:

℞ Prescription required for retail sales.

List No.

Thiazolone

Hartz brand of Sulfathiazole ten per cent combined with Carbamide eight per cent. Otolone is of value in the treatment of chronic suppurative otitis media, postoperative mastoidectomy where discharge from the middle ear persists and in circumscribed furunculosis of the external auditory canal.

Directions: Instil into the auditory canal and insert a pledget of sterile cotton. Discontinue treatment if toxic reactions occur.

Supplied in 1 oz. and 2 oz. dropper bottles; also in 1 oz., 2 oz., 4 oz., 8 oz., 16 oz. and 80 oz. regular bottles.

159 Oxymelone

Each fluid ounce represents:

Oxymel of Squill	60 minims
Oxymel of Horehound	80 minims
Oil of Aniseed	1 minim
Menthol	⅛ grain
Syrup of Wild Cherry	60 minims
Oxymel of Flaxseed	q. s.

A soothing demulcent and non-narcotic lincture which may safely be prescribed for infants and young children for irritation of larynx, trachea and bronchi. Stimulates expectoration and also exerts a slight laxative action.

Dose: One to two fluid drachms as may be indicated.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

160 Parola

A highly refined, colorless, odorless and tasteless mineral oil. Specific gravity ranges from 0.885 to 0.890. Viscosity, 325 Saybolt at 100° Fahrenheit.

Parola acts as a non-irritating lubricant and protective of the intestinal mucous lining, softening and assisting the passage of intestinal contents.

Indicated for the treatment of chronic constipation, mucous colitis and other intestinal inflammations.

Dosage:

Adults: One to four fluid drachms, preferably given two hours after meals. Children: Fifteen to sixty minims.

This oil should not be confused with the ordinary hydrocarbon oils of commerce.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

161 Peptonated Hypophosphites

Each fluid ounce represents:

Calcium Hypophosphite	10 grains
Sodium Hypophosphite	16 grains
Iron Hypophosphite	2 grains
Manganese Hypophosphite	2 grains
Quinine Hydrochloride	½ grain
Strychnine Hydrochloride	⅛ grain
Peptonated Malt	24 grains

List No.

A palatable reconstructive tonic. Useful in most cases where Calcium and Phosphorus are indicated. The proteolytic activity of the Peptonated Malt assists the assimilation of Phosphorus preventing digestive disturbance.

Peptonated Hypophosphites is well tolerated and is of particular value in debilitated cases. Indicated in anæmia, chlorosis, neurasthenia and all wasting diseases where antirachitic, reconstructive and tonic action is required.

Dose: One-half to two fluid drachms well diluted with water after meals and at bedtime.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

162 Pertussalone

A pleasant non-narcotic lincture prepared from the leaves of Thymus Vulgaris. The active principles of the leaves are extracted by a special process and presented in an agreeable form which does not cause digestive disturbance.

Pertussalone soothes irritated surfaces and passages of the respiratory system, reducing cough frequency and spasmodic attacks and stimulates normal secretions. Renders tenacious, sticky phlegm and mucus more liquid and thus more easily removed from the respiratory passages, also produces a mild anæsthetic and sedative effect.

Particularly indicated in whooping cough, asthma, bronchitis, laryngitis and in smoker's dry tickling and persistent cough.

As Pertussalone is a simple herbal remedy containing no deleterious drugs, it may be administered with perfect safety to babies and young children.

Dosage:

Babies under two years: one-half fluid drachm.

Children over two years: one fluid drachm.

Adults: two to four fluid drachms.

Aged and infirm: one to two fluid drachms.

In severe cases, repeat dosage every hour, less often in milder cases. When cough is frequent smaller doses at shorter intervals are advisable directing that the dose be held in the mouth and swallowed slowly.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

163 Petrolone — Plain

An Agar Agar emulsion containing fifty per cent of a pure hydrocarbon oil of high specific gravity and viscosity.

Palatable and giving an efficient laxative effect without leakage of oil.

Dose: One to four fluid drachms night and morning, reducing dose as may be indicated.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

164 Petrolone with Magnesia

A palatable emulsion of Agar-Agar, Magnesium Hydroxide and a hydrocarbon oil of high specific gravity and viscosity.

The high viscosity of the oil and its thorough emulsifica-

List No.

tion with Agar-Agar yields a product with a gentle but positive laxative action without leakage of the oil, while the Magnesium Hydroxide corrects hyperacidity and acidosis without causing **patient discomfort.**

Dose: For Adults: One to four fluid drachms at bedtime or before breakfast, or both. Children: Fifteen minims to two fluid drachms according to age.

Each dose should be followed by a glass of warm water.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

165 Petrolone with Phenolphthalein

A palatable Agar-Agar emulsion of a hydrocarbon oil of high specific gravity and viscosity combined with Phenolphthalein in the proportion of one grain to each fluid drachm.

The high viscosity of the oil and its thorough emulsification with Agar-Agar yields a preparation with a very gentle and at the same time a most positive action without leakage of the oil.

Dose: One to four fluid drachms night and morning as may be required.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

166 Phedrose Spray

An isotonic solution of Dextrose containing one per cent of Ephalone, Hartz brand of Ephedrine as Ephedrine Lactate with chlorbutanol one-half per cent and menthol.

Phedrose is effective in relieving congestion of the mucous membranes of the nose and throat, is relatively non-irritating and mixes readily with nasal secretions. Indicated in the treatment of colds, hay fever, chronic sinusitis, rhinitis and similar affections.

Use in a nebulizer or instil as nasal drops.

Supplied in 1 oz., 2 oz., 4 oz., 8 oz. and 16 oz. bottles.

167 Phenephedrone

℞

Hartz brand of Syrup Ephedrine Compound

Each fluid ounce represents:

Ephedrine Hydrochloride	2 grains
Phenobarbital Sodium	2 grains

combined with oil anise, chloroform, menthol and fluid extracts hyoscyamus and senega in palatable lincture base.

Phenephedrone is an effective antispasmodic and sedative for the relief of asthmatic and other spasmodic conditions.

Dose: One to two fluid drachms every three to four hours as may be indicated.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

168 Phenyl Iodide

A slightly astringent surgical dressing, Analgesic, Antiseptic and Deodorant in action. It is non-toxic and practically odorless. Contains not less than six and not more than seven per cent of Iodine in organic combination. It is an effective

℞ Prescription required for retail sales.

List No.

and safe germ and odor destroying agent. When applied to wounds free Iodine is slowly liberated and Phenyl Iodide is thus an efficient dry dressing for abscesses, burns, cuts, rhus poisoning, ulcers, wounds and all excoriated and irritated surfaces. After surgical operations it is of value as a dusting powder, promoting healthy granulation.

Supplied in 6 gramme and 1¼ oz. shaker top tins and 16 oz. bottles.

169 Phosiodol

Presents Calcium, Iodine and Phosphorus in a palatable organic combination for the treatment of deficiency diseases.

Each fluid ounce represents forty grains of Calcium—Iodo—Phospho—Tannate with one-eighth grain of Sodium Arsenate.

A tonic which will stimulate the appetite and improve nutrition.

Effective in the treatment of enlarged glands and rickets, Phosiodol will be found a useful alterative, antiseptic, antiperiodic and tonic prescription for those patients where Calcium, Iodine, Phosphorus and Arsenic are indicated.

Dosage:

Children: One-half to one fluid drachm.
Adults: One to two fluid drachms before meals.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

170 Phosmalone

A compound of Red Bone Marrow with Extract of Malt and Parrish's Chemical Food, presenting Calcium, Iron and Phosphorus combined with the therapeutic constituents of marrow cells, hemoglobin and other blood-forming substances, in a palatable Malt Extract vehicle.

Dosage:

Children: One-half to one fluid drachm.
Adults: One to two fluid drachms.
Dosage may be diluted with a little water or milk.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

171 Phosphorus and Lecithin — Elixir

A useful tonic for improving the nutrition of the nervous system. Each fluid ounce representing one-sixtieth grain of Strychnine Glycerophosphate in a palatable glycerole of Avenin, Lecithin and Red Bone Marrow with twenty grains of combined Calcium, Potassium and Sodium Glycerophosphates.

Elixir Phosphorus and Lecithin has a favourable effect on general nutrition, increasing the body weight. It increases the number of erythrocytes and raises their haemoglobin content.

Indicated in debility, hysteria, insomnia, neurasthenia and all subnormal conditions of the nervous system.

Dosage:

Children: One-half to two fluid drachms, according to age.
Adult: Two to four fluid drachms after meals and at bedtime.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

List No.

172 Phostone

Each fluid ounce represents:

Sodium Glycerophosphate	20 grains
Calcium Glycerophosphate	4 grains
Iron Glycerophosphate	1 grain
Manganese Glycerophosphate	1 grain
Quinine Hydrochloride	¼ grain
Strychnine Hydrochloride	1/16 grain

The Glycerophosphates seem to be true tissue foods, readily available to the system.

Indicated in the treatment of neurasthenia, general debility, neuralgia, anæmia; in the various functional diseases of the nervous system, such as nervous headache, hysteria, melancholia and in the neurotic condition attended with hypersensitiveness of the entire nervous system: in the organic diseases of the brain and spinal cord, viz.: infantile paralysis, locomotor ataxia, and the various scleroses associated with paralysis.

Dose: One to two fluid drachms, after meals and at bedtime.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

173 Pichimetto

Each fluid ounce represents:

Saw Palmetto Berries	80 grains
Sandalwood	24 grains
Couch Grass	80 grains
Damiana	24 grains
Pichi	16 grains
Corn Silk	40 grains
Aromatics	q.s.

A desirable combination presented in the form of a palatable elixir useful as a sedative and tonic to the Genito-Urinary system in cases of urethal or prostatic irritability.

Chronic and painful conditions of the genito-urinary organs are relieved by this preparation, functional irregularities and impotence corrected. Valuable for its soothing and diuretic effect in cystitis, incontinence of urine, prostatic hypertrophy and inflammation. In chronic discharges from the parts, as in gleet and leucorrhœa, the symptom is controlled and the exhausting drain is stopped. Its tonic effects are marked in too early failure of the powers in either sex.

Dose: One to two fluid drachms.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

174 Picrocaine — Ointone

An anaesthetic and antiseptic ointment containing one per cent of Picrocaine *(Hartz Brand of Ethyl-Aminobenzoate-Trinitrophenol)*, combined with Camphor, Menthol and Thymol in a soothing, absorbent and healing base.

Recommended for the treatment of burns, scalds, abrasions and other denuded and painful skin areas. Ointone Picrocaine provides an excellent means of relieving pain, preventing infection and promoting healing of the injured parts.

Directions: Apply a thin layer to affected area and use a thin gauze dressing.

Supplied in 1 oz. and 2 oz. tubes, 4 oz. and 16 oz. jars.

List No.

175 Plexone

A palatable elixir presenting the active principles of Vitamin B Complex and Liver.

Each fluid ounce represents:

Thiamine Mononitrate	30,000 gamma
Riboflavin	3,000 gamma
Pyridoxine Hydrochloride	5,000 gamma
Calcium Pantothenate	20,000 gamma
Nicotinamide	80,000 gamma

Liver Extract equivalent to one-quarter ounce fresh liver.

Dose: One fluid drachm as may be indicated.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

176 ★ Poison Ivy Lotion

A soothing, sedative lotion for the relief of the dermatitis caused by contact with the leaves of Rhus Toxicodendron.

A compound of Liquor Carbonis Detergens, Liquor Plumbi Subacetatis and distilled extract of Witch Hazel Leaves with Tincture of Opium, thirty minims to each fluid ounce.

The lotion neutralizes the acrid resin of the Rhus and at the same time soothes and relieves the discomfort and pain.

For External Use Only

Directions: Apply the lotion to the affected areas night and morning and cover with a gauze dressing and oiled silk.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

177 Protecto Cream

A greaseless Silicone-Stearate cream with other barrier forming ingredients for protecting the exposed skin of industrial and technical workers.

Protecto Cream applied before beginning work will form an invisible film which remains on the surface and prevents the penetration of grease, dirt, irritant oils and other harmful substances. It may be removed readily by washing with soap and water and should be re-applied before resuming work.

Directions: Apply a generous coating of Protecto Cream and rub until dry.

Supplied in 4 oz., 1 lb. and 5 lb. jars.

178 Protecto Lotion

A Silicone-Stearate lotion which provides effective protection for the hands and arms of physicians, nurses, and industrial and technical workers.

Protecto Lotion forms an invisible film which effectively prevents any dirt, grease, etc., from coming in direct contact with the skin and will thus aid in eliminating many of the causes of occupational Dermatosis. Protecto Lotion is perfumed pleasingly and will assist the healing of chapped hands and cracked and irritated skin.

Directions: Apply Protecto Lotion before commencing work and massage until dry. Reapply after washing.

Supplied in 8 oz. dispensing bottles, 16 oz., 80 oz. and 160 oz. bottles.

★ Narcotic signature required.

List No.

179 ★ Rectol — Ointone

An anodyne and astringent unguent for the treatment of Hemorrhoids, Fistulae and Pruritis.

Each ounce represents:

Mercury Subchloride	10 grains
*Cocaine Alkaloid	2 grains
Phenol	5 grains
Glycerol	5 grains
Zinc Oxide	80 grains
Hydrogen Borate	30 grains
Oleinic Acid	10 grains

combined in a bland protective base with slightly absorptive properties.

An antiseptic and astringent, healing Ointone with effective anodyne properties, especially useful in the treatment of all forms of fistula and hemorrhoids. Valuable for its efficient action in fissure of the anus and as a specific for pruritis, itching of the vulva and anus.

Supplied in 1 oz. tubes with nozzle, 4 oz. and 16 oz. jars.

180 Renaform

Each fluid ounce represents:

Methanamine	48 grains
Potassium Benzoate	12 grains
Uva Ursi	20 grains
Agropyrum	20 grains
Zea	20 grains
Juniper Berries	20 grains
Squill	8 grains
Potassium Tartrate	16 grains

A Palatable Demulcent Diuretic and Urinary Antiseptic

Effective in the treatment of inflammatory and catarrhal diseases of the genito-urinary tract.

The maximum disinfectant action of Renaform will be obtained in the kidneys and bladder by its administration alternately, at two-hour intervals, with Renaform Acidifying Pulvets.

Indicated in Cystitis, Gonorrhoea, Pyelitis, Urinary Infections and Vesical Irritation.

Prevents the deposition of insoluble urates and removes deposits already formed.

Dose: One to two fluid drachms, diluted with a large amount of water, every four hours.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

181 Rheitone

(*Alkaline Rhubarb Cordial*)

Each fluid ounce represents:

Rhubarb	18 grains
Sodium Bicarbonate	20 grains
Oil Peppermint	1 minim
Pancreatin	4 grains
Glycerin	q.s.

A pleasant corrective agent in Diarrhoea and an efficient

★ Narcotic signature required.

List No.

digestive tonic in Dyspepsia and intestinal irritation. A palatable laxative in Constipation and also useful in Dysentery and Cholera Infantum, the Rhubarb increasing peristalsis without producing inflammation of the intestines while purgation is followed by an astringent effect owing to the rheitannic acid present.

Dose: One to four fluid drachms.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

182 Salicylone Compound — Elixir

Each fluid ounce represents:

Salicylone	80 grains
Acetanilid	2 grains
Cimicifuga Racemosa	40 grains
Asparagus Seed	16 grains
Colchicum Root	4 grains
Gelsemium Root	2 grains

An anti-rheumatic elixir peculiarly effective in promoting the excretion of uric acid, and in relieving the pain and inflammation of acute and chronic rheumatism.

Dose: One to two fluid drachms.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

183 Salsub

A satisfactory substitute for table salt, for salt free diet in cardiac diseases, hypertension, arteriosclerosis, epilepsy, certain complications of pregnancy, and for Gerson diet in tuberculosis.

A white crystalline powder, odorless but somewhat hygroscopic. Prepared by the synthesis of Ammonium Chloride, Potassium Chloride, Calcium and Potassium Formates with Magnesium Citrate.

Sprinkles freely, if protected from moisture. Readily soluble in water.

Directions:

May be added to foods either before or during cooking and to dough before baking. Use as seasoning to suit taste and the amount required will usually be about twice that of common table salt.

Supplied in 2 oz. bottles.

184 Sani-Sope

For cleansing and sterilizing the hands before and after operations, Sani-Sope is unsurpassed. It is used and recommended by many of the leading surgeons and hospitals throughout Canada.

A superior product made by Canadians for Canadians.

Supplied in pkgs. of 12 bars, cartons of 12 dozen bars.

185 Scabenzone — Ointone

An odourless, non-staining ointment containing Benzyl Benzoate 30 per cent in a greaseless hydrophilic base for the ambulatory treatment of scabies.

List No.

Directions: The patient should take a warm bath, using a mild neutral soap such as Dermigerm and dry thoroughly. Then apply Scabenzone to the entire surface of the body rubbing in well and allow to dry for five minutes. Repeat the application of Scabenzone. The patient may then go to bed or resume other activities. Twenty-four hours later another bath should be taken using a bath brush and plenty of soap. Care should be taken to see that all clothes, bedding, etc., are disinfected thoroughly or sterilized by washing and boiling in soapy water.

Supplied in 4 oz. and 16 oz. jars.

186 Scabide Lotion

An odorless and non-staining lotion of Benzyl Benzoate for the ambulatory treatment of scabies.

Scabide Lotion affords relief, within twenty-four hours, in the treatment of scabies.

The Scabide method is convenient, non-greasy and easy to apply and when used according to directions, no toxic symptoms or dermatitis will be produced.

One treatment properly carried out, is all that is usually necessary. Reinfection from clothing or bedding should be avoided.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

187 Silver Nitrate Applicators

Sterilized hardwood applicators tipped with toughened Silver Nitrate 75%, wax coated to prevent oxidation of the Silver Nitrate.

An efficient and aseptic method of applying Silver Nitrate in nasal and throat practice; use once and discard.

Directions: Remove the thin wax coating with toilet tissue or a scalpel; moisten the tip and apply.

Supplied in plastic containers of 50 applicators.

188 Stocaine

Hartz Brand of Ethocaine Hydrochloride
Paraminobenzoyldiethylaminoethanol Hydrochloride

The ideal local anaesthetic for all surgical operations

Stocaine while possessing the same power to anaesthetize, is far less toxic than cocaine or any of its substitutes. The toxic effect of Stocaine is practically nil when the injection is made slowly.

Stocaine may be combined with Epinephrine, the combination producing rapid, prolonged and localized anaesthesia.

Indications and Dosage

Infiltration Anesthesia: Use one-half per cent Stocaine-Epinephrine solution. One hundred to one hundred and twenty-five cubic centimetres may be injected.

Conduction Anesthesia: Use two per-cent Stocaine-Epinephrine solution for blocking of the larger nerve trunks, in

List No.

minor surgery, for injections in dental work and in ophthalmic operations.

Internal Dose for adults up to eight grains.

Supplied in 1 oz., 4 oz. and 1 lb. bottles.

189 ★ Stokes' Expectorant

Each fluid ounce represents:

Ammonium Carbonate	8 grains
Senega	15 grains
Squill	15 grains
Licorice	24 grains
*Tincture Camphor Compound	80 minims
Syrup Tolu	240 minims

An efficient combination of well-known expectorants, promotes expectoration and assists in the expulsion of tenacious phlegm and mucus from the bronchial tubes. It is useful in recent and chronic coughs, colds, bronchitis and other inflamed or irritated conditions of the mucous membranes of the throat and air passages.

Dose: One to two fluid drachms every one or two hours.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

190 Stomatone — Elixir

Each fluid ounce represents:

Salicylone	24 grains
Sodium Bicarbonate	24 grains
Gentian Root	12 grains
Nux Vomica	2 grains
Aromatic Cascara	32 minims
Aromatic Ammonia	60 minims

An efficient alkaline stomachic. Indicated in flatulence, loss of appetite and the many various forms of indigestion.

Dose: One to two fluid drachms.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

191 Sulphocyalone — Elixir

Each fluid ounce represents Sodium Sulphocyanate C.P. 20 grains in a non-alcoholic menstruum, free from sugar and other substances which would be contra-indicated in hypertension.

A palatable means of administering sulphocyanate which is highly recommended in the treatment of hyperpiesis when not complicated by any acute inflammatory condition, cardiac failure, or severe nephritis.

Dose: One to two fluid drachms, well diluted with water, two or three times daily, increase or decrease dosage as conditions may indicate.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

192 Tarmalone — Ointone

An improved hydrophilic ointment containing acid salicylic

★ Narcotic signature required.

List No.

3%, sulphur 3% with colourless coal tar distillate 0.4% in a non-staining and readily washable cetyl alcohol, oil in water base.

Tarmalone is an effective antipruritic for the treatment of Pediculosis, Scabies, Pruritis, Acne and other parasitic skin diseases. Tarmalone is an active stimulant to healing in subacute and chronic dermatoses and will be found particularly useful in scalp conditions as it may be washed away easily with soap and water. Use with extreme care near the eyes, groin or on acutely inflamed areas. If desired, Tarmalone may be diluted by mixing a small quantity with a few drops of water in the palm of the hand.

Directions: Apply small quantities to the affected areas. For treatment of the scalp, massage thoroughly over the entire surface before retiring. Remove by shampooing the following morning or it may be allowed to remain for twenty-four hours before removing.

Supplied in 1 oz., 2 oz., 4 oz. and 1 lb. jars.

193 Taroxone — Ointone

Formula:

Coal Tar Distillate	1.5%
Zinc Oxide	15.0%
Amylum	24.5%
Special Base	59.0%

An effective application for the treatment of the persistent weeping type of eczema: possessing all of the valuable therapeutic qualities of crude coal tar minus the objectionable features.

Especially useful in infantile eczema.

Supplied in 1 oz. collapsible tubes; 4 oz. and 16 oz. jars.

194 Tectone

A solution of Polyvinyl Esters in an organic volatile solvent for use as a protective dressing.

Dressings prepared with Tectone are oil and water resistant and will give satisfactory protection over an extended period.

Directions: Cleanse thoroughly the injured area and bandage with gauze. Apply Tectone, with brush provided, over the entire bandaged area and allow to dry thoroughly. If required several alternate applications of gauze and Tectone may be applied.

Supplied in 8 oz. bottles with brush applicator.

195 ★ Terpogen

Each fluid ounce represents:

*Diamorphine Hydrochloride	8/24 grain
Guaiacol Sulphonated	8 grains
Terpin Hydrosulphonate	12 grains
Calcium Glycerophosphate	6 grains
Sodium Glycerophosphate	20 grains

★ Narcotic signature required.

List No.

An antiseptic and healing deodorant cough elixir, which promotes expectoration and also furnishes sufficient sedative action to relieve bronchial irritation, thus allaying harsh dry coughs, but without locking up the secretions, or causing digestive disturbance.

In phthisis, acute or chronic bronchitis, and the bronchial catarrh of the aged, this preparation checks the distressing cough, renders the secretions less tenacious and at the same time makes manifest its stimulant tonic properties by improved appetite and increase in the weight and vigor of the patient.

The administration of Terpogen in tubercular pleurisy is followed by the gradual disappearance of the effusion, fever and other symptoms.

In asthma, whooping cough and all coughs of a spasmodic nature, and in acute catarrhal inflammations of the respiratory tract, influenza, hay fever and general cold, Terpogen relieves spasm and pain, reduces fever, soothes the irritated mucous membranes and restores tone to the affected parts.

Dose: One-half to two fluid drachms every three or four hours as conditions may indicate.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

196 Thermotine

Hartz Brand of Antiphlogistic Paste

An effective Cataplasm of Menthol, Thymol, Eucalyptol and Methyl Salicylate in an osmotic base of Boroglycerin and Aluminum Silicate

A non-toxic, non-irritating, antiphlogistic poultice. Thermotine is more efficient and superior to the old-fashioned poultice or blister, acting more promptly and retaining heat for a much longer period. Reduces congestion and inflammation rapidly by its osmotic action. An excellent surgical dressing for use as a local treatment in all forms of congestion and inflammation, whether superficial or deep-seated. Thermotine affords relief through osmosis, and this effect is most quickly produced by applying Thermotine as hot as can be comfortably borne by patient.

Particularly indicated in abscesses, boils, carbuncles, felons and infected wounds; also most valuable in Bronchitis, Pleurisy, Pneumonia, Tonsilitis and for inflamed breasts, swollen glands, and inflammation of the bowels.

Directions:

Place the can in hot water and apply Thermotine as hot as can be borne direct to the skin to a thickness of one-half inch and cover with a protective covering. Apply Thermotine without heating direct to the affected area for the treatment of Burns, Frost-Bite and Sunburn. Relief from pain is prompt.

Supplied in ½ lb., 1 lb., 5 lb. and 10 lb. tins.

197 Thiazolone — Emulsion ℞/B — Thick Type

℞ A sterile oil in water emulsion containing five per cent of Thiazolone *(Hartz brand of sulfathiazole)*.

Thiazolone Emulsion may be used in treating burns and

℞ Prescription required for retail sales.

List No.

other abrasions where there is danger of cracking with infection. Due precautions should be observed as toxic systemic reactions may be produced from absorption of the Thiazolone.

Directions: Apply directly to the affected areas or spread on sterile gauze before applying and cover with a protective bandage.

Supplied in 4 oz., 16 oz. and 5 lb. jars.

198 Thiazolone — Ointone

℞ Hartz Brand of Sulfathiazole Ointment containing five per cent of Thiazolone *(Hartz brand of Sulfathiazole)* in a sterile demulcent base.

An effective dressing for burns, wounds and other traumata to prevent Staphylococcal and other infections. Due precautions should be observed as toxic systemic reactions may be produced from absorption of the Thiazolone.

Directions: Apply either directly or on gauze to the affected areas and cover with a protective bandage.

Supplied in 4 oz. and 16 oz. jars.

199 Thiazomel

℞ An antiseptic, demulcent, healing and restorative unguent representing the Vitamin A and D content of four times its weight of pure Cod Liver Oil combined with purified honey and five per cent of Thiazolone *(Hartz brand of Sulfathiazole)* in a special synergestic base which promotes healing with a minimum of scar tissue.

Thiazomel provides effective antiseptic and soothing treatment for burns, eczema, cuts, frost bite, chronic ulcers and all excoriated surfaces. Infected and suppurating wounds containing necrotic tissue react very satisfactorily to Thiazomel dressings.

Directions: Apply Thiazomel freely direct to the affected area or on sterile gauze. Cover Thiazomel dressings well to prevent staining of clothing or bed linen.

Supplied in 1 oz. tubes; 4 oz. and 16 oz. jars.

200 Threbrolone

Each fluid ounce represents:

Ammonium Bromide	24 grains
Potassium Bromide	32 grains
Sodium Bromide	24 grains

Dose: One to two fluid drachms or more as may be indicated.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

201 Thymolyptine

A pleasant and effective antiseptic, detergent and deodorant solution composed of the volatile constituents of Eucalyptus globulus and Gaultheria procumbens, combined with Phenylformic Acid, Menthol, Sodium Tetraborate, and Orthoboric Acid.

℞ Prescription required for retail sales.

List No.

Thymolyptine is acid in reaction but non-irritant and absolutely safe.

Used externally as a local antiseptic and stimulant it is indicated in surgery, obstetrics and gynecology. As an antiseptic and deodorant it will be found unequalled. Is extensively used in dental practice as a valuable and efficient mouth wash, promptly disinfecting pus cavities and deodorizing decayed tissues.

Internally it is indicated in the acute stage of fermentative dyspepsia, catarrh of the stomach, etc.

In nasal catarrh it is best presented as a spray.

Thymolyptine, properly diluted, may be used with perfect freedom as an injection, lotion or spray in the treatment of diseased and inflamed conditions of the various natural cavities of the body.

It is useful as a vaginal douche for catarrhal conditions of the vagina, leucorrhea, vaginitis, etc., acting as a deodorant and germicide, with a mild astringent effect. For gonorrhea and similar diseases it can be combined with any of the usual medicaments, enhancing their value.

In eruptive diseases, as measles, scarlet fever and smallpox, Thymolyptine mixed with glycerin and water (equal parts), and sprayed or sponged upon the skin will give grateful relief from the intolerable itching and burning. It also removes the offensive and characteristic odor and diminishes the infectious properties of the disease.

Directions: As a spray; use diluted with water and glycerin in strength varying from ten to twenty per cent according to indications. As a gargle dilute with one to two parts of water.

Internally: One fluid drachm.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

202 ★ Toothache Drops Hartz "A"

An analgesic compound composed of Acetic Ether, Aconite, Camphor, Chloroform, Cocaine, Creosote, Menthol, Oil of Cajeput, Oil of Cloves and Opium.

Directions: Dry the tooth cavity with absorbent cotton, then saturate a pledget of cotton and insert in cavity. A little may also be rubbed on the gums.

Supplied in 1 oz. bottles.

203 Toothache Drops "B"

Composed of Camphor, Chloral Hydrate, Chloroform, Creosote, Menthol, Oil of Cloves and Spirits of Ether.

Directions: Dry the tooth cavity with absorbent cotton then saturate a pledget of cotton and insert in cavity. A little may also be rubbed on the gums.

Supplied in 1 oz. bottles.

204 Triseptol

Hartz brand of Liquor Cresolis Saponatus

A water soluble mixture of isomeric cresols with a Carbolic Acid coefficient 2.5 to 3.2 by Hygienic Laboratory Method.

A superior and economical germicide and disinfectant for surgical and gynecological practice and household sanitation.

★ Narcotic signature required.

List No.

Triseptol mixes freely with water, glycerin or alcohol. It is pleasant to use, as it has no objectionable odor and when diluted as recommended, does not irritate the skin.

Triseptol may be used for the same purpose and in the same manner as carbolic acid, except that owing to its high germicidal power much weaker solutions are sufficient.

Effective solutions for surgical and obstetrical use, disinfection of hands, instruments and skin of patients may be prepared by mixing one tablespoonful of Triseptol with one pint of water; for vaginal disinfection, irrigation of wounds, ulcers, abscesses, etc., one dessertspoonful in a pint of water; for vaginal douche, one teaspoonful in a quart of water; for general disinfection in the sick room, for fæces, etc., three dessertspoonfuls in a pint of water.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

205 Triple Sulfa Suspension

℞ A palatable emulsion suspension of Triple Sulfas.

Each fluid ounce represents:

Sulfamethazine	13 1/3 grains
Sulfamerazine	13 1/3 grains
Sulfadiazine	13 1/3 grains

For an alternative formula see Trizine list No. 206.

Dose: Infants, one to two years, one quarter to one fluid drachm.

Children (three to ten years); one to two fluid drachms.

Adults two to four fluid drachms.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

Must only be used or given on advice of a physician.

206 Trizine

℞ A palatable emulsion-suspension of Triple Sulfas.

Each fluid ounce represents:

Sulfamerazine	10 grains
Sulfadiazine	12 grains
Sulfathiazole	18 grains

Presenting an alternative formula to Triple Sulfa Suspension for use where Sulfamethazine is not desired.

Dose: Infants, one to two years, one-quarter to one fluid drachm.

Children (three to ten years) one to two fluid drachms.

Adults two to four fluid drachms.

Trizine must only be used or given on prescription or advice of a physician.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

207 ★ Tussilago Compound — Syrup

Each fluid ounce represents:

Syrup Cocillana	120 minims
Syrup Tussilago	80 minims
Syrup Euphorbia Pilulifera	80 minims

℞ Prescription required for retail sales.

★ Narcotic signature required.

List No.

Syrup Lactuca Virosa	80 minims
Syrup Senega	60 minims
Syrup Squill	40 minims
Menthol	⅛ grain
Chloroform	2 minims
Cascara Extract	16 grains
*Diacetylmorphine Hydrochloride	8/24 grains

A pleasant and demulcent expectorant, with sufficient sedative action to allay bronchial irritation.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

208 Urolone

A granular effervescent, each heaping teaspoonful of which represents seven and one-half grains of Hexamethylenetetramine combined with Piperazine, Lithium Benzo-Citrate and Sodium Citro-Tartrate in effective therapeutic proportions.

An active urinary antiseptic, effective in bacterial affections of the urinary tract, if the precaution is taken to render the urine suffiiciently acid. If urine does not show sufficient acidity, Monobasic Sodium Phosphate should be administered in ten to twenty grain doses alternately with Urolone.

Sufficient alkalinity has been maintained in Urolone to carry the Hexamethylenetetramine through the normal gastric acids of the stomach without deterioration and full therapeutic activity of the medicament is thus obtained in the urinary tract.

Urolone is efficient in the treatment of pyelitis and cystitis and in certain rheumatic conditions of a gouty nature.

Dose: A heaping dessertspoonful in half a glass of lukewarm water three or four times daily.

Supplied in 4 oz. and 8 oz. bottles.

209 Ustol

An emollient dressing composed of Benzocaine 1.5%, Phenol 2%, Alcohol 1.25%, Calcium Iodide, Oleate, Phenolate and Thiosulphate, Oxyquinoline, Potassium Iodide and Sulphur in a bland, vegetable oil base.

Indicated in the treatment of abrasions, burns, cuts, frostbite, scalds and all superficial wounds.

Directions: Apply freely to the irritated or burned areas and keep moist with frequent applications.

Supplied in 4 oz., 16 oz., 80 oz. and 160 oz. bottles.

210 Vapo-Antiseptol

A bland oily solution of the volatile constituents of Eucalyptus Globulus, Gautheria Procumbens, Cinnamomum Camphora and Pinus Sylvestris with Chlorbutanol, Menthol, Thymol, and Phenol one-half grain to each fluid ounce.

A valuable stimulating and antiseptic nebulant for the treatment of catarrhal conditions of the nose and throat. Its consistence is such that it may be used with any form of atomizer or spraying apparatus.

Directions: Use in atomizer as an emollient and antiseptic spray.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

List No.

211 Vapolone

A medicated inhalant which represents the volatile constituents of Eucalyptus and Pine oils combined with natural Menthol crystals in a volatile vehicle.

Vapolone provides effective relief for colds and congestion of the nose and bronchial passages, such as accompanies asthma, croup and bronchitis.

Directions: Pour one teaspoonful of Vapolone into a pint of steaming water or into an electric vaporizer and inhale the vapor. Repeat every hour or two until relief is obtained. A few drops placed on the pillow before retiring or on the handkerchief for treatment during the day will give relief.

Supplied in 2 oz., 4 oz., 8 oz., 16 oz., 80 oz. and 160 oz. bottles.

212 Vitabolone — Elixir

A palatable vinous elixir of Thiamin Chloride, each fluid ounce being equivalent to two thousand International Units of Vitamin B_1.

Research on the pharmacological and therapeutic properties of Thiamin Chloride indicate that it is necessary for both growth and maintenance of the human body, also as protection against neuromuscular disturbance and that it is particularly required during periods of heightened metabolism, as in fever, hyperthyroidism, forced exercise and during infancy and pregnancy.

Thiamin Chloride seems to play an important part in carbohydrate metabolism, apparently furnishing a catalytic action. It would therefore appear to be indicated in loss of appetite, muscular weakness, fall in blood pressure and low temperature. Also in cardiovascular diseases, various forms of polyneuritis, gastric atony and the pernicious vomiting of pregnancy.

Dose: Infants — Ten minims thrice daily in feedings. Children—One-half to two fluid drachms with food thrice daily. Adults—One to three dessertspoonfuls thrice daily after food.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

213 Vitaplex Caplets

Each Caplet represents:

Thiamin Chloride	3 Milligrams
Riboflavin	500 Micrograms
Pyridoxine Chloride	250 Micrograms
Pantothenic Acid	300 Micrograms
Nicotinic Acid	25 Milligrams
Ascorbic Acid	25 Milligrams

Combined with other members of the Vitamin B Complex natural to Liver and Yeast.

Each Vitaplex Caplet is equivalent to one thousand International Units of Vitamin B_1, two hundred Sherman-Bourquin Units of Vitamin B_2 and five hundred International Units of Vitamin V combined with a synergistic dosage of Vitamin B_6 and all other factors of the Vitamin B complex as obtained from Liver and Brewer's Yeast.

Indicated in Hypovitaminosis, promoting growth and nutrition and restoration of appetite in convalescence; maintaining

List No.

Vitamin balance before and after surgical operations, in infectious process, gastro-intestinal ulcers, rheumatic fever, wound healing and certain skin disorders.

Dose: One Caplet after meals and at bedtime.

Supplied in bottles of 100 and 500 Caplets.

214 Vulnulone — Ointone

An antiseptic vulnerary, combining the epithelial cell proliferating properties of Diacetylamidoazotoluol with the antiseptic, healing and restorative properties of Acriflavine, Aluminum Hydroxide, Ceruse, Ichtholone, Litharge, Zinc Oxide, Camphor, Menthol, Oil of Pine, Thymol and Phenol one-half per cent.

Directions: Cleanse the affected area thoroughly. For Burns, Lacerations, or Scalds, apply Vulnulone to gauze and place this upon the affected part. For the treatment of other indications, apply Vulnulone directly. Dressings should be changed at least twice daily.

Supplied in 1 oz. and 2 oz. tubes; 4 oz. and 16 oz. jars.

215 Whitehead's Varnish

A compound Iodoform paint for use in surgery and as a dressing to raw surfaces, especially the tongue.

Supplied in 4 oz., 16 oz. and 80 oz. bottles.

216 White Liniment

Composed of Emulsified Vegetable Oils with Camphor, Menthol, Ammonia, Turpentine, Origanum and other stimulating essential oils.

An effective local application for all aches and pains, rheumatism, soreness of the muscles, sprains and all congestions of the chest and throat due to colds.

Directions: Apply liniment to affected areas freely and rub in well, then cover with a flannel bandage.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

217 ★ White Pine Compound — Syrup

Each fluid ounce represents:

White Pine Bark	30 grains
Balm of Gilead Buds	2 grains
Spikenard Root	4 grains
Blood Root	4 grains
Wild Cherry Bark	30 grains
Sassafras Bark	2 grains
Chloroform	2 minims
*Morphine Acetate	3/16 grain

Dose: One to two fluid drachms.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

218 White Pine Compound without Morphine — Syrup

Same formula as List No. 217, only less the Morphine.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

★ Narcotic signature required.

List No.

219 ★ White Pine with Eucalyptol and Honey — Syrup

Each fluid ounce represents:

Syrup White Pine	40 minims
Syrup Wild Cherry	40 minims
Syrup Squill	24 minims
Syrup Senega	24 minims
Syrup Ipecac	16 minims
Syrup Sanguinaria	8 minims
*Tincture Camphor Compound	80 minims
Chloroform	1 minim
Eucalyptol Honey	80 minims

Dose: One to two fluid drachms.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

220 Zincone — Ointone

This Ointone contains the same percentage of Zinc Oxide as Unguentum Zinz Oxide B.P. but is prepared with Hartz Special Ointone Base which is much superior to the B.P. Base.

The oxide used in this Ointone is a specially purified product entirely free from Arsenic and other injurious impurities usually found in the ordinary oxides of commerce.

Supplied in 2 oz. tubes; 4 oz. and 16 oz. jars; 5 lb., 10 lb. and 25 lb. tins.

★ Narcotic signature required.

HYPLETS

The word HYPLETS designates Hartz Brand of Rapidly Soluble Hypodermic Tablets.

Manufactured under carefully controlled aseptic conditions, **Hartz Hyplets** are non-irritating and of accurate dosage. To secure rapid solubility our **Hyplets** are purposely made as soft and friable as possible and for this reason are only marketed in tubes of twenty-five and bottles of one hundred, in order to minimize exposure to the air and breaking and crumbling by undue handling.

1 ★ **Amilone, 5 mgm.**
Hartz Brand of Methadon Hydrochloride.

2 **Apomorphine Hydrochloride, 1/10 Grain**

3 **Atropine Sulphate, 1/150 Grain**

4 **Atropine Sulphate, 1/100 Grain**

5 ★ **Codeine Phosphate, 1/4 Grain**

6 ★ **Codeine Phosphate, 1/2Grain**

7 ★ **Codeine Phosphate, 1 Grain**

8 ★ **Diamorphine Hydrochloride, 1/12 Grain**

9 ★ **Diamorphine Hydrochloride, 1/6 Grain**

10 **Digitalin, 1/100 Grain**

11 **Ephalone Hydrochloride, 1/2 Grain**
Hartz Brand of pure levoisomeric Ephedrine Hydrochloride.

12 **Ephalone Hydrochloride, 3/4 Grain**
Hartz Brand of pure levoisomeric Ephedrine Hydrochloride.

13 **Hyoscine Hydrobromide, 1/200 Grain**

14 **Hyoscine Hydrobromide, 1/150 Grain**

15 **Hyoscine Hydrobromide, 1/100 Grain**

16 ★ **Hyoscine Compound**
Each hyplet represents:

Hyoscine Hydrobromide	1/100 grain
Atropine Sulphate	1/200 grain
*Morphine Sulphate	1/4 grain

17 ★ **Morphine Sulphate, 1/8 Grain**

18 ★ **Morphine Sulphate, 1/6 Grain**

19 ★ **Morphine Sulphate, 1/4 Grain**

20 ★ **Morphine Sulphate, 1/2 Grain**

21 ★ **Morphine and Atropine** ℞ **B**
Each hyplet represents:

*Morphine Sulphate	1/6 grain
Atropine Sulphate	1/180 grain

22 ★ **Morphine and Atropine** ℞ **C**
Each hyplet represents:

*Morphine Sulphate	¼ grain
Atropine Sulphate	1/150 grain

23 **Nitroglycerin, 1/100 Grain**

24 **Placebo**

25 **Strychnine Sulphate, 1/60 Grain**

26 **Strychnine Sulphate, 1/30 Grain**

★ Narcotic signature required.

PULVETS for INFANTS

These pulvets are compressed *only* hard enough to permit necessary handling without breaking. They are *friable* and *easily disintegrated* for convenient administration to children.

1 Acetylone — Infants

Aromatic and Colored Yellow

Each pulvet represents:

Acid Acetylsalicylic	1 grain

Combined in an aromatized and sweetened pulverizable base suitable for administration to children.

Dose: One-half to three pulvets every two or three hours according to the age.

An efficient analgesic and antipyretic in the treatment of colds, headache, influenza, sore throat, rheumatic conditions and other similar indications.

Supplied in bottles of 100, 500 and 1,000.

2 Acetyl-Sal Compound — Infants

Aromatic and Colored Yellow

Each pulvet represents:

Acid Acetylsalicylic	1 grain
Phenacetin	4/5 grain
Caffeine	1/12 grain

Dose: One to two pulvets every two or three hours as indicated. Pulvets may be crushed and mixed with jelly or other substance palatable to a child.

Useful in the treatment of neuralgic and rheumatic pains which accompany influenza and other indications requiring analgesic and antipyretic medication.

Supplied in bottles of 100, 500 and 1,000.

3 ★ Acetyl-Sal Compound with Dover's Powder — Infants

Aromatic

Each pulvet represents:

Acetyl-Sal	1 grain
Phenacetin	3/4 grain
Caffeine	1/16 grain
*Dover's Powder	3/4 grain

Directions: One to two pulvets every two or three hours as indicated. Pulvets may be crushed and mixed with jelly or other substance palatable to a child.

An effective antipyretic formula for the treatment of feverish conditions in influenza and the colds of childhood.

Supplied in bottles of 100, 500 and 1,000.

★ Narcotic signature required.

List No.

4 ★ **Anapyrone — Infants Aromatic and Colored Pink**

Each pulvet represents:

Acetyl-Sal	1 grain
Phenacetin	3/4 grain
Caffeine	1/16 grain
*Codeine Phosphate	1/24 grain

A suitable analgesic and antipyretic for infants and children.

Dose: One to three pulvets as required.

Useful in influenzal conditions, particularly when associated with pain.

Supplied in bottles of 100, 500 and 1,000.

5 ★ **Anodyne — Infants**

Each pulvet represents:

*Codeine Phosphate	1/67 grain
Nickel Bromide	1/32 grain
Lithium Carbonate	1/10 grain
Powdered Ipecac	1/67 grain
Oil Aniseed	1/134 grain

Dose: One or two pulvets every half hour until relief obtained.

Useful in restlessness, flatulent colic and similar conditions.

Supplied in bottles of 100, 500 and 1,000.

6 **Calomel 1/10 Grain — Infants**

Aromatic and Colored Pink

Dose: One pulvet every fifteen minutes until five or ten are taken, according to age of child. Follow in twelve hours with a dose of Corrective Cordial, Hartz or other suitable laxative.

Useful for biliousness, congestion and headache.

Supplied in bottles of 100, 500 and 1,000.

7 ★ **Diarrhoea — Infants**

Each pulvet represents:

*Morphine Sulphate	1/2000 grain
Mercury Bichloride	1/5000 grain
Copper Arsenite	1/5000 grain

Dose: One pulvet every ten or fifteen minutes until ten pulvets are taken, then one every one or two hours until the desired effect is obtained.

Plenty of sterile water should be administered during the interval of the medication.

An efficient intestinal antiseptic, antispasmodic and sedative formula, particularly useful in the treatment of cholera infantum, dysentery, typhoid fever, diarrhoea of the putrefactive type and other similar intestinal affections.

Supplied in bottles of 100, 500 and 1,000.

★ Narcotic signature required.

List No.

8 ★ Dover's Powder 1 Grain — Infants

Dose: One pulvet every one or two hours according to age and indications.

A useful diaphoretic and anodyne.

Supplied in bottles of 100, 500 and 1,000.

9 Indigestion Powder — Infants

Each pulvet represents:

Pepsin	1/4 grain
Bismuth Subnitrate	1/4 grain
Rhubarb	1/40 grain
Charcoal Activated	1/100 grain

Dose: One to four pulvets every two or three hours according to age of child.

An active proteolytic and sedative formula. These pulvets provide effective antiseptic, astringent and sedative treatment in cardialgia, dyspepsia, gastritis, gastralgia and irritated conditions of the stomach and intestines.

Supplied in bottles of 100, 500 and 1,000.

10 Intestinal Antiseptic — Infants

Each pulvet represents:

Phenol	1/160 grain
Thymol	1/80 grain
Eucalyptol	1/80 grain
Menthol	1/80 grain
Calcium Sulphocarbolate	1/10 grain
Zinc Sulphocarbolate	1/10 grain
Sodium Sulphocarbolate	1/10 grain

Dose: One pulvet every two or three hours until effect is obtained, administering plenty of sterile water during the period of medication.

A useful formula for the treatment of intestinal toxemias, especially when due to putrefactive conditions.

Supplied in bottles of 100, 500 and 1,000.

11 Mephatrone

℞ A flavoured and sweetened antispasmodic formula for administration to infants and children:

Each pulvet represents:

Mephobarbital	1/4 grain
Homatropine Methylbromide	1/1,000 grain

Dose: One-half to one pulvet as prescribed by physician.

12 ★ Phenalone with Codeine — Infants

Colored Yellow

Each pulvet represents:

*Codeine Phosphate	1/30 grain
Phenalone	1 grain

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.

Dose: For children three years or older one to two pulvets as indicated.

For younger children one-half to one pulvet as indicated.

Supplied in bottles of 100, 500 and 1,000.

13 Rhinitis — Infants

Each pulvet represents:

Tincture Aconite	1/10 minim
Tincture Belladonna	1/10 grain
Camphor	1/10 grain
Quinine Sulphate	1/10 grain

Dose: One to three pulvets every one-half, one or two hours, according to age of child and other indications.

Effective for the treatment of acute catarrhal rhinitis and coryza, especially when accompanied by feverish conditions.

Supplied in bottles of 100, 500 and 1,000.

14 Worm Remover — Infants

Each pulvet represents:

Podophyllin	1/35 grain
Oil Chenopodium	1/20 grain
Santonin	1/10 grain
Chelonin	1/6 grain

Dose: One to three pulvets at bedtime according to age of child. No food, or only a light supper should be allowed before does is administered. A dose of Corrective Cordial, Hartz, or other suitable laxative should be given the following morning.

Supplied in bottles of 100, 500 and 1,000.

PULVETS

Hartz Brand of Compressed Products

The word PULVETS identifies Hartz Brand of rapidly soluble or quickly disintegrating compressed products for internal administration.

Hartz PULVETS are prepared under the supervision of specially trained and fully qualified Pharmaceutical Chemists.

The use of Highest Purity Material and Precision Processes produce PULVETS of Accurate Dosage, Ready Solubility or Rapid Disintegration, a High Degree of Permanency and Maximum Therapeutic Efficiency.

PRIVATE FORMULAE

Manufacture of Private Formulae is undertaken, if suitable for issue as compressed products, in quantities of not less than five thousand plain PULVETS or ten thousand coated PULVETS.

1 Acetylone — Plain

Aromatic and colored Yellow

Each pulvet represents:

Acid Acetylsalicylic ..... 1 grain

combined in an aromatized and sweetened pulverizable base suitable for administration to children.

Dose: One-half to three pulvets every two or three hours according to the age.

An efficient analgesic and antipyretic in the treatment of colds, headache, influenza, sore throat, rheumatic conditions and other similar indications.

Supplied in bottles of 100, 500 and 1,000.

2 Acetyl-Sal, 5 Grains — Plain

Colored White, Pink or Yellow

Note: White sent on unspecified orders.

Each pulvet represents:

Acid Acetylsalicylic ..... 5 grains

Dose: One to three pulvets three or four times a day.

Supplied in bottles of 100, 500 and 1,000.

3 ★ Acetyl-Sal, Codeine and Atropine — Plain

Each pulvet represents:

Acid Acetylsalicylic	5 grains
*Codeine Phosphate	1/8 grain
Atropine Sulphate	1/400 grain

Dose: One to two pulvets as directed by physician.

Supplied in bottles of 100, 500 and 1,000.

4 Acetyl-Sal Compound — Plain

Each pulvet represents:

Acid Acetylsalicylic	3½ grains
Phenacetin	2½ grains
Caffeine Alkaloid	¼ grain

As Caffeine Citrate is incompatible with Phenacetin we use an equivalent amount of the alkaloid.

Dose: One to two pulvets every two or three hours.

Supplied in bottles of 100, 500 and 1,000.

★ Narcotic signature required.

List No.

5 ★ **Acetyl-Sal Compound with Codeine No. 1 — Plain**
White and Pink

Each pulvet represents:
Acid Acetylsalicylic ..... 3½ grains
Phenacetin ..... 2½ grains
Caffeine Alkaloid ..... ¼ grain
*Codeine Phosphate ..... ⅛ grain
Dose: One to three pulvets every two or three hours as may be indicated.
Supplied in bottles of 100, 500 and 1,000.

6 ★ **Acetyl-Sal Compound with Codeine No. 2 — Plain**
White and Pink

Each pulvet represents:
Acid Acetylsalicylic ..... 3½ grains
Phenacetin ..... 2½ grains
Caffeine Alkaloid ..... ¼ grain
*Codeine Phosphate ..... ¼ grain
Dose: One to three pulvets every two or three hours as may be indicated.
Supplied in bottles of 100, 500 and 1,000.

7 ★ **Acetyl-Sal Compound with Codeine No. 3 — Plain**
White and Pink

Each pulvet represents:
Acid Acetylsalicylic ..... 3½ grains
Phenacetin ..... 2½ grains
Caffeine Alkaloid ..... ¼ grain
*Codeine Phosphate ..... ½ grain
Dose: One to three pulvets every two or three hours as may be indicated.
Supplied in bottles of 100, 500 and 1,000.

8 ★ **Acetyl-Sal Compound with Dover's Powder — Plain**

Each pulvet represents:
Acid Acetylsalicylic ..... 3½ grains
Phenacetin ..... 2½ grains
Caffeine ..... ¼ grain
*Dover's Powder ..... 2½ grains
Directions: One pulvet every two or three hours until effect is produced. For acute colds with fever, give two pulvets at bedtime.
Supplied in bottles of 100, 500 and 1,000.

9 **Acid Boric and Salol — Plain**

Each pulvet represents:
Acid Boric ..... 5 grains
Salol ..... 5 grains
Recommended as an intestinal antiseptic in flatulence and fermentative dyspepsia, typhoid fever, dysentery, and for inflamed catarrhal conditions of the urinary tract.
Dose: One to two pulvets every three or four hours.
Supplied in bottles of 100, 500 and 1,000.

★ Narcotic signature required.

List No.

10 Acne Corrective

Sugar Coated Yellow

Each pulvet represents:

Potassium Bitartrate	2 grains
Calcium Sulphide	⅛ grain
Acid Arsenious	1/1000 grain
Extract Ipecac	1/100 grain
Capsicine	1/500 grain
Extract Nux Vomica	1/32 grain
Podophyllin	1/80 grain
Vitamin B Concentrate representing Fresh Yeast	80 grains

Recommended as an alterative in skin diseases and scrofula. Especially effective in acne, boils, and carbuncles. A useful adjuvant in the treatment of eczema and psoriasis.

Dose: For adults one to three pulvets every two hours. Children according to age and other indications, the average child's dose being one pulvet every three or four hours. Give plenty of fluids during course of medication.

Supplied in bottles of 100, 500 and 1,000.

11 Alkaline Sippy ℞ A — Plain

Each pulvet represents:

Magnesium Carbonate Ponderosa	10 grains
Sodium Bicarbonate	10 grains

Dose: One pulvet between meals, alternated with two pulvets of **Recipe "B"** formula, as may be indicated.

Supplied in bottles of 100, 500 and 1,000.

12 Alkaline Sippy ℞ B — Plain

Each pulvet represents:

Calcium Carbonate	5 grains
Sodium Bicarbonate	15 grains

Dose: Two pulvets between meals, alternated with one pulvet R "A" formula, as may be indicated.

Cases of stomach ulcer unassociated with stagnation of food and secretion are usually controlled by feeding every hour and giving one ALAKLINE SIPPY ℞ "A" Pulvet, alternating with two ALAKLINE SIPPY ℞ "B" Pulvets midway between feedings. Cases of pyloric and duodenal ulcer which have been associated with stagnation of food and secretion for longer than two months almost invariably require larger dosage.

Hartz ALKALINE SIPPY Pulvets provide convenient treatment for the control of excess free hydrochloric acid in gastric or duodenal peptic ulcers, particularly in ambulatory cases. One ALAKLINE SIPPY ℞ "A" Pulvet is equivalent to one of the ALKALINE SIPPY POWDERS No. 1, while two of our ALKALINE SIPPY ℞ "B" Pulvets are equivalent to one ALKALINE SIPPY POWDER No. 2. If pulvets are found difficult to swallow they may be disintegrated in a little water or milk.

Our pulvets, of course, may be chewed, but a little irritation of the tongue may result, particularly from ℞ "A" Pulvet. We recommend the disintegration of the pulvets in water just before the dose is to be swallowed.

List No.

For convenience in distinguishing the pulvets, ℞ "A" is made white, while ℞ "B" is pink.

Supplied in bottles of 100, 500 and 1,000.

13 Aloin, Belladonna, Strychnine and Cascara

Chocolate Coated or Sugar Coated Red

Note: Chocolate coated pulvets will be supplied on unspecified orders.

Each pulvet represents:

Aloin	½ grain
Belladonna Extract	1/16 grain
Strychnine Sulphate	1/120 grain
Cascara Extract	½ grain

Dose: One to four pulvets in the morning or at night or at both times for the relief of chronic constipation and as a hepatic stimulant.

Supplied in bottles of 100, 500 and 1,000.

14 Alugel Pulvets — Plain

Hartz Brand of Aluminium Hydroxide Dried Gel

Each pulvet represents:

Alugel	10 grains

An effective antacid and adsorbent for the prompt and prolonged control of gastric hyperacidity. Indicated in the treatment of peptic ulcer, cholera and diarrhoea.

Directions: Place a pulvet on the tongue and as distintegration proceeds, sip one-half glass of milk or water as desired.

15 Ambarlone — Plain

℞

Hartz Brand of Sodium Isoamylethyl Barbiturate

Each pulvet represents:

Sodium Isoamylethyl Barbiturate	1 grain

Dose: As a sedative or hypnotic, one to five pulvets. As a pre-anaesthetic sedative, two or eight pulvets.

The action is rapid and short lived.

Supplied in bottles of 100, 500 and 1,000.

16 Amephabarb — Plain

℞

Hartz Brand of Aminophyllin Compound

Each pulvet represents:

Theolone	1½ grains
Hypnolone	½ grain
Ephalone	¼ grain

An effective coronary dilator, diuretic and myocardial stimulant in angina pectoris, dropsy, cardiac and gastric neurosis.

Dose: One to two pulvets two or three times daily, as may be indicated.

Supplied in bottles of 100, 500 and 1,000.

17 ★Amilone, 5 Mgm. — Plain

Hartz Brand of Methadon Hydrochloride

A synthetic analgesic which is preferred by some physicians

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.

for relieving pains which do not respond to treatment with morphine. Amilone has been found effective in renal colic and inoperable carcinoma and there is less danger of narcotic habituation occurring.

Dose: 2½ mgm. to 15 mgm.

Supplied in bottles of 100, 500 and 1,000.

(See Hyplets also)

18 Ammonium Chloride

Enteric Coated

Each pulvet represents:

Ammonium Chloride	7½ grains

During the treatment of urinary infection with mandelic acid or its salts it is sometimes necessary to use an adjuvant to produce sufficient acidity of the urine. Our Enteric Coated Ammonium Chloride Pulvets present a convenient and reliable means of maintaining the most favourable acidity, i.e. (pH of 5.5 or less.)

Dose: Two pulvets four times a day will usually produce the desired amount of acidity.

It is essential that constipation be avoided during the course of this treatment.

Supplied in bottles of 100, 500 and 1,000.

Anapyrone — Infants

See INFANT PULVETS LIST — Page 61.

19 Anti-Grippe B A

Chocolate Coated

Each pulvet represents:

Quinine Sulphate	1/2 grain
Caffeine Alkaloid	1/4 grain
Ipecac	1/20 grain
Capsicum	1/5 grain
Podophyllin	1/64 grain
Aloin	1/12 grain
Acetanilid	2 grains

A useful analgesic, antipyretic and sedative for the treatment of acute bronchitis, colds, influenza and other congested conditions of the respiratory tract, especially when accompanied by fever.

Dose: One pulvet every half hour for three or four doses and then every two or three hours until a laxative effect is obtained.

Supplied in bottles of 100, 500 and 1,000.

20 Anti-Grippe B B

Sugar Coated Orange

Each pulvet represents:

Quinine Salicylate	1/2 grain
Caffeine	1/4 grain
Capsicum	1/10 grain

List No.

Ipecac	1/20 grain
Podophyllin	1/40 grain
Aloin	1/40 grain
Acetanilid	1¾ grains

An analgesic, antipyretic, antiseptic and sedative formula for the treatment of influenza and acute colds. Quickly relieves pain and reduces temperature.

Dose: One pulvet every half hour for three doses and then repeat every two hours as conditions may indicate.

Supplied in bottles of 100, 500 and 1,000.

21 Antipyrin, 5 Grains — Plain

Each pulvet represents:

Phenazone	5 grains

An analgesic, antipyretic, antiseptic, anti-rheumatic and sedative for the treatment of neuralgia and other painful affections.

Dose: One to three pulvets three or four times a day, the average dose being one pulvet.

Supplied in bottles of 100, 500 and 1,000.

Ascorbone

Hartz brand of Ascorbic Acid (Synthetic Vitamin C).

Vitamin C is recognized as the antiscorbutic vitamin, and while the incidence of scurvy is very low, Vitamin C deficiencies are more prevalent than is ordinarily supposed. This is directly traced to inadequate diets, faulty food habits, or dietary restrictions.

Ascorbone Pulvets supply an easily assimilated source of Vitamin C; are pleasantly sweetened, and disintegrate readily.

Ascorbone Pulvets are available in the following strengths:

22 Ascorbone, Plain — 25 milligrammes, Sweetened

23 Ascorbone, Plain — 50 milligrammes, Sweetened

24 Ascorbone, Plain — 100 milligrammes, Sweetened

Dose: Recommended daily adult dietary requirements 75 mgm. Children under one year 30 mgm.

All Ascorbone Pulvets are supplied in bottles of 100, 500 and 1,000

25 Atropine Sulphate, 1/150 Grain — Plain

Dose: One to two pulvets, may be repeated every two to three hours as conditions may indicate.

Supplied in bottles of 100, 500 and 1,000.

26 Atropine Sulphate, 1/100 Grain — Plain

Dose: One pulvet, may be repeated every two to three hours as an anti-spasmodic.

Supplied in bottles of 100, 500 and 1,000.

List No.

27 Barbitone, 5 Grains — Plain

℞ Each pulvet represents:
Acid Diethylbarbituric ..... 5 grains

This chemical has been known under a number of synonyms such as barbital, diethylmalonylurea, malourea and veronal.

It is a reliable hypnotic in simple agrypnia and insomnia accompanying hysteria, extreme nervousness, hypochondria, neurasthenia and conditions of anxiety.

Useful in coughs, pains, epilepsy and vomiting of pregnancy.

Dose: One to three pulvets best taken dissolved in hot tea or water. The average dose is one pulvet. INCOMPATIBLE WITH CALOMEL if given at nearly the same time.

ANTIDOTE: Stimulation of the vasomotor centres; camphor; gastric lavage with tannin solutions; oxygen and stimulants generally.

Supplied in bottles of 100, 500 and 1,000.

28 Benzolone ℞ A

℞ Each pulvet represents:
Benzolone Hartz Brand of
Amphetamine Sulphate ..... 1/6 grain

Amphetamine Sulphate or Beta-Phenyl-Isopropylamine Sulphate is Racemic Desoxy-nor-ephedrine sulphate and was originally brought to the attention of the medical profession under the trade name Benzedrine Sulphate.

Recommended in the symptomatic treatment of narcolepsy, post-encephalitic Parkinsonism and various depressive and asthenic states. A stimulant in nervous exhaustion and alleviates unpleasant symptoms in several conditions requiring fairly large doses of sedatives such as the barbiturates. Where barbiturate or sedative effect is desirable, the narcotic ataxic effect can be lessened or completely antagonized by the judicious use of small doses of Benzolone, Hartz. Similarly when large doses of Benzolone are desirable the disadvantages and disturbing reactions may be relieved by small doses of the Barbiturates.

Dose: One to two pulvets two or three times a day, administered with CAUTION, especially in conditions complicated by cardiovascular disease, hypertension, and extreme nervousness.

Supplied in bottles of 100, 500 and 1,000.

29 Benzolone ℞ B

℞ Each pulvet represents:
Benzolone, Hartz Brand of
Amphetamine Sulphate ..... 1/24 grain

Dose: One to eight pulvets two or three times daily. Administered with CAUTION, beginning with small dose and gradually increase especially in conditions complicated by cardiovascular disease, hypertension and extreme nervousness.

Supplied in bottles of 100, 500 and 1,000.

℞ Prescription required for retail sales.

List No.

30 **Benzolone ℞ C**

℞ Each pulvet represents:
Benzolone, Hartz Brand of
Amphetamine Sulphate ..... 1/13 grain

Dose: One to two pulvets two or three times a day, administered with CAUTION, especially in conditions complicated by cardiovascular diseases, hypertension, and extreme nervousness.
Supplied in bottles of 100, 500 and 1,000.

31 **Blaud Compound Improved**

Chocolate Coated

Each pulvet represents:

Blaud's Mass	3 grains
Aloin	1/20 grain
Manganese Binoxide	1/4 grain
Extract Damiana	1/4 grain
Zinc Phosphide	1/16 grain
Acid Arsenious	1/100 grain
Strychnine Sulphate	1/120 grain

A useful combination for its alterative and general tonic properties. Stimulating the nervous system in general debility.
Dose: One to three pulvets three times a day after food.
Supplied in bottles of 100, 500 and 1,000.

32 **Blaud's Mass, 5 Grains**

Chocolate Coated

Dose: One to three pulvets three times daily after meals as a haematinic tonic in anaemia and chlorosis.
Supplied in bottles of 100, 500 and 1,000.

33 **Blaud Nascent ℞ C**

Sugar Coated Yellow

Each pulvet represents:

Blaud's Mass (Nascent)	10 grains
Sodium Arseniate	1/40 grain

An effective haematinic tonic for nervous and debilitated patients.
Dose: One to two pulvets three or four times daily after food.
Supplied in bottles of 100, 500 and 1,000.

34 **Blaud Nascent ℞ D**

Sugar Coated Gray

Each pulvet represents:

Blaud's Mass (Nascent)	10 grains
Acid Arsenious	1/30 grain
Strychnine	1/30 grain
Aloin	1/30 grain
Powdered Capsicum	1/4 grain

℞ Prescription required for retail sales.

List No.

This pulvet contains the necessary ingredients to form ten grains of Blaud's Mass when dissolved. Your patient is therefore assured of obtaining the full therapeutic action from fresh unoxidized ferrous carbonate.

An effective tonic for the treatment of anaemia and general debility.

Dose: One pulvet three or four times daily after food.

Supplied in bottles of 100, 500 and 1,000.

35 Blaud and Strychnine Compound

Sugar Coated Red

Each pulvet represents:

Ferrous Carbonate	5 grains
Strychnine Sulphate	1/60 grain
Mercuric Chloride	1/80 grain
Acid Arsenious	1/50 grain
Capsicum	1/64 grain
Extract Gentian	¼ grain

Dose: One pulvet three times a day after meals as an alterative and tonic in anaemia and all debilitated conditions.

Supplied in bottles of 100, 500 and 1,000.

36 Brewer's Yeast

Each pulvet represents:

Brewer's Yeast	0.4 gramme

Dose: Children—Six to ten pulvets daily. Adults—Ten to twelve pulvets daily.

Supplied in bottles of 100, 500 and 1,000.

37 Bronchial Improved — Plain

Each pulvet represents:

Ammonium Chloride	1 grain
Ipecac	1/50 grain
Senega	¼ grain
Hyoscyamus	¼ grain
Cubebs	1/3 grain
Tolu	¼ grain
Extract Licorice	3 grains

Dose: Allow one pulvet to slowly dissolve in the mouth, every one or two hours, for brochial irritation.

Supplied in bottles of 100, 500 and 1,000.

38 ★ Bronchitis Improved

Chocolate Coated

Each pulvet represents:

*Diacetylmorphine Hydrochloride	1/32 grain
Guaiacol	1/4 grain
Eucalyptol	1/4 grain
Extract Licorice	3/4 grain
Terpin Hydrate	1 grain
Strychnine Sulphate	1/120 grain

★ Narcotic signature required.

List No.

A useful antiseptic and expectorant combination for the treatment of asthma, bronchitis and winter cough of the aged.

Dose: One to four pulvets, may be repeated every four hours as conditions may require.

Supplied in bottles of 100, 500 and 1,000.

39 ★ Brown Mixture — Plain

Each pulvet represents:

*Opium	1/20 grain
Acid Benzoic	1/20 grain
Camphor	1/20 grain
Oil Aniseed	1/15 grain
Tartar Emetic	1/40 grain
Extract Licorice	3 grains

Dose: Allow one pulvet to dissolve on the tongue every hour as an expectorant in bronchial irritation.

In bronchitis cease administration when cough and oppression of the chest is relieved and free expectoration established.

Supplied in bottles of 100, 500 and 1,000.

40 ★ Brown Mixture Compound — Plain

Each pulvet represents:

Ammonium Chloride	1 grain
*Opium	1/20 grain
Acid Benzoic	1/20 grain
Camphor	1/20 grain
Oil Aniseed	1/15 grain
Tartar Emetic	1/40 grain
Extract Licorice	3 grains

Dose: Allow one pulvet to dissolve on the tongue every hour as an expectorant in bronchial irritation.

Supplied in bottles of 100, 500 and 1,000.

41 Butylone, 1/2 Grain — Plain

Colored Yellow

℞ Hartz Brand of Sodium-Butyl-Ethyl-Methyl Barbiturate.

Each pulvet represents:

Butylone	½ grain

A potent but safe antispasmodic and sedative with a relatively brief hypnotic action.

An effective analgesic in obstetrical practice, and may be combined with Hyoscine or Morphine.

As a preanaesthetic sedative, Butylone is most efficient and without unpleasant sequelae.

Dose: Orally, as a hypnotic, one pulvet; as a preanaesthetic sedative, two to six pulvets as may be required.

Supplied in bottles of 100, 500 and 1,000.

42 Butylone, 1-1/2 Grains — Plain

℞ Colored Yellow — Scored

Hartz Brand of Sodium-Butyl-Ethyl-Methyl Barbiturate.

Each pulvet represents:

Butylone	1½ grains

℞ Prescription required for retail sales.

★ Narcotic signature required.

List No.

A potent but safe antispasmodic and sedative with a relatively brief hypnotic action.

An effective analgesic in obstetrical practice, and may be combined with Hyoscine or Morphine.

As a preanaesthetic sedative, Butylone is most efficient and without unpleasant sequelae.

Dose: Orally, as a hypnotic, one pulvet; as a preanaesthetic sedative, two pulvets.

Supplied in bottles of 100, 500 and 1,000.

43 Caffeine Citrate, 1 Grain — Plain

Dose: One to two pulvets every two or three hours to stimulate heart action and as a diuretic.

Supplied in bottles of 100, 500 and 1,000.

44 Calcium Iodized, 1/3 Grain — Plain

Each pulvet represents:
Calcium Iodized Hartz ..... 1/3 grain

CALCIUM IODIZED Hartz is an effective alterative and expectorant containing fifteen per cent of available iodine in combination with calcium.

CALCIUM IODIZED Hartz is an excellent remedy for the treatment of conditions which require prolonged administration of iodine because it may be exhibited in full doses and for prolonged periods without causing iodism or deranging the digestive function. CALCIUM IODIZED Hartz will be found a useful remedy for the treatment of croup, common colds, bronchitis and laryngitis. Good results have also been obtained from its use where iodine is indicated, in nasal infections and irritations of the respiratory tract. In large doses it is effective in the treatment of arthritis and adenitis.

Dose: In croup and common cold, bronchitis, laryngitis, influenza and minor irritations of the respiratory tract, give one to three grains of Calcium Iodized Hartz with a little hot water as soon as the first symptoms are noticed, continuing the dose every ten to twenty minutes until effect is obtained. Then to maintain the effect, from three to five grains should be given every two or three hours.

To obtain the iodine effect in adenitis, arthritis and simple goitre from five to thirty grains should be administered three times daily.

The dosage of CALCIUM IODIZED Hartz should always be followed with copious draughts of water, preferably as warm as can be conveniently taken. For croup in children our one-third grain pulvets provide a convenient means of administration. In acute cases place twelve to eighteen of the one-third grain pulvets in five teaspoonfuls of hot water and add five teaspoonfuls of honey, then give the child a teaspoonful every five or ten minutes until effect is obtained. Later give one pulvet every two hours for several days.

Supplied in bottles of 100, 500 and 1,000.

List No.

45 Calcium Iodized, 1 Grain — Plain

Each pulvet represents:
Calcium Iodized Hartz ..... 1 grain
For dosage see CALCIUM IODIZED 1/3 grain.
Supplied in bottles of 100, 500 and 1,000.

46 Calcium Iodized, 2½ Grains — Plain

Each pulvet represents:
Calcium Iodized Hartz ..... 2½ grains
For dosage see CALCIUM IODIZED 1/3 grain.
Supplied in bottles of 100, 500 and 1,000.

47 Calcium Lactate, 5 Grains — Plain

Each pulvet represents:
Calcium Lactate ..... 5 grains
An efficient antirachitic, haemostatic and blood coagulant for the treatment of rachitis and scrofula of children; as a prophylactic before and after operative removal of adenoids and tonsils; epilepsy; lymphatic headache; chilblains; boils; albuminuria, hay fever, urticaria and tuberculosis.
Dose: Fifteen to sixty grains.
Supplied in bottles of 100, 500 and 1,000.

48 Calcium Lactate, 10 Grains — Plain

Each pulvet represents:
Calcium Lactate ..... 10 grains
Dose: Fifteen to sixty grains.

49 Calcium Sulphide, 1 Grain

Sugar Coated Orange

Each pulvet represents:
Calcium Sulphide ..... 1 grain
As an alterative for the treatment of acne, boils, carbuncles, and other suppurative conditions.
Dose: One pulvet every three or four hours.
Supplied in bottles of 100, 500 and 1,000.

50 Calomel 1/10 Grain — Plain

Aromatic and Colored Pink

Each pulvet represents:
Mercurous Chloride Mild ..... 1/10 grain
A useful alterative, antiseptic, anthelmintic, cathartic and diuretic.
In biliousness, congestion and headache in children give one pulvet every hour until the bowels move or until ten pulvets have been taken.
Supplied in bottles of 100, 500 and 1,000.

List No.

51 Calomel ¼ Grain — Plain

Aromatic and Colored Pink or White

Each pulvet represents:

Mercurous Chloride Mild ..... 1/4 grain

Dose: One pulvet every fifteen minutes until six or eight pulvets are taken, followed in ten or twelve hours by a saline laxative, for biliousness, headache and torpid liver.

Supplied in bottles of 100, 500 and 1,000.

52 Calomel ½ Grain — Plain

Aromatic and Colored Pink or White

Each pulvet represents:

Mercurous Chloride Mild ..... 1/2 grain

Dose: One pulvet every fifteen minutes until five or six pulvets have been taken. Follow in twelve hours with a saline laxative, preferably of the effervescent type such as SALINE LAXATIVE Hartz.

Supplied in bottles of 100, 500 and 1,000.

53 Calomel 1 Grain — Plain

Aromatic and Colored Pink or White

Each pulvet represents:

Mercurous Chloride Mild ..... 1 grain

Dose: One pulvet every hour until effect is produced or until five or six pulvets have been taken. Follow in twelve hours by a dose of SALINE LAXATIVE Hartz.

Supplied in bottles of 100, 500 and 1,000.

54 Calomel and Phenolphthalein — Plain

Aromatic and Colored Pink

Each pulvet represents:

Mercurous Chloride Mild ..... 1/10 grain
Phenolphthalein ..... 1/10 grain

A safe and reliable laxative for children.

Dose: Give one pulvet every fifteen minutes until four or five pulvets have been taken. Preferably the dose should be given just before bedtime. A mild laxative, such as CORRECTIVE CORDIAL, should be given in the morning.

Supplied in bottles of 100, 500 and 1,000.

55 Calphovit

Sugar Coated Red

A balanced combination of Vitamins A, B and D with Dicalcium Phosphate.

Each pulvet represents:

Vitamin A ..... 10000 units
Vitamin B_1 ..... 1500 gamma
Vitamin D ..... 2000 units
Dicalcium Phosphate ..... 3 grains

Indicated in calcium-vitamin deficiency during pregnancy and lactation.

Dose: One to two pulvets as may be indicated.

Supplied in bottles of 100, 500 and 1,000.

List No.

56 Carbilone

Sugar Coated Red

Each pulvet represents:

Bile Salts	2 grains
Aloin	1/4 grain
Podophyllin	1/16 grain
Leptandrin	1/16 grain
Euonymin	1/16 grain
Extract Belladonna	1/16 grain
Extract Nux Vomica	1/16 grain
Capsicine	1/20 grain
Carozyme Enzymes	2½ grains

An effective combination for the treatment of hepatic congestion, intestinal irregularities and habitual constipation due to lack of bile. CARBILONE Pulvets stimulate the torpid liver increasing the flow of bile, thus promoting normal biliary peristalsis.

Dose: One to two pulvets two hours after breakfast and two at bedtime. In chronic cases two pulvets may be given two hours after each meal until normal bowel movements are established, then gradually reduce the dose.

Supplied in bottles of 100, 500 and 1,000.

57 Cascara Cathartic (Hinkle)

Sugar Coated Pink

Each pulvet represents:

Aloin	1/4 grain
Cascarin	1/4 grain
Podophyllin	1/6 grain
Gingerine	1/32 grain
Extract Belladonna	1/16 grain
Strychnine Sulphate	1/120 grain

Alterative; Hepatic; Laxative.

An effective formula for the treatment of chronic constipation. The action is gentle and without griping.

Dose: One or two pulvets at night, repeated after breakfast and lunch the next day, if required.

Supplied in bottles of 100, 500 and 1,000.

58 Carcara Sagrada Extract, 5 Grains

Chocolate Coated

Each pulvet represents:

Extract Cascara Sagrada	5 grains

A mild tonic laxative for the treatment of chronic constipation.

Dose: One to two pulvets at bedtime, lengthening the interval of dosage as the bowels resume their normal activity.

Suplied in bottles of 100, 500 and 1,000.

59 Cathartic Compound Improved

Sugar Coated Pink

Each pulvet represents:

(Continued on next page)

List No.

Extract Colocynth Compound	1 grain
Extract Jalap	1/2 grain
Extract Gentian	1/2 grain
Extract Hyoscyamus	1/4 grain
Podophyllin	1/4 grain
Leptandrin	1/4 grain
Peppermint Oil	1/20 grain
Ginger	1/4 grain
Capsicine	1/60 grain

Dose: One to two pulvets at bedtime, as a laxative; two or three as a cathartic.

Supplied in bottles of 100, 500 and 1,000.

60 Cathartic Granules

Sugar Coated Pink

Each pulvet represents:

Aloin	1/6 grain
Podophyllin	1/8 grain
Extract Nux Vomica	1/8 grain
Extract Belladonna	1/8 grain

Dose: One to four granules in divided doses, during the day as a tonic and hepatic stimulant. Two granules at bedtime as a laxative; three to four as a cathartic.

Supplied in bottles of 100, 500 and 1,000.

61 Cathartic Special

Sugar Coated Yellow

Each pulvet represents:

Pill Rhubarb Compound	2 grains
Pill Colocynth Compound	2 grains
Extract Hyoscyamus	1 grain

An active Hepatic Stimulant.

Dose: One or two pulvets half an hour before the evening meal, or if preferred two may be given at bedtime, followed by one pulvet every night for several nights to relieve torpid liver.

Supplied in bottles of 100, 500 and 1,000.

62 Charcoal Activated, 5 Grains — Plain

Each pulvet represents.

Charcoal Activated	5 grains

Each pulvet contains five grains of a very highly activated and absorbent vegetable charcoal, entirely free from soluble and poisonous ingredients, and may therefore be used internally with perfect safety.

For relief of stomach and intestinal distress the pulvets may be swallowed whole with a little water, but when used as a preventative against influenza or to resist infection of the mouth or throat they should be dissolved in the mouth.

Indicated for flatulent indigestion, dysentery and diarrhoea in adults and children. Excellent for correcting foul breath.

Dose three or four pulvets several times daily.

Supplied in bottles of 100, 500 and 1,000.

List No.

63 ★ Chlorodyne No. 1 — Plain

Each pulvet represents:

*Morphine Hydrochloride	1/6 grain
*Extract Cannabis Sativa	1/4 grain
Nitroglycerin	1/300 grain
Extract Hyoscyamus	1/2 grain
Capsicine	1/10 grain
Peppermint Oil	1/10 grain

An effective anti-spasmodic, anodyne, hypnotic, and sedative formula.

Dose: One pulvet repeated every hour for three doses, if necessary for pain. An interval of three hours should then intervene before resuming dosage.

For diarrhoea, give one pulvet every three hours until relief is obtained.

Supplied in bottles of 100, 500 and 1,000.

64 ★ Chlorodyne No. 2 — Plain

Each pulvet represents:

*Morphine Hydrochloride	1/12 grain
*Extract Cannabis Sativa	1/8 grain
Nitroglycerin	1/600 grain
Extract Hyoscyamus	1/4 grain
Capsicine	1/20 grain
Peppermint Oil	1/20 grain

An effective anti-spasmodic, anodyne, hypnotic, and sedative formula.

Dose: One pulvet repeated every hour for six doses, if necessary for pain. An interval of three hours should then intervene before resuming dosage.

For diarrhoea, give one or two pulvets every three hours until relief is obtained.

Supplied in bottles of 100, 500 and 1,000.

65 ★ Cholera Infantum — Plain

Each pulvet represents:

Calomel	1/60 grain
Zinc Sulphocarbolate	1/20 grain
Salol	1/10 grain
Pepsin	1/4 grain
Bismuth Subgallate	1/2 grain
*Paregoric	2 minims

An efficient antiseptic, astringent and sedative for the treatment of dysentery and the profuse diarrhoea of ulcerous colitis.

Dose: One pulvet every ten minutes for the first hour, then one every hour until relief is obtained.

Supplied in bottles of 100, 500 and 1,000.

66 ★ Codeine Phosphate 1/8 Grain — Plain

Each pulvet represents:

Codeine Phosphate	1/8 grain

Dose: One to eight pulvets several times per day.

Supplied in bottles of 100, 500 and 1,000.

★ Narcotic signature required.

List No.

67 ★ Codeine Phosphate ¼ Grain — Plain

Each pulvet represents:
*Codeine Phosphate ..... 1/4 grain
Dose: One to four pulvets several times per day.
Supplied in bottles of 100, 500 and 1,000.

68 ★ Codeine Phosphate ½ Grain — Plain

Each pulvet represents:
*Codeine Phosphate ..... 1/2 grain
Dose: One to two pulvets several times per day.
Supplied in bottles of 100, 500 and 1,000.

69 ★ Codeine Phosphate 1 Grain — Plain

Each pulvet represents:
*Codeine Phosphate ..... 1 grain
Dose: One pulvet several times per day.
Supplied in bottles of 100, 500 and 1,000.

70 ★ Cold Special

Sugar Coated Pink

Each pulvet represents:

Quinine Salicylate	2 grains
Capsicum	1/10 grain
Cascarin	¼ grain
*Dover's Powder	2 grains
Tincture Aconite	½ minim

A useful analgesic, diaphoretic and sedative formula for the treatment of colds, and influenzal conditions.

Dose: One pulvet every half hour until four have been taken, then repeat every three or four hours until effect is produced; two or three pulvets may be given at bedtime if necessary.

71 ★ Colic Infantile — Plain

Aromatic and Colored Pink

Each pulvet represents:

Camphor	1/150 grain
*Opium	1/200 grain
Acid Benzoic	1/100 grain
Fennel Oil	1/120 grain
Aniseed Oil	1/120 grain
Peppermint Oil	1/150 grain
Saccharin	1/200 grain
Sodium Bicarbonate	1/10 grain
Lactose	1 grain

An efficient antacid, antiseptic, antispasmodic and sedative formula for the relief of acid stomach, flatulent colic, dysentery and the pain and discomfort caused by disturbed digestive function.

Dose: Dissolve six pulvets in two tablespoonfuls of warm, sterile water and give a teaspoonful every ten minutes.

★ Narcotic signature required.

List No.

In summer diarrhoea and vomiting this formula will be found very beneficial.

Supplied in bottles of 100, 500 and 1,000.

72 Corrective Infant — Plain

Each pulvet represents:

Calomel	1/20 grain
Ipecac	1/50 grain
Aniseed Oil	1/20 grain
Saccharin	1/200 grain
Sodium Bicarbonate	½ grain
Bismuth Subcarbonate	1 grain

An excellent corrective formula for morbid conditions of the alimentary tract.

Dose: One to two pulvets every hour or two until a laxative effect is produced.

Supplied in bottles of 100, 500 and 1,000.

73 ★ Coryza ℞ A

Chocolate Coated

Each pulvet represents:

*Opium	1/10 grain
Extract Belladonna	1/20 grain
Extract Aconite	1/10 grain
Ammonium Chloride	½ grain
Camphor	½ grain
Quinine Sulphate	½ grain

An anodyne, diaphoretic and sedative formula which will be found useful in the treatment of congested conditions of the mucous membranes of the naso-pharynx, promoting secretion and assisting the return of diseased parts to normalcy.

Dose: Two pulvets for the first dose, followed by one every hour until the cold is broken up. Give plenty of warm drinks during the course of medication, preferably such as hot lemonade or other citrus fruit drinks.

Supplied in bottles of 100, 500 and 1,000.

74 ★ Coryza ℞ B

Sugar Coated Blue

Each pulvet represents:

Atropine Sulphate	1/600 grain
Strychnine Sulphate	1/240 grain
Arsenic Trioxide	1/240 grain
*Morphine Sulphate	1/100 grain
Quinine Sulphate	1/10 grain
Camphor	¼ grain

For acute catarrhal affections of the nasal mucous membranes, attended with profuse discharge from the nostrils, this formula is most effective.

Dose: One every hour until a slight dryness of the throat is experienced, then one every two or three hours until the nasal discharge ceases.

★ Narcotic signature required.

List No.

75 ★ Coryza ℞ C

Chocolate Coated
Dr. H. J. Kenyon formula

Each pulvet represents:

Atropine Sulphate	1/2000 grain
*Morphine Sulphate	1/64 grain
Camphor	1/2 grain
Quinine Sulphate	½ grain

An excellent formula for the relief of profuse discharge from the nostrils due to acute catarrhal inflammation of the nasal mucous membranes.

Dose: One pulvet every hour until dryness of the throat is noticed, then one every two hours.

If desired the dosage may be commenced at bedtime when four to six pulvets may be given. If relief has not been obtained in the morning, continue dosage as above.

Supplied in bottles of 100, 500 and 1,000.

76 Cream of Magnesia — Plain

Each pulvet represents:

Magnesium Oxide Hydrated	4.8 grains

Each Cream of Magnesia Pulvet is equivalent to one teaspoonful of Cream of Magnesia. An excellent antacid and laxative for the relief of sour stomach, excess gastric acidity and flatulence.

Dose: As a mild laxative, take four to eight pulvets and chew slowly half an hour before food, or two hours after food. Drink at least half a glass of water or lemonade after chewing the pulvets. If desired the pulvets may be crushed, mixed with water and taken in this manner instead of being chewed.

Supplied in bottles of 100, 500 and 1,000.

77 Cystitis ℞ A — Plain

For Acid Urine

Each pulvet represents:

Potassium Bicarbonate	3 grains
Extract Buchu	2 grains
Extract Triticum	1 grain
Extract Corn Silk	½ grain
Extract Hydrangea	½ grain
Atropine Sulphate	1/800 grain

An effective antacid, antilithic and diuretic for the treatment of acid cystitis, dropsy, lithiasis, pyelitis and other forms of vesical irritation.

Dose: One to three pulvets every two or three hours with a glass of hot water. Fluids should be pushed during the period of medication.

Supplied in bottles of 100, 500 and 1,000.

★ Narcotic signature required.

List No.

78 Cystitis ℞ B — Plain

For Alkaline Urine

Each pulvet represents:

Acid Benzoic	3 grains
Acid Boric	2 grains
Extract Buchu	2 grains
Extract Triticum	1 grain
Extract Corn Silk	½ grain
Extract Hydrangea	½ grain
Atropine Sulphate	1/800 grain

An effective urinary antiseptic formula when the urine is alkaline. Acidifies phosphatic urine and reduces the uric acid content of the urine; controls urinary incontinence and provides reliable treatment for chronic cystitis and urinary calculi.

Dose: One to three pulvets every two or three hours with a glass of hot water. Fluids should be pushed during the period of medication.

Supplied in bottles of 100, 500 and 1,000.

79 Depalone, 5 Mgm. — Plain

℞ Hartz Brand of Dextro-Amphetamine.

Each pulvet represents:

Dextro-Amphetamine	5 mgm.

Depalone is indicated in the treatment of narcolepsy, post-encephalitic Parkinsonism, alcoholism, nausea and vomiting of pregnancy, and to dispel drowsiness due to drug administration.

In depressed states Depalone revives normal interest, dispels chronic fatigue, restores mental alertness and optimism, inducing a feeling of energy and capacity for work.

Depalone is also useful in controlling appetite.

Dose: 5 to 15 mgm. daily as determined by patient reaction. For patients with insomnia give last dose not later than mid-afternoon.

Caution: Should be used with extreme care in excitable and agitated pre-psychotic patients.

Supplied in bottles of 100, 500 and 1,000.

80 ★ Diarrhoea ℞ A — Plain

Each pulvet represents:

Bismuth Beta-Naphthol	1 grain
Lead Acetate	1/6 grain
Camphor	¼ grain
*Opium	¼ grain

Dose: One pulvet repeated every half hour until eight pulvets have been taken, then one pulvet every two or three hours until effect is obtained.

Supplied in bottles of 100, 500 and 1,000.

81 ★ Diarrhoea ℞ B

Chocolate Coated

Each pulvet represents:

Calomel	⅛ grain

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.

Capsicum	1/16 grain
Ipecac	1/32 grain
Camphor	1/16 grain
*Morphine Sulphate	1/24 grain

Dose: One pulvet every half hour for eight doses, then repeat every two or three hours until relief is obtained.

Supplied in bottles of 100, 500 and 1,000.

82 Diazolone — Plain

℞ Hartz Brand of Sulfadiazine which is the 2—sulfanilamid-opyrimidine analogue of sulfanilamide.

Each pulvet represents:

Sulfadiazine	0.5 gramme
	(approx. 7.716 grains)

Indicated in the treatment of pneumococcal pneumonia and other pneumonic infections. It is the drug of choice in hemolytic streptococcal infections and in meningococcal meningitis and cases of unknown etiology.

Both supportive and operative surgical measures should be used in conjunction with Diazolone in the treatment of staphylococcic infections whenever indicated, surgical drainage of purulent foci being particularly necessary.

Caution: Daily complete blood counts and urinalyses are imperative. Should be used only under the direction of a physician.

Supplied in bottles of 100, 500 and 1,000.

83 Dicalcone — Plain

Hartz Brand of
DICALCIUM PHOSPHATE

Each pulvet represents:

Dicalcium Phosphate	7½ grains

combined in an aromatic chocolate base.

These pulvets afford a palatable means of administering Calcium and Phosphorus. They are convenient, easy to take and do not irritate the stomach. They disintegrate very rapidly ensuring maximum assimilation.

Dose: One to four pulvets may be chewed several times per day. For children, administer one grain for each year of their age.

Supplied in bottles of 100, 500 and 1,000.

84 Difolone, 1/2 Grain — Plain

A physiologically standardized product prepared from cultivated English Digitalis Leaves.

Each pulvet represents 0.32 International units of activity, equivalent to **five minims Tincture Digitalis.**

Average dosage: One to three pulvets for repeated administration.

Supplied in bottles of 100, 500 and 1,000.

℞ Prescription required for retail sales.

List No.

85 Difolone, 1 Grain — Plain

A physiologically standardized product prepared from cultivated English Digitalis Leaves.

Each pulvet represents 0.64 International units of activity, equivalent to **ten minims Tincture Digitalis.**

Average dosage: One to two pulvets for repeated administration.

Single doses: Three to nine pulvets.

Supplied in bottles of 100, 500 and 1,000.

86 Difolone, 1-1/2 Grains — Plain

A physiologically standardized product prepared from cultivated English Digitalis Leaves.

Each pulvet represents 0.96 International units of activity, equivalent to **fifteen minims Tincture Digitalis.**

Average dosage: One pulvet for repeated administration.

Single doses: Two to six pulvets.

Supplied in bottles of 100, 500 and 1,000.

87 Digestive Aromatic — Plain

Each pulvet represents:

Saccharated Pepsin	4 grains
Carozyme Powder	1 grain
Diastase	1 grain
Aromatic Powder	1 grain
Acid Lactic C.P.	1/100 grain
Acid Hydrochloric C.P.	1/25 grain

An effective carminative and digestant for the correction of faulty digestive function.

Dose: One to three pulvets after food, repeated in one hour if required. This formula has been found a valuable aid to digestion in chronic dyspepsia, gastric fermentation, gastritis and particularly where there is faulty digestion of starches.

Supplied in bottles of 100, 500 and 1,000.

88 Digitalin, 1/100 Grain — Plain

Each pulvet represents:

Digitalin German	1/100 grain

Dose: One to ten pulvets may be administered three or four times daily for the treatment of cardiac diseases, dropsy, pulmonary edema, failure of memory, nocturnal insomnia, drowsiness during the day and cerebral softening.

Supplied in bottles of 100, 500 and 1,000.

89 Diuretic ℞ A

Sugar Coated Blue

Each pulvet represents:

Extract Buchu	1 grain
Digitalis (Standardized)	½ grain

List No.

Asparagin	1/40 grain
Squill	1/6 grain
Sparteine Sulphate	1/60 grain
Oil Juniper Berries	⅛ grain
Potassium Citrate	1 grain
Extract Uva Ursi	2 grains

An effective vascular stimulant, cardiac tonic and diuretic in genito-urinary diseases, cystitis, pyelitis and vesical irritation. Stimulates the heart and central nervous system and is most useful in the treatment of dropsy and edema.

Dose: One to three pulvets with plenty of water every second hour until three doses have been taken, then repeat every fourth hour. Useful in urinary suppression and chronic interstitial nephritis. Best results will be obtained by omitting dosage for one or two consecutive days each week.

Supplied in bottles of 100, 500 and 1,000.

90 ★ Dover's Powder, 5 Grains — Plain

Each pulvet represents:

*Dover's Powder	5 grains

An efficient Anodyne and Diaphoretic.

Dose: As an anodyne one to two pulvets; as a diaphoretic one pulvet every two or three hours.

Supplied in bottles of 100, 500 and 1,000.

91 Eastosol Catalytic

Sugar Coated Red

Each pulvet represents:

Ferrous Phosphate	1 grain
Quinine Sulphate	¾ grain
Copper Subcarbonate	1/50 grain
Strychnine Sulphate	1/67 grain
Sodium Citrate	1½ grains

A stable formula, each pulvet representing approximately one teaspoonful of Easton's Syrup with a sufficient amount of Copper to act as a catalyst and bring out the therapeutic efficiency of the Iron content.

An excellent analeptic, haematinic and tonic.

Dose: One to two pulvets thrice daily after food.

Supplied in bottles of 100, 500 and 1,000.

92 Emmenagogue

℞

Chocolate Coated

Each pulvet represents:

Extract Cotton Root Bark	1 grain
Ergotin	1 grain
Iron Sulphate Exsiccated	1 grain
Dicalcium Phosphate	1 grain
Aloes	1 grain
Oil Savin	1/7 minim

A useful formula for the treatment of acute suppression of

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.

the menses from cold, and chronic suppression from anaemia or debility.

Dose: As an emmenagogue give one pulvet every two hours. The initial dose should be given at night before retiring, following upon a hot sitz-bath.

Supplied in bottles of 100, 500 and 1,000.

93 Ephalone, ½ Grain — Plain

Hartz Brand of
EPHEDRINE HYDROCHLORIDE

Each pulvet represents one-half grain of pure Levoisomeric Ephedrine Hydrochloride. The pulvets are colored a delicate shade of pink and are readily soluble giving quick relief in asthma and hay-fever. Ephalone produces a similar action to that of Epinephrine but it is much more prolonged.

Dose: One to three pulvets every four to eight hours as may be indicated.

Supplied in bottles of 100, 500 and 1,000.

94 Ergotin, 3 Grains

℞

Chocolate Coated

Each pulvet represents:

Ergotin (Bonjean)	3 grains

An effective agent to control haemoptysis and hemorrhage from the bowel, also to secure uterine contractions after parturition and as a general nerve tonic and vaso-motor stimulant.

Dose: One to three pulvets several times per day.

Supplied in bottles of 100, 500 and 1,000.

95 Eucaform — Plain

Each pulvet represents:

Paraformaldehyde	1/6 grain
Acid Boric	¼ grain
Menthol	1/25 grain

A useful formula for disinfecting the mouth cavity and upper air passages. Provides effective treatment for quinsy, sore throat and tonsillitis.

Dose: Allow one pulvet to slowly dissolve in the mouth every half hour or hour according to conditions.

Supplied in bottles of 100, 500 and 1,000.

96 Evacuant Special ℞ A

Chocolate Coated

Each pulvet represents:

Aloin	¼ grain
Strychnine Sulphate	1/60 grain
Extract Belladonna	⅛ grain
Ipecac	1/16 grain
Phenolphthalein	½ grain

An effective laxative in chronic constipation, stimulates a torpid liver and relieves biliousness.

Dose: One or two at bedtime, may be repeated the next

℞ Prescription required for retail sales.

List No.

morning if necessary.

Supplied in bottles of 100, 500 and 1,000.

97 E-Vi-Lone — Plain

Hartz Brand of Synthetic Vitamin E.

Each pulvet represents:

Alpha Tocopherol Acetate.....33-1/3 International units

Dose: Dosage ranges from five to ten pulvets daily.

Supplied in bottles of 100, 500 and 1,000.

98 Ferro-B

Sugar Coated Yellow

Each pulvet represents:

Ferrous Sulphate	5 grains
*Thiamin Chloride	1500 gamma

*Equivalent to five hundred International units of Vitamin B_1.

Ferro-B is an effective hematinic and anti-neuritic formula for the treatment of anaemias, anorexia and chlorosis.

Dose: One pulvet four times daily, preferably after food and at bedtime.

Supplied in bottles of 100, 500 and 1,250.

99 Ferrous Sulphate — Catalytic, 3 Grains

Chocolate Coated

Each pulvet represents:

Ferrous Sulphate	3 grains
Copper Subcarbonate	1/80 grain
Manganese Sulphate	¼ grain

Ferrous Sulphate Catalytic is a useful formula for the treatment of secondary anaemias.

Dose: One or two pulvets thrice daily after meals.

Supplied in bottles of 100, 500 and 1,000.

100 Ferrous Sulphate, 5 Grains

Sugar Coated Red

Each pulvet represents:

Ferrous Sulphate, B.P.	5 grains

Dose: One pulvet after each meal.

Supplied in bottles of 100, 500 and 1,000.

101 Ferrous Sulphate, 5 Grains

Chocolate Coated

Each pulvet represents:

Ferrous Sulphate, B.P.	5 grains

Dose: One pulvet after each meal.

Supplied in bottles of 100, 500 and 1,000.

List No.

102 Flatulence

Sugar Coated Yellow

Each pulvet represents:

Extract Nux Vomica	¼ grain
Ginger	¾ grain
Diastase	1/20 grain
Asafetida	1 grain
Extract Cascara	1 grain

As a corrective of flatulence, lack of appetite in dyspepsia and indigestion, this formula will be found effective.

Dose: One to two pulvets after each meal.

Supplied in bottles of 100, 500 and 1,000.

103 Flulone — Plain

Each pulvet represents:

Acid Acetylsalicylic	3 grains
Atropine Sulphate	1/700 grain
Caffeine	¼ grain
Camphor	¼ grain
Terpin Hydrate	½ grain
Phenacetin	1 grain
Phenylacetamide	1 grain

An analgesic, antipyretic, antiseptic, antispasmodic and sedative formula for the treatment of influenzal conditions. Relieves pain and reduces fever.

Dose: One to two pulvets every three or four hours as conditions may indicate.

Supplied in bottles of 100, 500 and 1,000.

104 Furunculone — Plain

Each pulvet represents:

Metallic Tin C.P.	1¾ grains
Stannic Oxide C.P.	¼ grain

Combined with Vitamin B Concentrate representing three hundred and twenty grains of fresh Yeast.

Prepared from carefully comminuted and purified Metallic Tin and Stannic Oxide, free from lead and other injurious impurities. Furunculone provides effective treatment of furunculosis and skin diseases of staphylococcal origin. Recommended in acne, carbuncle, osteomyelitis, sycosis, styes and staphylococcal suppuration.

Dose: One to three pulvets after meals for three or four days, then one pulvet after meals for ten days. Discontinue treatment for three days and then resume as at first.

Supplied in bottles of 100, 500 and 1,000.

105 Gastrolone — Plain

Colored a delicate Pink and nicely flavored

Each pulvet represents:

Bismuth Subcarbonate	5 grains
Sodium Bicarbonate	5 grains
Magnesium Carbonate	5 grains
Supermentha	1/12 grain

List No

Gastrolone will be found useful in dyspepsia and vomiting, gastric inflammation and diarrhoea.

In the intensive treatment of gastric and duodenal ulcer, it coats the walls of the stomach and intestines protecting them from irritation caused by food and the secretions, allaying inflammation. Acidity is quickly neutralized and a mild laxative action produced. Effective in sick headache, heartburn, gout, sour stomach and constipation.

Dose: One to three pulvets half an hour before meals or two hours after meals, as may be indicated. Pulvets may be chewed or crushed and mixed with a glass of water.

Supplied in bottles of 100, 500 and 1,000.

106 Glucalone — Plain

Hartz Brand of
CALCIUM GLUCONATE

Each pulvet represents:

Calcium Gluconate	10 grains

Combined with ten international units of Vitamin B_1 and 500 international units of Vitamin D_2 in an agreeable chocolate flavored base.

A convenient and palatable means of obtaining the therapeutic effects of Calcium with the growth promoting action of Vitamin B_1.

A useful antirachitic, hemostatic and blood coagulant in the treatment of rachitis and scrofula of children; as a prophylactic before and after operative removal of adenoids and tonsils.

For epilepsy, lymphatic headache, chilblains, boils, bullous and vesicular eruptions, hemoglobinuria, and aneurism, hemorrhage of the upper air tract, hemophilia, purpura, tuberculosis, tetanus, albuminuria, hay fever and urticaria.

Dose: Children; One to three pulvets thrice daily.

Adults; One to eight pulvets thrice daily. As Glucalone Pulvets are agreeably flavored they may be chewed. Children will take them as readily as a confection.

Supplied in bottles of 100, 500 and 1,000.

107 Haematone — Catalytic

Sugar Coated Red

Each pulvet represents:

Reduced Iron	1 grain
Copper Subcarbonate	1/50 grain
Acid Arsenious	1/50 grain
Strychnine Sulphate	1/60 grain

A General Tonic and Restorative.

Dose: One to two pulvets half an hour after each meal, with a copious drink of water.

Supplied in bottles of 100, 500 and 1,000.

List No.

108 Heart Tonic Pellets — Small

Sugar Coated Red

Each pulvet represents:

Cactinine	1/100 grain
Digitalin	1/150 grain
Sparteine Sulphate	1/50 grain
Iron Arseniate	1/50 grain
Strychnine Arseniate	1/100 grain

A reliable cardiac tonic and vascular stimulant. This formula will be found very useful in the treatment of all cardiac diseases, dropsy, pulmonary edema and insomnia from mental overwork. Increases the frequency of pulse and respiration, stimulates the heart and central nervous system and relieves weak conditions due to heart disease.

Dose: One to three pellets repeated every third or fourth hour as conditions may indicate.

Supplied in bottles of 100, 500 and 1,000.

109 Heart Tonic Pellets — Large

Sugar Coated Red

Formula and dosage same as small pellet.

Supplied in bottles of 100, 500 and 1,000.

110 Heart Tonic Pellets — Extra Large

Sugar Coated Red

Formula and dosage same as small pellet.

Supplied in bottles of 100, 500 and 1,000.

111 Heart Tonic B-A

Chocolate Coated

Each pulvet represents:

Digitalin	1/100 grain
Nitroglycerin	1/100 grain
Strychnine Sulphate	1/50 grain
Tincture Strophanthus	1 minim

Dose: One to two pulvets every two or three hours, decreasing the dosage to two or three per day, for irregular heart action of a feeble or rapid character.

Supplied in bottles of 100, 500 and 1,000.

112 Heart Tonic B-B

Sugar Coated Yellow

DaCosta Improved Formula

Each pulvet represents:

Nitroglycerin	1/100 grain
Tincture Digitalis	3 minims
Tincture Strophanthus	2 minims
Tincture Cactus Grandiflorus	2 minims
Sparteine Sulphate	1/100 grain
Tincture Belladonna	¼ minim

Dose: One to two pulvets every three or four hours in

List No.

dropsical affections and for weak and irregular heart.
Supplied in bottles of 100, 500 and 1,000.

113 Heart Tonic ℞ C

Chocolate Coated

Dr. Gordinier's Improved Formula

Each pulvet represents:

Nitroglycerin	1/200 grain
Tincture Digitalis	10 minims
Tincture Strophanthus	3 minims
Strychnine Sulphate	1/60 grain
Reduced Iron	1 grain

Dose: One pulvet three times daily or if occasion requires, every three or four hours.
Supplied in bottles of 100, 500 and 1,000.

114 Hepatic

Chocolate Coated

Dr. Kenyon's Improved Formula

Each pulvet represents:

Aloin	⅛ grain
Calomel	1/6 grain
Euonymin	⅛ grain
Ipecac	⅛ grain
Podophyllin	1/20 grain

An excellent alterative, cholagogue and hydragogue cathartic formula for the treatment of hepatic congestion and chronic constipation, especially when complicated with hemorrhoids.

Dose: One or two pulvets every hour until a laxative action is secured; then one, three or four times daily. Plenty of fluids should be ingested during course of medication.
Supplied in bottles of 100, 500 and 1,000.

115 ★ Heroin, 1/12 Grain — Plain

Each pulvet represents:

*Diacetylmorphine Hydrochloride	1/12 grain

Dose: One to two pulvets.
Supplied in bottles of 100, 500 and 1,000.

116 ★ Heroin, 1/6 Grain — Plain

Each pulvet represents:

*Diacetylmorphine Hydrochloride	1/6 grain

Dose: One pulvet.
Supplied in bottles of 100, 500 and 1,000.

117 ★ Heroin and Terpin Hydrate ℞ B — Plain

Each pulvet represents:

*Diacetylmorphine Hydrochloride	1/12 grain
Terpin Hydrate	5 grains

★ Narcotic signature required.

List No.

Dose: One pulvet every two to three hours as may be indicated.

Supplied in bottles of 100, 500 and 1,000.

118 Homolone

Hartz Brand of
HOMATROPINE METHYLBROMIDE

Each pulvet represents:
Homatropine Methylbromide ..... 1/24 grain
An effective autonomic blocking agent mainly useful in gastrointestinal disorders.

Dose: One to two pulvets.
Supplied in bottles of 100, 500 and 1,000.

119 Hyoscine Hydrobromide, 1/200 Grain — Plain

Each pulvet represents:
Hyoscine Hydrobromide ..... 1/200 grain
An Hypnotic, Mydriatic and Cerebral Sedative.
Dose: 1/200 to 1/100 grain.
Supplied in bottles of 100, 500 and 1,000.

120 Hyoscine Hydrobromide, 1/100 Grain — Plain

Each pulvet represents:
Hyoscine Hydrobromide ..... 1/100 grain
An Hypnotic, Mydriatic and Cerebral Sedative.
Dose: 1/200 to 1/100 grain.
Supplied in bottles of 100, 500 and 1,000.

121 Hypatrone

℞

Each pulvet represents:
Hypnolone (Hartz Brand of Phenobarbital) ..... 1/4 grain
Atropine Sulphate ..... 1/200 grain
An effective antispasmodic and sedative.
Dose: One to four pulvets as indicated.
Supplied in bottles of 100, 500 and 1,000.

122 Hypnolone, ¼ Grain — Plain

℞

Hartz Brand of
PHENOBARBITAL

Each pulvet represents:
Phenylethylmalonylurea ..... ¼ grain
A Valuable Sedative and Hypnotic.
Dose: As a sedative in various neuroses (cardiac, gastric, etc.) one-quarter to one-half grain several times daily. In epilepsy, three-quarters to one and one-half grains once or twice daily. For insomnia, one and one-half to three grains. Severe cases may require five to ten grain doses, but the larger doses must be administered with caution.

℞ Prescription required for retail sales.

List No.

123 ℞ Hypnolone, ¼ Grain — Sugar Coated Red

124 ℞ Hypnolone, ¼ Grain — Sugar Coated Green

125 Hypnolone, ½ Grain — Plain

℞

Each pulvet represents:
Phenylethylmalonylurea ..... ½ grain
Dose: One to six pulvets repeated at suitable intervale as conditions may indicate.
Supplied in bottles of 100, 500 and 1,000.

126 ℞ Hypnolone, ½ Grain — Sugar Coated Red

127 ℞ Hypnolone, ½ Grain — Sugar Coated Green

128 Hypnolone, ¾ Grain — Plain

℞

Each pulvet represents:
Phenylethylmalonylurea ..... ¾ grain
A Valuable Sedative and Hypnotic.
Dose: One to four pulvets repeated at suitable intervals as conditions may indicate.
Supplied in bottles of 100, 500 and 1,000.

129 Hypnolone, 1 Grain — Plain

℞

Each pulvet represents:
Phenylethylmalonylurea ..... 1 grain
Dose: One to three pulvets repeated at suitable intervals as conditions may indicate.
Supplied in bottles of 100, 500 and 1,000.

130 Hypnolone, 1-1/2 Grains — Plain

℞

Each pulvet represents:
Phenylethylmalonylurea ..... 1½ grains
Dose: One to two pulvets repeated at suitable intervals as conditions may indicate.
Supplied in bottles of 100, 500 and 1,000.

131 Incontinence

℞

Sugar Coated Green
An Improved Formula

Each pulvet represents:

Ergotin	¼ grain
Extract Belladonna	1/16 grain
Hypnolone	1/16 grain
Sodium Bromide	1 grain
Strychnine Sulphate	1/200 grain
Tincture Cantharides	1 minim

Dose: For the treatment of enuresis in children from four to eight years old, give one or two pulvets at bedtime.
Supplied in bottles of 100, 500 and 1,000.

℞ Prescription required for retail sales.

List No.

132 Kavalone

Sugar Coated Red

Each pulvet represents:

Extract Kava Kava	2 grains
Extract Hyoscyamus	¼ grain
Hexamethylenetetramine	1 grain
Sodium Bicarbonate	3 grains

Combined with Pure East Indian Oil of Sandalwood, Oleoresin of Cubeb and Aromatics.

An effective diuretic with antiseptic and sedative properties, stimulating the mucous membrane of the genito-urinary tract especially in the advanced stages of Gonorrhoea.

Indicated in gonorrhoeal infection, cystitis, prostatitis, and general urethral inflammation.

Dose: One to two pulvets every three hours as may be indicated.

Supplied in bottles of 100, 500 and 1,000.

133 Laxogen, 2 Grains — Plain

Pleasantly flavored and colored Pink

Each pulvet represents:

Phenolphthalein	2 grains

A pleasant laxative for the treatment of habitual constipation. Better results will be obtained if given in conjunction with Sodium Bicarbonate. Contra-indicated in hemorrhoids or in those cases with a predisposition to hemorrhoids.

Dose: One-half to four pulvets. Give one five grain Sodium Bicarbonate Pulvet, or Soda Mint Pulvet, along with each Laxogen Pulvet.

Supplied in bottles of 100, 500 and 1,000.

134 Laxogen, 5 Grains — Plain

Agreeably flavored and colored Pink

Each pulvet represents:

Phenolphthalein	5 grains

An aromatic carminative laxative. Effective in the treatment of habitual constipation if not complicated by hemorrhoids or a predisposition to hemorrhoids. Phenolphthalein is sometimes inert in hyperacidity and best results will therefore be obtained if administered in conjunction with an antacid.

Dose: One to two pulvets along with one ten grain Sodium Bicarbonate pulvet for each five grains of Laxogen.

Supplied in bottles of 100, 500 and 1,000.

135 Magalone — Plain

℞

Hartz Brand of

ALUMINIUM MAGNESIUM COMPOUND

Each pulvet represents:

Aluminium Hydroxide Dried Gel	6½ grains
Magnesium Hydroxide	3½ grains
Sodium Sulphocarbolate	1 grain
Mephobarbital	⅛ grain
Homatropine Methylbromide	1/50 grain

℞ Prescription required for retail sales.

List No.

Combined with milk solids, pleasantly sweetened and flavored.

A readily assimilated antacid and antispasmodic absorbent indicated in the treatment of gastric or duodenal ulcers associated with hyperacidity.

Dose: One pulvet as may be required half an hour before or two hours after meals.

Supplied in bottles of 100, 500 and 1,000.

136 Mephenesin — Plain

Each pulvet represents:

3-ortho-Toloxy-1, 2-propanediol ..... 0.5 gramme

Mephenesin is employed as a muscle relaxant in spastic and neuromuscular disorders without affecting voluntary function. It is of value as an adjunct in the treatment of chronic alcoholism and narcotic addiction. Rheumatic, neurologic disorders and post-operative pain due to spasm are alleviated by the use of Mephenesin.

Dose: Total daily adult dose—Five to ten pulvets given in three divided doses.

Children's dose: Proportionately smaller, according to weight and age.

137 Mercury Protoiodide, ¼ Grain

Chocolate Coated

Each pulvet represents:

Mercurous Iodide ..... ¼ grain

Alterative and Anti-Syphilitic.

Should never be prescribed with a soluble Iodide, since MERCURIC IODIDE is highly poisonous.

Dose: One to three pulvets. Maximum daily dose, ten pulvets.

Supplied in bottles of 100, 500 and 1,000.

138 Methylene Blue Compound

Sugar Coated Blue

An Improved Formula

Each pulvet represents:

Cubebs	1 grain
Methylene Blue	½ grain
Extract Kava Kava	½ grain
Potassium Bicarbonate	2 grains
Oil Sandalwood	¼ minim

An antiseptic diuretic and stimulant to the genito-urinary mucous membrane, especially in the advanced stages of gonorrhoea. Mildly stimulant and antiseptic in its action upon inflamed mucous membrane, this formula is very useful in chronic inflammation of the genito-urinary tract. Its alkaline, antiseptic and diuretic properties are of value in cystitis and gonorrhoea.

Dose: Two to four pulvets every three hours. Prescribe plenty of fluids to be taken with dosage.

Supplied in bottles of 100, 500 and 1,000.

List No.

139 Migraine ℞ A — Plain

℞ Each pulvet represents:

Acetanilid	3 grains
Phenobarbital	1/10 grain
Caffeine Alkaloid	¼ grain
Tincture Gelsemium	3 minims
Phenolphthalein	1/10 grain

Dose: One pulvet repeated every half hour for three doses, then every one or two hours if relief not yet obtained.

Supplied in bottles of 100, 500 and 1,000.

140 Migraine ℞ D — Plain

Each pulvet represents:

Camphor Monobromated	½ grain
Tincture Gelsemium	3 minims
Caffeine Alkaloid	¼ grain
Sodium Bicarbonate	3 grains
Acetanilid	2½ grains

Dose: Two pulvets repeated every hour, if necessary, until three doses have been taken, then one every two, three or four hours as may be required.

Supplied in bottles of 100, 500 and 1,000.

141 Migraine ℞ E — Plain

Colored Pink

Each pulvet represents:

Oil Gaultheria	1/10 grain
Caffeine Alkaloid	¼ grain
Camphor Monobromated	½ grain
Sodium Bicarbonate	3 grains
Acetanilid	2½ grains

Dose: One to two pulvets, repeated in half an hour, if necessary, then one every hour until relief obtained or eight pulvets have been taken.

Supplied in bottles of 100, 500 and 1,000.

142 ★ Morphine Sulphate, ⅛ Grain — Plain

Each pulvet represents:

*Morphine Sulphate	⅛ grain

Dose: One to four pulvets three or four times per day. Maximum daily dose sixteen pulvets.

Supplied in bottles of 100, 500 and 1,000.

143 ★ Morphine Sulphate, ¼ Grain — Plain

Each pulvet represents:

*Morphine Sulphate	¼ grain

Dose: One to two pulvets three or four times per day. Maximum daily dose eight pulvets.

Supplied in bottles of 100, 500 and 1,000.

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.

144 Natribarb — Plain

℞

Hartz Brand of
SODIUM PHENOBARBITAL

Each pulvet represents:
Sodium Phenobarbital ..... 1½ grains

An efficient hypnotic and sedative for the treatment of insommnia, and various cardiac and gastric neuroses. Also in epilepsy.

Dose: One to two pulvets. Severe cases may require three to six pulvets, but the larger doses must be administered with caution.

Supplied in bottles of 100, 500 and 1,000.

145 Nausea ℞ A — Plain

℞

Each pulvet represents:

Phenobarbital	1/16 grain
Magnesium Oxide	2 grains
Menthol	⅛ grain
Chlorbutanol	1 grain
Cerium Oxalate	1 grain
Bismuth Subcarbonate	3 grains

An efficient sedative for the relief of gastric pains, sea-sickness and vomiting.

Dose: One pulvet every half hour for ten doses, then every one or two hours, if relief not already obtained.

Supplied in bottles of 100, 500 and 1,000.

Each pulvet represents:

146 ★ Nausea ℞ B — Plain

*Cocaine Hydrochloride	1/12 grain
Cerium Oxalate	2 grains
Bismuth Subcarbonate	2 grains

Dose: One pulvet every half to one hour until stomach is settled, or sixteen doses have been taken.

This formula will be found effective in the treatment of seasickness and the vomiting of pregnancy.

Supplied in bottles of 100, 500 and 1,000.

147 Neutralizing — Plain

An Improved Formula

Each pulvet represents:

Oil Peppermint	⅛ grain
Cardamon	⅛ grain
Aluminum Hydroxide	½ grain
Rhubarb	1 grain
Magnesium Oxide	1 grain
Magnesium Trisilicate	2 grains
Calcium Carbonate	2 grains
Sodium Bicarbonate	3 grains

A mild astringent and effective antacid in conditions of abnormal gastric acidity. A useful formula for the relief of flatu-

℞ Prescription required for retail sales.

★ Narcotic signature required.

List No.

lence, gastralgia, sour eructations, and dyspepsia, especially when attended by constipation.

Dose: One to three pulvets half an hour before food, may be repeated two hours after food.

Supplied in bottles of 100, 500 and 1,000.

148 Nicotinic Acid, 50 mgm.

Each pulvet represents:

Nicotinic Acid ..... 50 mgm.

Dose: One to two pulvets three times daily.

Supplied in bottles of 100, 500 and 1,000.

149 Nicotinic Acid, 100mgm.

Each pulvet represents:

Nicotinic Acid ..... 100 mgm.

Dose: One to five pulvets per day.

Supplied in bottles of 100, 500 and 1,000.

150 Nitroglycerin, 1/100 Grain — Plain

Each pulvet represents:

Glyceryl Trinitrate ..... 1/100 grain

Dose: One to three pulvets, as a powerful stimulant to circulation. Should be used with great care according to circumstances. A valuable remedy in the treatment of angina pectoris, asthma, nephritis and in colic associated with gall stone.

Supplied in bottles of 100, 500 and 1,000.

151 Obesolone — *Stokes'* — Plain

℞ Each pulvet contains fifty milligrammes of **PHYSIOLOGICALLY PURE 1:Oxy 2: 4 Dinitrobenzene,** in a palatable base of Digestive Enzymes of vegetable origin.

OBESOLONE furnishes the physician with an effective and safe therapeutic agent for the treatment of obesity.

OBESOLONE increases the metabolism of fat and carbohydrate, but not the metabolism of protein. A loss of weight of from two to three pounds per week can usually be maintained without dietary discretion.

OBESOLONE should only be used under the close supervision of the attending physician.

Dose: One pulvet daily for each fifty pounds of body weight.

Supplied in bottles of 100, 500 and 1,000.

152 ★ Opium, 1 Grain — Plain

Each pulvet represents:

*Opium Pulveratum B.P. ..... 1 grain

Dose: One to three pulvets. Maximum daily dose eight pulvets.

Supplied in bottles of 100, 500 and 1,000.

℞ Prescription required for retail sales.

★ Narcotic signature required.

List No.

153 ★ Opium and Lead — Plain

Each pulvet represents:
*Opium Pulveratum B.P. ..... ½ grain
Lead Acetate ..... 1 grain

A useful astringent and sedative formula for the treatment of diarrhoea.

Dose: One to four pulvets, may be repeated in eight hours, if necessary.

This formula should not be used over long periods on account of the danger of lead poisoning.

Supplied in bottles of 100, 500 and 1,000.

154 Papaya Compound — Plain

An Improved Formula

A nicely balanced preparation of the digestive principles obtained from the fruit of Carica Papaya combined with Activated Charcoal, Magnesium Trisilicate, Sodium Bicarbonate and Aromatic Carminatives. An efficient aid to digestion in chronic dyspepsia, gastric fermentation and gastritis.

Dose: One to three pulvets before meals or two hours after meals. The pulvets may be chewed or swallowed whole. Best results, however, will be obtained by disintegrating the pulvets in a glass of hot water and drinking as warm as patient can take the mixture.

Supplied in bottles of 100, 500 and 1,000.

55 ★ Pavodeine — Plain

Each pulvet represents:
*Papaverine Hydrochloride ..... ¼ grain
*Codeine Phosphate ..... ¼ grain

A useful formula for the treatement of coryza and other symptoms of the common cold. Best results will be obtained if treatment is commenced at the onset of the symptoms.

Dose: Children; One pulvet after breakfast and one at bedtime. Adults; One pulvet after breakfast, one after lunch and one to three at bedtime.

This treatment should not be carried out for longer than two or three successive days.

Supplied in bottles of 100, 500 and 1,000.

156 Pentalone — Plain

℞

Each pulvet represents:
Butylone, Hartz brand of Pentobarbital Sodium ..... ½ grain
Hypnolone, Hartz brand of Phenobarbital 1 grain

The rapid action of Butylone combined with the extended hypnosis of Hypnolone gives fast sedation and provides continuous sedative action for six to eight hours.

Dose: One to two pulvets as required before retiring.

Supplied in bottles of 100, 500 and 1,000.

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.

157 Phenacetin B. P., 5 Grains — Plain

Each pulvet represents:
Phenacetin ..... 5 grains

A useful analgesic, antiypretic and sedative.

Dose: One to three pulvets every three to four hours.

Supplied in bottles of 100, 500 and 1,000.

158A Phenalone, 1 Grain — Plain — See Infant List

Each pulvet represents:
Phenalone ..... 1 grain

Dose: One to two pulvets crushed and mixed with honey, jelly or other conserve to make attractive for a child. Administer plenty of fluids along with Phenalone dosage.

Supplied in bottles of 100, 500 and 1,000.

158 Phenalone, 5 Grain — Plain

Each pulvet represents:
Phenalone ..... 5 grains

A synthetic chemical produced by the synthesis of Phenylacetamide and Para-acetphenetidin with o-Acetoxybenzoic Acid.

PHENALONE is antiseptic, analgesic, antipyretic, antirheumatic and sedative in action and is effective in the treatment of colds, fevers, headaches, particularly of the congestive type, lumbago, migraines, myalgias, neuralgias, neuritis, rheumatism and sciatica.

The administration of PHENALONE produces a marked fall in temperature accompanied by profuse perspiration. PHENALONE possesses very distinct pain allaying power and as it is slowly decomposed in the intestinal tract yielding free nascent Salicylic Acid, it thus also furnishes a distinct disinfectant action in the bowel.

Dose: One to two pulvets every two or three hours, as may be indicated. PHENALONE should be taken either before meals or two hours after and more efficient action will be secured if plenty of water or other suitable fluid is taken with the PHENALONE dosage.

Supplied in bottles of 100, 500 and 1,250.

159 ★ Phenalone with Codeine — Plain

Each pulvet represents:
*Codeine Phosphate ..... 1/6 grain
Phenalone ..... 5 grains

An efficient analgesic, antipyretic, anti-rheumatic and sedative formula, for the treatment of influenzal conditions, migraines, neuritis, rheumatism and sciatica.

Dose: One to two pulvets every two or three hours following the same procedure as indicated under PHENALONE Plain.

Supplied in bottles of 100, 500 and 1,250.

★ Narcotic signature required.

List No.

160 Phylone

Supplied in bottles of 100, 500 and 1,250.

Each pulvet represents:

Theophylline	1 grain
Buchu Extract	1 grain
Uva Ursi Extract	1 grain
Squill	½ grain
Potassium Bitartrate	2 grains

An Improved Diuretic Formula.

Dose: One pulvet every two or three hours with a glassful of water or other suitable liquid.

Supplied in bottles of 100, 500 and 1,000.

161 Potassium Chlorate, 5 Grains — Plain

Each pulvet represents:

Potassium Chlorate	5 grains

A useful antiseptic for the treatment of all forms of stomatitis and foul conditions of the Mouth and Pharynx.

Dose: One to two pulvets.

CAUTION: Should never be administered on an empty stomach.

Supplied in bottles of 100, 500 and 1,000.

162 Potassium Citrate, 5 Grains — Plain

Each pulvet represents:

Potassium Citrate	5 grains

Dose: One to six pulvets as may be required.

163 Potassium Iodide, 5 Grains — Plain

Each pulvet represents:

Potassium Iodide	5 grains

An alterative and anti-syphilitic, useful in asthma, angina pectoris, aneurisms and pneumonia.

Dose: Average dose, One pulvet. Maximum dose, one to six pulvets several times per day.

Supplied in bottles of 100, 500 and 1,000.

164 Psychic — *Placebo* — Plain

White or Pink

These tablets are prepared from pure Milk Sugar and are unmedicated.

Supplied in bottles of 100, 500 and 1,000.

165 Pyrimalone, 25 mgm. — Plain

Each pulvet represents:

Pyranisamine Maleate	25 mgm.

An effective antihistamine product with few undesirable reactions.

List No.

Dose: One to two pulvets three or four times daily as may be indicated.

Supplied in bottles of 100, 500 and 1,000.

166 Pyrimalone, 50 mgm. — Plain

Each pulvet represents:
Pyranisamine Maleate ..... 50 mgm.

An effective antihistamine product with few undesirable reactions.

Dose: One to two pulvets three or four times daily as may be indicated.

Supplied in bottles of 100, 500 and 1,000.

167 Quinidine Sulphate — 3 Grains — Plain

Each pulvet represents:
Quinidine Sulphate ..... 3 grains

Dose: One to two pulvets as may be indicated.

Supplied in bottles of 100, 500 and 1,000.

168 Quinine Sulphate, 1 Grain

Sugar Coated Pink

Each pulvet represents:
Quinine Sulphate ..... 1 grain

Antipyretic, antiperiodic, antiseptic, antizymotic, emmenagogue and tonic in action.

Dose: As a Tonic—One to two pulvets. As an Antipyretic—One to three pulvets every two hours.

Supplied in bottles of 100, 500 and 1,000.

169 Quinine Sulphate, 2 Grains

Sugar Coated Pink

Each pulvet represents:
Quinine Sulphate ..... 2 grains

Dose: Two to five pulvets or more as may be indicated.

Supplied in bottles of 100, 500 and 1,000.

170 Quinine Sulphate, 3 Grains

Sugar Coated Pink

Each pulvet represents:
Quinine Sulphate ..... 3 grains

Dose: One to four pulvets or more as may be indicated.

Supplied in bottles of 100, 500 and 1,000.

171 Quinine Sulphate, 5 Grains

Sugar Coated Pink

Each pulvet represents:
Quinine Sulphate ..... 5 grains

List No.

Dose: One to two pulvets or more, as may be indicated.

Supplied in bottles of 100, 500 and 1,000.

172 Rheumatism — Plain

Each pulvet represents:

Sodium Salicylate	7½ grains
Wine Colchicum Seed	10 minims
Methyl Salicylate	1/10 grain
Sodium Bicarbonate	2½ grains

An excellent analgesic, antipyretic, antiseptic and anti-rheumatic formula for the treatment of neuralgias and rheumatic conditions.

Dose: One to three pulvets every three hours. These pulvets should be taken with plenty of water or other suitable fluid.

Supplied in bottles of 100, 500 and 1,000.

173 Rhinitis

Chocolate Coated

Each pulvet represents:

Fluid Extract Belladonna	¼ minim
Camphor	½ grain
Quinine Sulphate	½ grain

Dose: One to three pulvets repeated every one or two hours until the throat becomes dry, then reduce dosage and continue until nasal discharge ceases.

Supplied in bottles of 100, 500 and 1,000.

174 Rhubarb and Ipecac — Plain

Each pulvet represents:

Oil Peppermint	1/16 grain
Ipecac	¼ grain
Extract Nux Vomica	1/6 grain
Extract Cascara Sagrada	2 grains
Rhubarb	2 grains
Sodium Bicarbonate	5 grains

An effective laxative and stomachic formula for the treatment of hepatic diseases, to promote appetite, and for indigestion, especially when complicated with constipation.

Dose: One to two pulvets before meals.

Supplied in bottles of 100, 500 and 1,000.

175 Rhubarb and Soda — Plain

Each pulvet represents:

Oil Peppermint	1/20 grain
Rhubarb	2 grains
Sodium Bicarbonate	3 grains

A palatable alkaline laxative and carminative.

Dosage: One for an infant, two for a child, two to five at night for an adult, as a laxative; may be repeated every three

List No.

hours next day if necessary.
Supplied in bottles of 100, 500 and 1,000.

176 Saccharin, ¼ Grain — Plain

Each pulvet represents:
Saccharin ..... ¼ grain

Useful for sweetening food of diabetics and obese subjects, and in the treatment of cystitis.

Two of these pulvets are equivalent in sweetening power to approximately one lump of loaf sugar.

Dose: One to eight pulvets or more, as required.
Supplied in bottles of 100, 500 and 1,000.

177 Saccharin, ½ Grain — Plain

Each pulvet represents:
Saccharin ..... ½ grain

Dose: One to four pulvets, or more, as required.
Supplied in bottles of 100, 500 and 1,000.

178 Saccharin, 1 Grain — Plain

Each pulvet represents:
Saccharin ..... 1 grain

Dose: One to two pulvets or more, as required.
Supplied in bottles of 100, 500 and 1,000.

179 Salcarbone — Plain

Each pulvet represents:
Potassium Bicarbonate ..... 5 grains
Sodium Salicylate ..... 5 grains

A useful alkaline formula for the treatment of rheumatic throat, tonsilitis, and rheumatism.

Dose: One to three pulvets every three hours. Best results will be obtained if the dose is dissolved in a large glass of warm water.
Supplied in bottles of 100, 500 and 1,000.

180 Salol, 5 Grains — Plain

Each pulvet represents:
Salol ..... 5 grains

An antiseptic, antipyretic and anti-rheumatic. Useful in the treatment of diarrhoea, dysentery, fermentative dyspepsia, cystitis and rheumatic conditions.

Dose: One to four pulvets every three to four hours.
Supplied in bottles of 100, 500 and 1,000.

181 Santonin & Calomel — Plain

Aromatized and colored pink

Each pulvet represents:
Santonin ..... ½ grain

List No.

Calomel ..... ½ grain

An effective anthelmintic for ascarides.

Dosage: Children of two years, one pulvet, cautiously administered as santonin is liable to be absorbed with the development of toxic symptoms. Dose best given at night on an empty stomach, followed in the morning by a saline laxative. Older children and adults, one to six pulvets.

Supplied in bottles of 100, 500 and 1,000.

182 Secolone — 1½ grains Scored

℞ Each pulvet represents Secolone 1½ grains Hartz brand of Sodium Secobarbital.

Secolone is a rapid acting, short period sedative and hypotic indicated in insomnia, associated with mental disturbances; extreme fatigue or excitement.

Valuable as a preoperative hypnotic and as an adjunct in the conduct of labour and as an anticonvulsant.

Dose: One pulvet at bedtime for insomnia. Two to three pulvets one to two hours before surgery as a preoperative hypnotic. When labour is clearly apparent two to three pulvets may be given followed by one to two pulvets at one to three hour intervals. Not more than eight pulvets should be given in a twenty-four hour period.

Children over three years, one-half to one pulvet daily.

Supplied in bottles of 100, 500 and 1,000.

183 Sedative Hartz — New Formula

℞ **Sugar Coated White**

Each pulvet represents:

Extract Hyoscyamus	½ grain
Extract Nux Vomica	1/64 grain
Extract Valerian	1 grain
Camphor	1 grain
Phenobarbital	1/16 grain

A useful antispasmodic and nervine stimulant for the treatment of hysteria, insomnia, melancholia and nervous headache.

Dose: One to two pulvets every three or four hours.

Supplied in bottles of 100, 500 and 1,000.

184 Sedative — An Improved Formula

℞ **Sugar Coated White**

Each pulvet represents:

Phenobarbital	⅛ grain
Extract Hyoscyamus	⅛ grain
Camphor Monobromated	½ grain
Extract Valerian	1 grain
Asafoetida	1 grain

An effective anodyne, antispasmodic, hypnotic, nervine and sedative formula for the treatment of hypochondriasis, insomnia, nervous headache, hysteria and associated affections, or as a general sedative.

Dose: One to three pulvets every two, three or four hours, and at bedtime with a glass of warm milk or water.

Supplied in bottles of 100, 500 and 1,000.

℞ Prescription required for retail sales.

List No.

185 Sixavit

Sugar Coated Yellow

Each pulvet represents:

Vitamin A	5,000 I. U.
Vitamin B_1	2 mgm.
Vitamin B_2	2 mgm.
Vitamin C	25 mgm.
Vitamin D	500 I. U.
Nicotinic Acid	10 mgm.
Copper Subcarbonate	2 mgm.
Calcium Phosphate Dibasic	50 mgm.
Liver Extract	100 mgm.
Ferrous Sulphate	500 mgm.

Indicated in conditions due to avitaminosis and haemoglobin deficiency.

Dose: One pulvet three times a day after food.
Supplied in bottles of 100, 500 and 1,000.

186 Sixavit Without Iron

Sugar Coated Yellow

Each pulvet represents:

Vitamin A	5,000 I. U.
Vitamin B_1	2 mgm.
Vitamin B_2	2 mgm.
Vitamin C	25 mgm.
Vitamin D	500 I. U.
Nicotinic Acid	10 mgm.
Copper Subcarbonate	2 mgm.
Calcium Phosphate Dibasic	50 mgm.
Liver Extract	100 mgm.

Indicated in conditions due to avitaminosis deficiency.

Dose: One pulvet three times a day after food.
Supplied in bottles of 100, 500 and 1,000.

187 Soda Mint — Plain

Color Pink

Each pulvet represents:

Saccharin	1/50 grain
Oil Peppermint	⅛ grain
Ammonium Bicarbonate	⅛ grain
Sodium Bicarbonate	5 grains

A useful antacid and carminative for the treatment of flatulence, heartburn, indigestion, nausea, sick headache and sour stomach.

Dose: One to four pulvets as required.
Supplied in bottles of 100, 500 and 1,000.

188 Sodium Bicarbonate, 5 Grains — Plain

Each pulvet represents:

Sodium Bicarbonate	5 grains

A useful antacid for the treatment of hyperacidity.

Dose: One to three pulvets or more as may be required.
Supplied in bottles of 100, 500 and 1,000.

List No.

189 Sodium Bicarbonate, 10 Grains — Plain

Sodium Bicarbonate ..... 10 grains

Dose: One to two or more pulvets as may be required.

190 Sodium Chloride Enteric Coated, 7½ Grains

Each pulvet represents:

Sodium Chloride ..... 7½ grains

A convenient way of administering sodium chloride when it is not tolerated by the stomach. The enteric coating does not dissolve until it reaches the small intestine therefore preventing any stomach distress. Chemically pure sodium chloride is used in the preparation of these pulvets and they are particularly useful in preventing collapse during hot weather.

Dose: One to three pulvets, as may be indicated, taken with a suitable liquid.

Supplied in bottles of 100, 500 and 1,000.

191 Sodium Nitrite, 1 Grain — Plain

Each pulvet represents:

Sodium Nitrite ..... 1 graan

An effective antispasmodic, diaphoretic and diuretic for the treatment of angina pectoris, asthma, dropsical conditions, epilepsy and suppression of urine.

Dose: One to five pulvets given very cautiously with plenty of fluids three or four times per day. Average dose: One pulvet.

Supplied in bottles of 100, 500 and 1,000.

192 Sodium Phosphate, 5 Grains — Plain

Each pulvet represents:

Sodium Phosphate Dibasic ..... 5 grains

An antilithic and cathartic useful as a stimulant of biliary secretion, and as a mild laxative. Useful in osteomalacia, rachitis, scrofula, uric acid diathesis, chronic rheumatism, jaundise, and in vesical calculi and gall stones.

Dose: Five to ninety grains several times per day, average dose sixty grains. As a laxative, one-half to one ounce.

Supplied in bottles of 100, 500 and 1,000.

193 Sodium Phosphate (Acid), 5 Grains — Plain

Each pulvet represents:

Sodium Phosphate Monobasic ..... 5 grains

Useful in cystitis to render alkaline urine acid; in nervous impairment and psychic depression; also given to assist the action of hexamethylenetetramine to render urine acid. Should not be combined with the hexamethylenetramine but given in alternate doses.

Dosage: Average dose two pulvets. Where indicated, from thirty to sixty grains may be administered. In cystitis thirty to forty-five grains dissolved in water may be given every two or three hours alternately with hexamethylenetetramine.

Supplied in bottles of 100, 500 and 1,000.

List No.

194 Sodium Salicylate, 5 Grains — Plain

Each pulvet represents:

Sodium Salicylate Physiologically Pure	5 grains

An analgesic, antipyretic, antiseptic and anti-rheumatic for the treatment of bilious headache, nasal catarrh, articular rheumatism, diabetes, fermentative dyspepsia, migraine, sciatica, acute laryngitis, and in rheumatic conditions generally.

Dosage: Average dose, one to three pulvets. In rheumatic conditions, three to six pulvets every one or two hours.

Supplied in bottles of 100, 500 and 1,000.

195 Stilbestrone, 0.5 mgm — Sugar Coated Yellow

℞

Hartz Brand of Stilboestrol

Each pulvet represents:

Diethylstilboestrol	0.5 mgm.

CAUTION: To be used only on the prescription or advice of a physician.

Supplied in bottles of 100, 500 and 1,000.

196 Stilbestrone, 1.0 mgm — Sugar Coated Pink

℞

Hartz Brand of Stilboestrol

Each pulvet represents:

Diethylstilboestrol	1.0 mgm.

CAUTION: To be used only on the prescription or advice of a physician.

Supplied in bottles of 100, 500 and 1,000.

197 Stilbestrone, 5.0 mgm — Sugar Coated White

℞

Hartz Brand of Stilboestrol

Each pulvet represents:

Diethylstilboestrol	5.0 mgm.

CAUTION: To be used only on the prescription or advice of a physician.

Supplied in bottles of 100, 500 and 1,000.

198 Stomachic — Plain

An Improved Formula

Each pulvet represents:

Ipecac	⅛ grain
Nux Vomica	⅛ grain
Peppermint Oil	⅛ grain
Aloes	½ grain
Golden Seal	⅛ grain
Rhubarb	2½ grains
Sodium Bicarbonate	5 grains

A useful alterative and stomachic. Used to promote appetite and as a liver stimulant in hepatic diseases.

Dose: One to two pulvets before meals and repeat two hours after meals if necessary.

Supplied in bottles of 100, 500 and 1,000.

℞ Prescription required for retail sales.

List No.

199 Strychnine Sulphate, 1/60 Grain — Plain

Each pulvet represents:
Strychnine Sulphate ..... 1/60 grain
Useful as a bitter tonic, stimulant and stomachic in anaemia, dyspepsia, insomnia from mental overwork, and as a general tonic in convalescence from acute disease.
Dose: One to two pulvets two or three times per day.
Supplied in bottles of 100, 500 and 1,000.

200 Strychnine Sulphate, 1/60 Grain

Sugar Coated Red

Each pulvet represents:
Strychnine Sulphate ..... 1/60 grain
Indications and dosage as above.
Supplied in bottles of 100, 500 and 1,000.

201 Strychnine Sulphate, 1/30 Grain — Plain

Each pulvet represents:
Strychnine Sulphate ..... 1/30 grain
Dose: One pulvet after each meal as a stimulant and nerve tonic.
Supplied in bottles of 100, 500 and 1,000.

202 Strychnine Sulphate, 1/30 Grain

Sugar Coated Red

Each pulvet represents:
Strychnine Sulphate ..... 1/30 grain
Dose: One pulvet after each meal as a stimulant and nerve tonic.
Supplied in bottles of 100, 500 and 1,000.

204 Tensilone — *Stokes'*

℞

Each pulvet represents:

Nitroglycerin	1/250 grain
Sodium Nitrite	1 grain
Potassium Nitrate	2 grains
Sodium Bicarbonate	1 grain
Extract Crataegus Oxyacantha	⅛ grain
Extract Hyoscyamus	⅛ grain
Phenobarbital Sodium	⅛ grain
Digitalis	¼ grain

An effective antispasmodic, diuretic, sedative, and vasodilator formula.
Dose: One to two pulvets every two or three hours as indicated.
Supplied in bottles of 100, 500 and 1,000.

205 Thebarlone — Plain

℞

Each pulvet represents:

Strophanthin	1/800 grain
Oil of Juniper	½ grain
Hypnolone	3/5 grain
Sodium Citrate	3 grains
Theobromine	5 grains

℞ Prescription required for retail sales.

List No.

An effective diuretic, particularly useful when there is an accumulation of fluid in the body due to cardiac failure. Although strophanthin and theobromine may produce a slight general rise in blood pressure, the rise is much less than that produced by caffeine and other cardiac diuretics, and the renal vessels are not constricted but permit more blood to pass through the kidneys and the use of Thebarlone is therefore not contra-indicated in high blood pressure. Thebarlone will often be found of value in the treatment of angina pectoris. We recommend it in cardiac dropsy, cardial asthma, in nephritis and arterio-sclerosis. Efficient in allaying the nervous excitement and insomnia often associated with angina pectoris and arterio-sclerosis.

CAUTION: Contra-indicated in acute nephritis.

Dose: One to two pulvets every four to six hours as may be indicated.

Supplied in bottles of 100, 500 and 1,000.

206 Theolone — Plain

Each pulvet represents:

Theophylline-ethylenediamine ..... 1½ grains

A very efficient diuretic for the treatment of cardiac pain, dropsy and nephritis. Particularly useful in the treatment of edema of cardiac origin, or when complicated by arterio-sclerosis.

THEOLONE increases the blood supply to the heart by dilating the coronary vessels, cardiac nutrition thereby being improved. THEOLONE will be found effective in relieving the pain of angina pectoris, coronary thrombosis and coronary sclerosis.

THEOLONE is indicated in hypertension, renal insufficiency, uremia and to promote diuresis, in general.

Dose: One to three pulvets every three or four hours. Best results obtained if a glass of water or other suitable fluid is taken with the dose.

Supplied in bottles of 100, 500 and 1,000.

207 Theolone Enteric Coated

Each pulvet represents:

Theophylline-ethylenediamine ..... 1½ grains

Supplied in bottles of 100, 500 and 1,000.

208 Theophylone — Plain

℞

Each pulvet represents:

Hypnolone	⅛ grain
Digitalis	½ grain
Sodium Tartrate	2 grains
Strontium Lactate	2 grains
Potassium Bicarbonate	2 grains
Theobromine	5 grains

Antacid, antilithic, anti-nephritic, diuretic, laxative and sedative in action, THEOPHYLONE is an effective cardiac

℞ Prescription required for retail sales.

List No.

tonic and vascular stimulant for the treatment of angina pectoris, cardiac dropsy and albuminuria of nephritis, decreasing albumin in the urine without producing too great diuresis.

Dose: One to three pulvets four times per day, and the dose may be increased to six pulvets for four days, then reduced to the original dose.

Supplied in bottles of 100, 500 and 1,000.

THIAMIN
(Vitamin B_1)

Thiamin deficiency may cause neurasthenia and neurologic, cardiac, gastrointestinal symptoms; severe and prolonged deficiency gives rise to beriberi. Thiamin is essential to good health and nutrition and is recommended for the treatment of anorexia, gastric atony, vomiting of pregnancy and certain cardiovascular diseases.

Pulvets Thiamin Hartz are available in the following strengths.

209 Thiamin, 5 Milligrammes, equal to 1665 Int. Units

209A Thiamin, 10 Milligrammes, equal to 3330 Int. Units

210 Thiamin, 50 Milligrammes, equal to 16650 Int Units

210A Thiamin, 100 Milligrammes, equal to 33300 Int Units

Therapeutic dose of Thiamin 10 to 100 milligrammes daily.

Supplied in bottles of 100, 500 and 1,000.

211 Thiazolone

℞

Hartz Brand of 2-Sulfanilyl-Aminothiazole

Each pulvet represents:

Sulfathiazole ..... 0.5 gramme
(Approx. 7.716 grains)

Indicated in the treatment of pneumococcal and staphylococcal infections.

Both supportive and operative surgical measures should be used in conjunction with Thiazolone in the treatment of staphylococcal infections whenever indicated. Surgical drainage of purulent foci being particularly necessary.

Dosage: For pneumococcic pneumonia in adults, the initial dose of Thiazolone should be four to eight pulvets, to be followed by two pulvets every four hours day and night until the patient's temperature has been reduced to normal for seventy-two hours.

For pneumococcic pneumonia in children the initial dose should be one grain per pound of the body weight up to fifty pounds and the total twenty-four hour dose, after the initial

℞ Prescription required for retail sales.

List No.

dose, should be the same amount as given in the initial dose, but divided into four equal parts and administered at six hour intervals and continued until the temperature has been normal for thirty-six hours.

For severe staphylococcic infections, give an initial dose of four to eight Thiazolone pulvets, followed by two pulvets every four hours, day and night for from five to seven days.

Thiazolone should not be used in the treatment of meningitis or in minor staphylococcic infections.

WARNING: Should be used only under the direction of a physician.

Severe toxic reactions and irreparable damage may be caused by the use of this chemical. The blood should therefore be examined daily for signs of anaemia of leukopenia and the urine for hematuria. Constant observation of the patient is essential.

Supplied in bottles of 100, 500 and 1,000.

212 Three Bromides — Plain

Each pulvet represents:

Ammonium Bromide	5 grains
Potassium Bromide	5 grains
Sodium Bromide	5 grains

Hypnotic and Sedative.

Dose: One to three pulvets, dissolved in a glass of water, three times a day.

Supplied in bottles of 100, 500 and 1,000.

213 ★ Throat Mentholated — Plain

Each pulvet represents:

Menthol	1/35 grain
Acid Benzoic	1/12 grain
Eucalyptol	1/16 grain
Oil Aniseed	1/80 grain
Cocaine Hydrochloride	1/280 grain

A palatable analgesic and sedative for irritated throat conditions.

Dose: Allow one or two pulvets to dissolve on the tongue; repeat dose in fifteen to thirty minutes, if required.

Supplied in bottles of 100, 500 and 1,000.

214 Thyalone, 5 Grains — Plain

℞

Hartz Brand of
BARBITAL-SODIUM

Each pulvet represents:

Sodium Diethylbarbiturate	5 grains

A reliable hypnotic for the insomnia accompanying hysteria, and in extreme nervousness. Useful in seasickness and the vomiting of pregnancy.

CAUTION: Contra-indicated in renal disease or where

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No

there is extensive heart lesions, especially myocarditis, and aortic regurgitation.

Dose: One to three pulvets best taken dissolved in hot tea or water.

Supplied in bottles of 100, 500 and 1,000.

215 Thyroid, ¼ Grain — Plain

℞ Each pulvet represents:
Thyroid Gland ..... 1/4 grain

Desiccated and standardized to contain 0.2% Iodine in Thyroid combination.

An alterative and anti-fat indicated in myxedema, puerperal eclampsia, hay fever and skin diseases, chronic rheumatism and arthritis.

CAUTION: In all cases, Thyroid should be given in dosages that are well tolerated and careful attention to dosage is as important as the actual administration.

Dose: One to eight pulvets as directed by physician.

Supplied in bottles of 100, 500 and 1,000.

216 Thyroid, ½ Grain — Plain

℞ Each pulvet represents:
Thyroid Gland ..... ½ grain

Desiccated and standardized to contain 0.2% Iodine in Thyroid combination.

Dose: One to two pulvets four or five times during a twenty-four hour interval.

Supplied in bottles of 100, 500 and 1,000.

217 Thyroid, 1 Grain — Plain

℞ Each pulvet represents:
Thyroid Gland ..... 1 grain

Desiccated and standardized to contain 0.2% Iodine in Thyroid combination.

Dose: One pulvet, four or five times during a twenty-four hour interval.

Supplied in bottles of 100, 500 and 1,000.

218 Thyroid, 2 Grains — Plain

℞ Each pulvet represents:
Thyroid Gland ..... 2 grains

Desiccated and standardized to contain 0.2% Iodine in Thyroid combination.

Dose: One pulvet cautiously administered as indicated.

Supplied in bottles of 100, 500 and 1,000.

℞ Prescription required for retail sales.

List No.

219 Triplex

Guy's Hospital Formula — Chocolate Coated

Each pulvet represents:

Digitalis	1 grain
Squill	1 grain
Mercury Mass	1 grain

An effective diuretic for the treatment of dropsy, especially of cardiac origin.

Dose: One to three pulvets with a glass of water every four hours.

Supplied in bottles of 100, 500 and 1,000.

220 Trisilone — Plain

Each pulvet represents:

Magnesium Trisilicate	7½ grains

Combined with Activated Charcoal, Papain, Oil of Peppermint and Sodium Bicarbonate, in a palatable carminative base.

An efficient antacid and adsorbent for use in the treatment of hyperchlorhydria, peptic ulcer, acid dyspepsia and all cases of acidity where an antacid is indicated.

TRISILONE exerts a prolonged neutralizing action, which continues for several hours, in the stomach. It is a powerful adsorbent for many substances but does not disturb the normal action of the bowel.

Dose: One to five pulvets every two or three hours. Pulvets may be taken with or in water, preferably between meals.

Supplied in bottles of 100, 500 and 1,000.

221 Trisulfone — Plain

℞

Each pulvet represents:

Sulphamerazine	1½ grains
Sulphadiazine	2½ grains
Sulphathiazole	3½ grains

CAUTION: To be used only on the prescription or advice of a physician.

Supplied in bottles of 100, 500 and 1,000.

222 Uro-Cystine — Plain

Each pulvet represents:

Extract Corn Silk	1 grain
Extract Hydrangea	1 grain
Extract Buchu	1 grain
Extract Pichi	1 grain
Hexamethylenetetramine	3 grains
Atropine Sulphate	1/600 grain

An active genito-urinary antiseptic and anti-spasmodic for the treatment of genito-urinary diseases, particularly cystitis and pyelitis, of either the acute or chronic type, bacteriuria and all forms of vesical irritation.

Dose: One to three pulvets with plenty of water or other suitable fluid, every three or four hours.

Supplied in bottles of 100, 500 and 1,000.

℞ Prescription required for retail sales.

List No.

223 Uro-Vesical, 5 Grains — Plain

Each pulvet represents:

Hexamethylenetetramine	5 grains

An active diuretic, urinary antiseptic and uric acid solvent.

Dose: One to three pulvets with plenty of water two or three times per day. Best results are obtained when monobasic sodium phosphate is given in alternate doses of fifteen to twenty grains.

Supplied in bottles of 100, 500 and 1,000.

224 Uterine Tonic

Sugar Coated Lavender

Each pulvet represents:

Caulophyllin	½ grain
Extract Hyocyamus	⅛ grain
Extract Squaw Vine	½ grain
Extract Helonias	½ grain
Extract Cascara Sagrada	½ grain
Extract Viburnum Opulus	1 grain
Extract Viburnum Prunifolium	2 grains

An efficacious anti-spasmodic, diuretic, emmenagogue, nervine, sedative and uterine tonic formula for the treatment of amenorrhoea, dysmenorrhoea and menorrhagia.

Dose: One to three pulvets, or in extreme cases five, every three hours with plenty of hot drinks for the relief of dysmenorrhoea. As a uterine tonic one or two pulvets every three to four hours, as may be indicated.

Supplied in bottles of 100, 500 and 1,000.

225 Vegetable Laxative

Sugar Coated White

Each pulvet represents:

Peppermint Oil	⅛ grain
Extract Taraxacum	¼ grain
Podophyllin	¼ grain
Leptandrin	½ grain
Extract Hyoscyamus	⅜ grain
Extract Jalap	½ grain
Extract Colocynth Compound	1½ grains

An efficient non-griping cathartic and cholagogue.

Dose: One to three pulvets, with a hot drink, at bedtime.

Supplied in bottles of 100, 500 and 1,000.

226 Vermolone, 3/20 Grain

Each pulvet represents:

Medicinal Gentian Violet	3/20 grain

Useful in the treatment of pinworm.

The dosage should be maintained for one week, then rest for one week, then repeat dosage for another week.

Dosage: For children under ten—Give a daily dose of one

List No.

pulvet for each apparent year of age, dividing the dose into three parts and giving one part before each meal.

For children ten years and over—Give three pulvets thrice daily before meals.

Supplied in bottles of 100, 500 and 1,000.

227 Vermolone, ½ Grain

Each pulvet represents:
Medicinal Gentian Violet..... ½ grain

A useful Vermicide for the treatment of Pinworm.

The dosage should be maintained for one week, then rest for one week, then repeat dosage for another week.

Dosage: Children ten years and over—Give one pulvet thrice daily before meals.

Adults: Give two pulvets thrice daily before meals.

228 Vitabolone

Each pulvet represents:
Thiamin Chloride..... 3 milligrammes

Equivalent to one-thousand International Units of Vitamin B1.

Vitamin B1 seems to be essential to good health and nutrition and is important for the optimal growth of children and infants, and to correct faulty carbohydrate metabolism and gastro-intestinal disturbances.

Recommended for the treatment of the various forms of Polyneuritis and other nervous disorders associated with Vitamin B1 deficiency; also in anorexia, gastric atony, pernicious vomiting of pregnancy and certain cardio-vascular diseases.

Dose: one to three pulvets daily as may be indicated.

Supplied in bottles of 100, 500 and 1,000.

SOLVETS

The word SOLVETS identifies Hartz Brand of compressed products for, the convenient preparation of Solutions, or slow disintegration in a body orifice.

Each Solvet Formula is carefully designed to produce the Maximum Therapeutic Efficiency of its medicinal ingredients.

1 Acetyl-Sal Throat — Plain

Each solvet represents:

Acid Acetylsalicylic ..... 3 grains
Combined in an Aromatic base

A pleasant and effective relief for sore throat. Useful after tonsillectomy and as a substitute for gargles in the treatment of laryngitis, pharnygitis, rheumatic throat, and other irritated conditions.

Dose: Allow one solvet to slowly dissolve in the mouth every half hour as may be required.

Supplied in bottles of 100, 500 and 1,000.

2 Alkaline Antiseptic — Plain

Dr. Carl Seiler Formula

An aromatic, alkaline and antiseptic formula originated by Dr. Carl Seiler, being a compound of sodium benzoate, bicarbonate, borate, chloride and salicylate with menthol, thymol and aromatic oils in nicely balanced proportions for use as a spray or douche.

Directions: Dissolve one solvet in two to four fluid ounces of warm water for use as an antiseptic gargle, spray or douche.

Supplied in bottles of 100, 500 and 1,000.

3 Antiseptic B & A — Plain

FOR EXTERNAL USE ONLY

Each solvet represents:

Mercury Bichloride ..... 1¾ grains
Sodium Chloride ..... 1¾ grains

A readily soluble solvet for the preparation of germicidal solutions.

One solvet dissolved in four fluid ounces of water yields a 1:1000 solution.

Supplied in bottles of 100, 500 and 1,000.

List No.

4 Antiseptic B B — Plain

HYDRA-SOL
Hartz Brand of
Rapidly Soluble Antiseptic Solvets
FOR EXTERNAL USE ONLY

Each solvet represents:
Mercuric Chloride Soluble ..... 7 grains

Combined in a base which inhibits the formation of insoluble albuminate, thus rendering solutions more antiseptic when used on wounds.

Desirable solutions for surgical use may be prepared as follows:

Dissolve one solvet in sixteen fluid ounces of water to produce a 1:1000 solution.

Dissolve one solvet in eighty fluid ounces of water to produce a 1:5000 solution.

Supplied in bottles of 100, 500 and 1,000.

5 Argolone, 3 Grains — Plain

ARGOLONE
is Hartz Brand of
Physiologically Pure Silver Protein, Mild

Each solvet represents:
Argolone ..... 3 grains

ARGOLONE contains not less than nineteen and not more than twenty-five per cent. of Metallic Silver and is an efficient antiseptic and astringent, for the treatment of inflammatory affections of the conjunctiva, and in corneal ulcers.

In conjunctivitis, solutions of twenty-five per cent., or an ointment of ten per cent. strength, may be employed. As a prophylactic of ophthalmia neonatorum, a twenty-five per cent. solution is effective. Up to fifty per cent. solutions are used for application to corneal ulcers. As a spray for nose and throat, ten to twenty per cent. solutions, or as a swab, twenty-five to fifty per cent. solutions. For gonorrhoea, a three to ten per cent. solution may be used for injection in the acute stages, and ten to twenty per cent. in the chronic stages. As an urethral irrigation, use one in one thousand solution.

Supplied in bottles of 100, 500 and 1,000.

6 Chloralone — Plain

Each solvet represents:
Sodium Paratoluene-
Sulphonchloramide ..... 4.375 grains

An essentially non-toxic surgical antiseptic, non-caustic and non-irritating. CHLORALONE may be used to replace Carrel-Dakin solutions made from the hypochlorites, as CHLORALONE SOLUTIONS are much more stable and less irritating.

Some specific uses for Chloralone are given below:

In dressing wounds, abscesses and boils, also in general surgical practice use 0.5% to 2% solutions (one to four solvets dissolved in two fluid ounces of water).

List No.

In extreme cases of infection (4% solutions) eight solvets dissolved in two fluid ounces of water, may be used, but in such use it is well to protect the surrounding skin with vaseline.

As a gargle, spray or nasal douche, the usual strength employed is (0.25% solution) one solvet dissolved in four fluid ounces of water. This may be varied from (0.1% to 0.5% solutions) one to five solvets dissolved in ten fluid ounces of water.

For a vaginal douche and disinfectant of the genito-urinary tract, use (0.1% to 1.0% solutions) one solvet dissolved in ten fluid ounces of water gradually increasing to ten solvets in ten fluid ounces of water in obstinate cases.

For chronic gonorrhoea use (0.5% to 2.0% solutions) one to four solvets dissolved in two fluid ounces of water.

For infections of the eye use (0.05% to 0.1% solutions) from one to two solvets dissolved in twenty fluid ounces of water.

For the treatment of skin diseases such as acne, eczema, dandruff, poison ivy, etc. use (0.25% to 0.5% solutions) from one to two solvets dissolved in four fluid ounces of water.

For most surgical purposes (a one per cent. solution) one solvet dissolved in one fluid ounce of water gives the most satisfactory results.

Supplied in bottles of 100, 500 and 1,000.

7 **★ Cocaine Hydrochloride, 1⅛ Grain — Plain**

Each solvet represents:

*Cocaine Hydrochloride ..... 1⅛ grains

Readily soluble and convenient for making percentage solutions.

A solution of approximately 1% may be prepared by dissolving one solvet in two fluid drachms of water.

A solution of approximately 2% may be prepared by dissolving one solvet in one fluid drachm of water.

A solution of approximately 4% may be prepared by dissolving one solvet in one-half fluid drachm of water.

Supplied in bottles of 100, 500 and 1,000.

8 **Dobell's Solution — Plain**

An antiseptic formula: One solvet dissolved in one fluid ounce of water produces one ounce of solution similar to Dobell's Solution.

One solvet dissolved in one to four fluid ounces of water produces an effective nasal douche, spray or gargle.

Supplied in bottles of 100, 500 and 1,000.

9 **Euflavone — Plain**

EUFLAVONE
is Hartz Brand
of Neutral Acriflavine

3.6. Diamino-10. Methylacridinium Chloride.

$C_{14}H_{14}N_3CI+H_2O$

Each solvet represents:

Euflavone ..... 0.4375 grains

★ Narcotic signature required.

List No.

One solvet dissolved in one fluid ounce of water produces a 1:1000 solution.

An active antiseptic even in the presence of wound secretions. Concentrations of sufficient strength to inhibit the growth of organisms do not interfere with normal phagocytic action and are without harmful effect on the tissues locally. EUFLAVONE SOLUTIONS are therefore most suitable in the treatment of suppurating wounds. Solutions of one in one thousand in Normal Saline are recommended, but weaker solutions are sometimes used.

Solutions may be applied by syringe, swab, irrigation or on gauze (in cavities) covered with a protective dressing. In gonorrhoea, a 1:1000 solution may be used as an injection, or a 1:4000 solution as an irrigation. Solutions may be boiled or heated to 130° Centigrade in an autoclave without decomposition.

Supplied in bottles of 100, 500 and 1,000.

10 Flurochrom — Plain

FLUROCHROM
is Hartz Brand of
Sodium Dibrom-oxymercury-fluorescein

Each solvet represents:
Flurochrom ..... 4.375 grains

An efficient and rapidly acting germicide. Useful as a general antiseptic and very effective in the genito-urinary tract for the treatment of cystitis, and urethritis. In kidney-pelvis infections one per cent. solutions may be introduced into the pelvis by catheter and retained for five minutes; in vesical affections one fluid ounce of one per cent. solution may be injected and retained for one hour or longer, every day or every other day; in anterior gonorrhoea, a one per cent. solution injected into the urethra and retained five minutes and in posterior cases retained for one hour or longer; ophthalmia neonatorum, a two and one-half per cent. solution instilled freely into each eye several times per day.

Supplied in bottles of 100, 500 and 1,000.

11 Formalin, 1 Gramme — Plain

Each solvet represents:
Paraformaldehyde ..... 1 gramme

An effective germicide for the disinfection of surgical appliances, particularly catheters. A few solvets enclosed in a catheter case or in other closed container will keep appliances in an aseptic condition and without injury to delicate instruments, as formaldehyde in the form of a gas is slowly liberated from the paraformaldehyde.

Supplied in bottles of 100, 500 and 1,000.

12 Mercide — Plain

Each solvet represents:
Mercide ..... 10 grains

List No.

MERCIDE is a combination of mercuric iodide in a reducing base which prevents the oxidation and rusting of metal instruments during sterilization with solutions of this germicide.

One solvet dissolved in four fluid ounces of water produces a solution equivalent in germicidal power to a 1:1000 solution of mercuric iodide, but without its corrosive and rust-producing properties. MERCIDE, while a more efficient germicide than Mercury Bichloride, is much less corrosive and instruments left in mercide solutions for disinfection do not rust or corrode.

One MERCIDE SOLVET dissolved in from eight to twenty fluid ounces of water produces an effective solution for the disinfection of wounds, while one solvet dissolved in four fluid ounces of forty per cent. alcohol produces a most efficient skin disinfectant. One solvet dissolved in from one to two pints of water produces an efficacious vaginal douche.

Supplied in bottles of 100, 500 and 1,000.

13 Mercuride — Plain

Hartz Brand of
Soluble Mercuric Potassium Iodide

Each solvet represents:

Mercuride ..... 3.8 grains

And is equivalent to 1.75 grains of Mercuric Iodide.

MERCURIDE is an active antiseptic and germicide more effective than bichloride and much less corrosive. Used externally in one in eighty thousand to one in one thousand solutions for the treatment of acne, erysipelas, lupus and psoriasis. Also used for sterilization of skin and hands and surgical instruments.

One MERCURIDE SOLVET dissolved in four fluid ounces of water produces a solution equivalent to a one in one thousand solution of mercury biniodide.

Supplied in bottles of 100, 500 and 1,000.

14 Mercylone — Plain

Hartz Brand of
Mercuric Oxycyanide with Mercuric Cyanide

$HgO.\ Hg\ (CN)_2$

Each solvet represents:

Mercylone ..... 1.75 grains

MERCYLONE is a powerful antiseptic and germicide which does not precipitate albumin and in dilute solution does not attack metals.

MERCYLONE is superior to mercuric chloride as an antiseptic because its germicidal power is six times more active than bichloride yet it is much less easily absorbed.

A one in fifteen hundred solution is easily borne by the mucosa and wound surfaces and is practically without action on surgical instruments.

APPLICATION OF MERCYLONE

An effective germicidal solution for wounds and in surgical operations may be produced by dissolving one mercylone solvet in six fluid drachms of water.

For sterilizing surgical instruments dissolve one solvet in four fluid ounces of water.

List No.

One solvet dissolved in two fluid ounces of distilled water is to be preferred to either mercury bichloride or silver nitrate in ophthalmia neonatorum. In other acute diseases of the conjunctiva, one solvet in four to one in twenty fluid ounces are used.

One solvet dissolved in twenty to forty ounces of water may be injected in gonorrhoea.

One solvet dissolved in forty fluid ounces of distilled water is an excellent medium for distending the bladder in cystoscopy.

Supplied in bottles of 100, 500 and 1,000.

15 Merkalide — Plain

Each solvet represents:

Mercuric Potassium Iodide..... 0.5 gramme

One solvet dissolved in forty ounces of water equals about 1:2200 solution.

Supplied in bottles of 100, 500 and 1,000.

16 Nitrosol — Plain

Nitrosol is an effective reducing agent to prevent rusting and corrosion of instruments during sterilization. NITROSOL also prevents the formation of scale and if formed removes it from your sterilizer.

Directions: Add two NITROSOL SOLVETS to each quart of water used during sterilization.

Supplied in bottles of 100, 500 and 1,000.

17 Potassium Permanganate, 1 Grain — Plain

Each solvet represents:

Potassium Permanganate ..... 1 grain

An effective deodorant, germicide and emmenagogue. Used internally in amenorrhoea, dysmenorrhoea, peritonitis, after labour, and in zymotic diseases generally.

An effective antidote in poisoning by snake bite, opium or morphine, hydrocyanic acid or phosphorus.

Externally it is used in one in two thousand to one in three thousand five hundred solutions for washing the lower bowel in dysentery. One in five thousand to one in one thousand solutions are used as injections in gonorrhoea, gleet and leucorrhoea, while one-half per cent. solutions are used as a wash in diphtheria, scarletina, cancer, gangrenous and foul ulcers, abscesses, otorrhoea, perspiring feet and a general germicide.

Dose: One to three solvets.

Supplied in bottles of 100, 500 and 1,000.

18 Potassium Permanganate, 2 Grains — Plain

Each solvet represents:

Potassium Permanganate ..... 2 grains

Supplied in bottles of 100, 500 and 1,000.

List No.

19 Potassium Permanganate, 5 Grains — Plain

Each solvet represents:
Potassium Permanganate ..... 5 grains
Supplied in bottles of 100, 500 and 1,000.

20 Sodium Chloride, 5 Grains — Plain

Each solvet represents:
Sodium Chloride ..... 5 grains
A chemically and physiologically pure sodium chloride is used in preparing these solvets and they are of considerable value during hot weather, when used with drinking water, in preventing collapse.
One to three solvets dissolved in each glass of drinking water, used during hot weather, will promote osmosis and diuresis and thus prevent shock and collapse.
Supplied in bottles of 100, 500 and 1,000.

21 Sodium Chloride, 10 Grains — Plain

Each solvet represents:
Sodium Chloride ..... 10 grains
One to three solvets dissolved in each glass of drinking water, used during hot weather will promote osmosis and diuresis and thus prevent shock and collapse.
Supplied in bottles of 100, 500 and 1,000.

22 Sodium Chloride, Plain

For preparing Normal Saline Solution.
Each solvet contains:
Sodium Chloride C.P. ..... 15.75 grains
One solvet dissolved in four fluid ounces of freshly distilled water will produce
NORMAL SALINE SOLUTION.
Supplied in bottles of 100, 500 and 1,000.

23 Sodium Chloride with Dextrose

Each solvet represents:
Dextrose C.P. ..... 3 grains
Sodium Chloride ..... 7 grains
These solvets provide salt in a convenient form for use in drinking water to build up energy and lessen shock due to excessive perspiration.
Dose: One to three solvets dissolved in each glass of drinking water taken during hot weather.
Supplied in bottles of 100, 500 and 1,000.

24 Acid Sulphosalicylic

FOR ALBUMIN TEST

Directions: Place five drops of urine in a small test tube and then add ten drops of water. Drop in one solvet. If albumin is

List No.

present a white precipitate will appear within two minutes. If negative the solution will remain clear.

One Clinitest Tablet may be added to the contents of the test tube and the reaction read after effervescence has ceased. If the result is not read as soon as effervescence ceases false reading may be reported. If any other color than a Dark Blue develops sugar is present.

No heating is necessary for either test.

Supplied in bottles of 200 solvets each.

25 Uroset

Hartz Brand of Urine Preservative

Directions: Dissolve one solvet in each two fluid ounces of specimen.

Supplied in bottles of 100, 500 and 1,000.

Opto Brand

INJECTABLE SOLUTIONS IN AMPOULES AND VIALS

HARTZ *Opto-Brand* Injectable Solutions are prepared from Chemically and Physiologically Pure Medicaments and are preserved in Alkali-Free Glass.

Our Ampoules and Vials are sterilized by methods which do not impair the therapeutic activity of the medicament, but which yield absolutely sterily solutions, proved by sterility tests on each batch manufactured.

Opto-Brand Ampoules are convenient, being ready for immediate use, giving accurate dosage in stable form.

All 2 c.c. ampoules are supplied in the new colour break type and require no filing, scoring or sawing. Simply bend and break and they are ready to use.

List No.

1 **Atropine Sulphate, 1/150 Grain per c.c.**

A sterile bacteriostatic solution containing Atropine Sulphate 1/150 grain in one cubic centimetre.

Supplied in 33 c.c. rubber capped vials.

2 **C.A.D.C.** — See Specialties, page 11

3 **C.A.D.C. B A** — See Specialties, page 11

4 **C.A.D.C. B B** — See Specialties, page 11

5 **C.A.D.C. B C** — See Specialties, page 11

6 **Caffeine and Sodium Benzoate, 7½ Grains**

Each two cubic centimetres contain 0.5 gramme (7½ grains) of physiologically pure Caffeine and Sodium Benzoate. The therapeutic action of this solution is chiefly due to its Caffeine content, which stimulates the heart and kidney function, with a sustaining effect on the motor nerves.

An effective cardiac and respiratory stimulant, which improves breathing, circulation and other fundamental functions. Useful in the treatment of angina pectoris, arteriosclerosis, cardiac dropsy, chronic nephritis, heart failure, neuralgias and in collapse and pneumonia of the aged.

Dose: One to two cubic centimetres repeated as results may indicate. May be administered subcutaneously, intramuscularly or intravenously.

Supplied in boxes of twelve 2 c.c. ampoules.

List No.

7 **Calcium Gluconate, 10%**

A ten per cent solution of physiologically pure Calcium Gluconate for intramuscular or intravenous use.

Used in the treatment of calcium deficiency diseases. Effective in pregnancy, tetany and inflammatory processes, pneumonia, grippe, etc. Also useful in hay-fever, bronchial asthma, urticaria, eclampsia, night sweats and in many skin affections.

Dose: Ten cubic centimetres of ten per cent solution injected intramuscularly into the gluteal muscles, or intravenously, every two or three days.

Supplied in packages of six 10 c.c. ampoules.

8 **Dextrose 50%**

A sterile aqueous solution, containing fifty per cent of chemically pure anhydrous Dextrose, for intravenous injection.

Indicated in cases where there is a pronounced disturbance of metabolism due to deficiency of carbohydrates, such as occurs in the toxemias of pregnancy, excessive muscular movement, as in chorea and eclampsia, post-operative shock and acidosis, hyperthyroidism, acute infections and other diseases accompanied by severe toxemia, also in hypoglycemia resulting from insulin overdosage. In circulatory weakness due to nutritional disturbances of the cardiac muscle, in localized pulmonary edema, cutaneous diseases, insufficient labor pains and as a prophylactic against injuries due to operations and narcosis.

In cerebral Edema the full strength solution may be required; in other cases a 5%, 10%, 20%, or 25% solution, prepared by the addition of sterile triple distilled water may be indicated.

Our Opto Brand Dextrose solutions are prepared with suitable buffers to maintain the optimum hydrogen-ion concentration and thus prevent excessive reaction.

Supplied in packages of six 20 c.c. ampoules.

9 **Dextrose 50%**

A sterile aqueous, buffered solution containing fifty per cent of chemically pure anhydrous Dextrose.

Supplied in packages of six 50 c.c. ampoules.

10 **Ephalone Hydrochloride, ¾ Grain**

A sterile, aqueous solution, each cubic centimetre of which contains three-quarters of a grain of Ephalone Hydrochloride, Hartz Brand of physiologically pure levoisomeric Ephedrine Hydrochloride.

Ephalone is the levoisomeric alkaloid obtained from ephedra vulgaris, and when administered orally or hypodermically produces moderate vasoconstriction of unusual persistency.

Indicated in asthma, hay fever and circulatory failure in myocardial disease. Ephalone, however is not recommended for nervous patients or those with heart disease of hyperthyroidism.

Dose: Three-quarters to one and one-half grains.
Supplied in boxes of twelve 1 c.c. ampoules.

List No.

11 ★ Heroin Hydrochloride, 1/12 Grain per c.c.

A sterile bacteriostatic solution containing Heroin Hydrochloride 1/12 grain in one cubic centimetre.

Supplied in 33 c.c. rubber capped vials.

12 Iron Citrate

Each cubic centimetre represents:

Iron Citrate, soluble	1 grain
Quinine and Urea Hydrochloride	1/13 grain
Stocaine Hydrochloride	1/13 grain

in a sterile solution with a carefully adjusted hydrogen-ion concentration. The injection of our product does not cause irritation.

Indicated in the treatment of chlorosis and secondary anaemias, the iron being quickly absorbed without constipating effect.

Dosage: One or two ampoules may be administered daily or on alternate days, the size of the dose being determined by the tolerance of the patient. It is recommended that the dose be administered intramuscularly rather than by subcutaneous injection.

Supplied in boxes of twelve 1 c.c. ampoules.

13 Iron, Arsenic and Strychnine

Each cubic centimetre represents:

Iron Citrate, soluble	1 grain
Sodium Arsenate, Dibasic	1/64 grain
Strychnine Hydrochloride	1/128 grain
Quinine and Urea Hydrochloride	1/13 grain
Stocaine Hydrochloride	1/13 grain

in a sterile solution with a carefully adjusted hydrogen-ion concentration.

Injections should be made deeply into the muscle tissues of the gluteal region, beginning with small doses, gradually increasing successive injections every second or third day until one cubic centimetre is being given, then continue with this dosage as may be indicated.

Recommended for the treatment of atonic dyspepsia with anemia, chlorosis, functional neurosis, malnutrition and convalescence.

Supplied in boxes of twelve 1 c.c. ampoules.

14 Magnesium Sulphate, 25%

For Intravenous Administration

Each ten cubic centimetres contain twenty-five per cent of chemically pure Magnesium Sulphate in sterile, aqueous solution, for intravenous administration. A powerful depressant action on the central nervous system is produced by the intravenous injection of a twenty-five per cent solution of Magnesium Sulphate, effectively controlling the spasmodic symptoms caused by such diseases as eclampsia and tetanus. One ampoule

★ Narcotic signature required.

List No.

should be injected as soon after first convulsion as possible and repeated every hour until convulsions are controlled.

Supplied in packages of six 10 c.c. ampoules.

15 Magnesium Sulphate, 50%

A sterile, aqueous solution containing fifty per cent of chemically pure Magnesium Sulphate in which the water of crystallization is carefully controlled to ensure maximum clinical potency.

A pronounced synergistic effect is produced by combining Magnesium Sulphate with Morphine, the analgesic action of the Morphine being greatly intensified and prolonged. When Morphine Sulphate is dissolved in fifty per cent solution of Magnesium Sulphate only one-half the usual amount of Morphine is required to produce an effect of about five times its usual duration. This combination of Morphine and Magnesium Sulphate is frequently used in the painless method of childbirth (Gwathmey's synergistic method), as well as in surgical cases to arrest gas pains or nausea. Preliminary injection of Morphine and Magnesium Sulphate facilitates inhalation anaesthesia and reduces its risks. Analgesia can be deepened, when effects begin to wear off, by a subcutaneous injection of Magnesium Sulphate alone.

Supplied in boxes of twelve 2 c.c. ampoules.

16 ★Morphine Sulphate, ¼ Grain per c.c.

A sterile bacteriostatic solution containing Morphine Sulphate ¼ grain in one cubic centimetre.

Supplied in 33 c.c. rubber capped vials, and boxes of twelve 1 c.c. ampoules.

17 ★Morphine Sulphate, ½ Grain per c.c.

A sterile bacteriostatic solution containing Morphine Sulphate ½ grain in one cubic centimetre.

Supplied in 33 c.c. rubber capped vials.

18 ★Morphine and Atropine

A sterile bacteriostatic solution containing Morphine Sulphate ¼ grain and Atropine Sulphate 1/150 grain in one cubic centimetre.

Supplied in 33 c.c. rubber capped vials.

Normal Saline —

See Sodium Chloride 0.9% — page 131

19 Phenol in Almond Oil, 5%

A sterile oil solution representing five percent of Phenol in Sweet Almond Oil.

Indicated in the injection treatment of **Internal Hæmorrhoids.** Not recommended for **External Hæmorrhoids.**

One to five cubic centimetres may be injected at one treatment

★ Narcotic signature required.

List No.

and repeated at intervals of from five to seven days. An average of five treatments are usually required for each case.

Supplied in 33 c.c. rubber capped vials.

20 Procaine Penicillin G in Oil — 10 c.c.

℞ Crystalline procaine penicillin G in oil with aluminium monostearate 2%, 300,000 I.U. per c.c.

Supplied in 10 c.c. bottles.

21 Quinine Hydrochloride and Urethane — 2 c.c.

Each two cubic centimetres contain Quinine Hydrochloride 0.266 gramme (4 grains approx.) combined with Urethane 0.133 gramme (2 grains approx.)

This solution is recommended for the treatment of varicose veins and varicose ulcers. Irritation of the venous wall followed by gradual narrowing of the vein follows the injection of this solution into the varix and the lumen is finally obliterated.

Supplied in packages of twelve 2 c.c. ampoules.

22 Quinine and Urea Hydrochloride, 5% — 2 c.c.

Each two cubic centimetres contain 0.1 gramme (1½ grains approx.) of Quinine and Urea Hydrochloride in a sterile isotonic solution.

A useful local anaesthetic for minor surgical operations. This solution has no toxic effect and its anaesthetic action continues for several hours and is therefore particularly useful in rectal, urethral and other operations where, without the use of such an anaesthetic, the parts would be subject to irritation during the healing process.

Supplied in packages of twelve 2 c.c. ampoules.

23 Rectocaine — 2 c.c. and 5 c.c.

A sterile solution in oil of Stocaine 1.5%, Butyl-p-Aminobenzoate 6%, and Phenylcarbinol 1%. Rectocaine will be found an effective local anaesthetic for the treatment of pruritis ani and anal fissure.

The oil soluble anaesthetics used in the Rectocaine combination are of low toxicity but produce immediate local anaesthesia which is maintained for periods lasting from seven to twenty eight days, this being due to the slow uniform absorption of the oil vehicle.

The advantages which Rectocaine possesses over other solutions are:

A. Its action is almost certain.
B. Rectocaine produces anaesthesia for longer periods.
C. The relaxation produced in anal musculature is greater and more prolonged.
D. Rectocaine is comparatively non-toxic, the injection of from twenty to thirty cubic centimetres producing no general effect.
E. The injection of large quantities at one treatment has not

℞ Prescription required for retail sales.

List No.

been found to produce any local reaction if properly injected.

F. The injection is painless if made slowly.

G. No severe after pain is produced.

In pruritis ani fairly large amounts of anaesthetics in oil may be found necessary. It is usually undesirable to give repeated small injections of five cubic centimetres to ten cubic centimetres of Rectocaine. An injection of twenty to thirty cubic centimetres of Rectocaine may be made into the perianal subcutaneous tissue without any local reaction. The resulting anaesthesia lasts from fourteen to twenty-eight days, thus allowing the surgeon to treat the excoriated, oedematous and hypertrophied skin efficiently. The patient's mental stability is promoted by sound sleep and renewed hope and his general health is restored.

The injection should be given only after a thorough examination both general and local and after any cause for the pruritis has been excluded or treated. Severe cases only, with marked tissue changes, should be treated with Rectocaine. Irritating applications should be stopped and careful attention given to perianal hygiene. The patient must be in bed under the supervision of a nurse, to ensure diligent attention to the skin before anaesthetization. Hyoscine and Morphine should be injected an hour before the injection of Rectocaine which should be injected with the patient in the lithotomy position.

The skin around the anus is anaesthetized by the injection of Rectocaine, not only into the subcutaneous fat, but also deeply along the inner wall of the ischio-rectal fossa in a fan-like manner, through as few punctures (usually four or five) as will ensure accurate infiltration. Care should be taken to keep the solution deeply under the skin at the anal verge, in order to ensure that the subcutaneous fat is infiltrated up to that region; a further injection should be made deeply on the inner side of the anal muscles. The forefinger is inserted into the anal canal and the needle is introduced about one-quarter inch from the anal verge and parallel with the guiding finger, and two and one-half cubic centimetres of Rectocaine is injected on each side of the anal canal in a fan-like manner for a depth of one inch from the anal skin, and not immediately under the lining of the anal canal.

Care must be taken to keep the skin scrupulously clean by removing debris with warm water and castile soap at least twice daily. Cauterization of the skin with a Silver Nitrate Applicator immediately after the injection, and followed by daily application of 5% Silver Nitrate is effective in removing thickened layers of skin and making possible thorough cleansing.

When the skin has completely healed it may be hardened against further excoriation by a lotion of Lead Subacetate, alcohol and water.

Supplied in packages of twelve 2 c.c. ampoules and 5 c.c. ampoules.

24 **Sodium Chloride, 0.9% — 10 c.c.**

(Normal Saline Solution)

For Intravenous Administration

A sterile solution of chemically pure Sodium Chloride, istonic with blood serum.

Supplied in packages of six 10 c.c. ampoules.

List No.

25 **Sodium Chloride, 0.9% — 33 c.c. with Bacteriostatic Added**

(Normal Saline Solution)

For Intravenous Administration

A sterile solution of chemically pure Sodium Chloride istonic with blood serum.

Supplied in 33 c.c. rubber capped vials.

26 **Sodium Citrate, 2½% — 50 c.c.**

A sterile solution of Chemically Pure Sodium Citrate for use in blood transfusion. The contents of one ampoule will prevent the coagulation of five hundred cubic centimetres of blood.

Supplied in packages of six 50 c.c. ampoules.

27 **Sodium Iodide with Sodium Salicylate and Colchicine — 20 c.c.**

For Intravenous Administration

Each twenty cubic centimetres represents one gramme (15½ grains) of Chemically Pure Sodium Iodide combined with one gramme of Chemically and Psysiologically Pure Sodium Salicylate with one hundredth grain of Colchicine Alkaloid in sterile solution.

Recommended for the intravenous treatment of bronchial asthma, lumbago, sciatica and in acute or chronic arthritis, especially if complicated by a luetic condition.

Ten to twenty cubic centimetres should be administered intravenously every two to four days according to indications.

Supplied in packages of six 20 c.c. ampoules.

28 **Sodium Morrhuate, 5% — 33 c.c.**

A sterile aqueous solution representing five per cent of Sodium Morrhuate. A dependable sclerosing agent for the effective injection treatment of varicose veins.

One-half to one cubic centimetre is injected at any one site and a total of not more than seven cubic centimetres at any one treatment.

29 **Theolone, 0.50 Gramme — 2 c.c.**

Hartz Brand of Aminophylline

For Intramuscular Administration

Each 2 c.c. ampoule represents, 0.50 gramme (7.7 grains) Aminophylline.

Supplied in boxes of twelve 2 c.c. ampoules.

30 **Theolone, 0.50 Gramme — 10 c.c.**

For Intravenous Administration

Each 10 c.c. ampoule represents, 0.50 gramme (7.7 grains) Aminophylline.

Supplied in 10 c.c. ampoule and packages of six 10 c.c. ampoules.

List No.

31 Theolone, 0.25 Gramme — 10 c.c.

For Intravenous Administration

Each 10 c.c. ampoule represents, 0.25 gramme (3.8 grains) Aminophylline.

Supplied in 10 c.c. ampoule and packages of six 10 c.c. ampoules.

32 Thiamin Chloride, 10 Mgm.

For Intramuscular or Intravenous Administration

Each cubic centimetre represents ten milligrammes of Thiamin Chloride, which is equivalent of 3,330 International Units of Vitamin B_1.

The Thiamin Chloride is combined with Chlorbutanol 0.75% and Benzyl Alcohol 2% in Physiological Sodium Chloride Solution.

Recommended in those cases where it is not advisable to administer vitamin B_1 orally.

Average dose: One cubic centimetre.

Supplied in 33 c.c. rubber capped vials.

33 Thiamin Chloride, 100 Mgm.

For Intramuscular or Intravenous Administration

Each cubic centimetre represents one hundred milligrammes of Thiamin Chloride, which is equivalent to 33,300 International Units of Vitamin B_1.

The Thiamin Hydrochloride is combined with Chlorbutanol 0.75% and Benzyl Alcohol 2% in Physiological Sodium Chloride Solution.

Recommended in those cases where massive doses are indicated or where it is not advisable to administer vitamin B_1 orally.

Dose: One-half to one cubic centimetre daily.

Supplied in 33 c.c. rubber capped vials.

34 Sterile Water

Sterile triple distilled water free from volatile impurities, yeasts, molds and bacteria and packaged in alkali free glass.

Supplied in packages of six 10 c.c. ampoules; fifty 10 c.c. ampoules; six 20 c.c. ampoules; fifty 20 c.c. ampoules.

35 Sterile Water With Bacteriostatic Added

Supplied in rubber capped vials of 50 c.c. and 100 c.c.

Opto Brand

FLUID EXTRACTS

and Concentrated Liquors

Our **Fluid Extracts** and **Concentrated Liquors** are prepared from **High Grade Botanicals** and are of definite strength as outlined.

Where feasible these products are standardized by chemical or physiological assay and when such assays are not possible our **Fluid Extracts** are standardized so that one fluid ounce of **Fluid Extract** represents the soluble active principles of one avoirdupois ounce of prime carefully cured drug. Exceptions to this standard are those **Liquid Extracts** or **Concentrated Liquors** which are designed and specially prepared for the convenient manufacture of **Syrups** or **Tinctures.**

1 **Belladonna,** B.P. 1953

Assayed and standardized to contain 0.75% w/v of total alkaloids of the dried root of Atropa Belladonna calculated as Hyoscyamine.

Dsoe: One-quarter to one minim.
Supplied in 4 oz. and 16 oz. bottles.

2 **Cascara Sagrada,** B.P. 1953

One hundred and ten minims of this fluid extract represents the soluble active principles of one hundred grains of prime, dried, three year old Cascara Bark.

Dose: Thirty to sixty minims.

3 **Ergot — See Ergalone a Specially Purified and Standardized Product** — See Specialties page 23

4 **Hyoscyamus (Henbane),** B.P. 1953

Assayed and standardized to contain 0.05% w/v of the total alkaloids of Hyoscyamus Niger Leaves, calculated as Hyoscyamine.

Dose: Three to six minims.
Supplied in 4 oz. and 16 oz. bottles.

5 **Ipecac,** B.P. 1953

Assayed and standardized to contain 2% w/v of the total alkaloids of the dried root of Cephaelis Ipecacuanha, calculated as Emetine.

Dose: One-half to two minims.
Emetic Dose: Ten to thirty minims.
Supplied in 4 oz. and 16 oz. bottles.

6 **Licorice,** B.P. 1953

One hundred and ten minims of this fluid extract represent the soluble active principles of one hundred grains of clean well dried root of Glycyrrhiza Glabra.

Dose: Thirty to sixty minims.
Supplied in 4 oz. and 16 oz. bottles.

List No.

7 Nux Vomica, B.P. 1953

Assayed and standardized to contain 1.5% w/v of strychnine.
Dose: One to three minims.
Supplied in 4 oz. and 16 oz. bottles.

8 Quassia, N.F. VII

One hundred and ten minims of this fluid extract represent the soluble active principles of one hundred grains of the dried stem-wood of Picraena Excelsa.
Average Dose: Eight minims.
Supplied in 4 oz. and 16 oz. bottles.

9 Rhubarb Compound, Hartz

(Four times strength Tr. Rhubard Compound B.P. 1932.)
Dose: Five to fifteen minims.
Formula for making Tr. Rhubarb Compound B.P. 1932.

Liquor Rhubarb Compound Concentrated *Hartz*	4 Fl. Ounces
Glycerin	1 Fl. Ounce 288 Minims
Alcohol 60% ad q.s.	16 Fl. Ounces

Supplied in 4 oz. and 16 oz. bottles.

10 Sarsaparilla Compound, Hartz

(Four times strength for making Syrup Sarsaparilla Compound U.S.P. XI.)
Dose: One-half to one fluid drachm.
Formula for making Syr. Sarsaparilla Compound U.S.P. XI.

Liquor Sarsaparilla Compound Concentrated *Hartz*	1 Fl. Ounce
Simple Syrup	3 Fl. Ounces

Supplied in 4 oz. and 16 oz. bottles.

11 Senega, B.P. 1948

An alkaline extract each one hundred and ten minims of which represent the soluble active principles of one hundred grains of clean dried root of Polygala Senega.
Dose: Five to fifteen minims.
Supplied in 4 oz. and 16 oz. bottles.

12 Tolu, Hartz

(Four times strength Syrup Tolu B.P. 1953.)
A soluble extract of the balsam obtained from the trunk of Myroxylon Toluifera and of such strength that one part of the extract will make four of Syrup Tolu B.P. 1932.
Dose: Thirty to sixty minims.
Formula for making Syrup Tolu B.P. 1932.

Liquor Tolu, Soluble *Hartz*	1 Fl. Ounce
Sugar	3 Ounces
Distilled Water ad q.s.	4 Fl. Ounces

Supplied in 4 oz. and 16 oz. bottles.

13 Wild Cherry, Hartz

One hundred and ten minims of this Fluid Extract represent the soluble active principles of one hundred grains of the thin, virgin green bark of Prunus Serotina.
Dose: Fifteen to thirty minims.
Supplied in 4 oz. and 16 oz. bottles.

Opto Brand

GRANULAR EFFERVESCENT SALTS

Keep Containers Well Stoppered

List No.

7 **Alkalone** — See Specialties page 2

8 **Fruit Saline**

A pleasant and efficient effervescing Aperient and Diuretic.

In solution, Fruit Saline represents the Alkaline Salts of various natural fruit acids.

Indicated in hyperacidity and useful in Acute and Chronic Constipation.

Fruit Saline is Antacid and Diuretic, Laxative or Cathartic according to the dose prescribed.

Dose: One to four heaping teaspoonfuls in a glass of lukewarm water half an hour before breakfast.

Supplied in 4 oz. and 8 oz. bottles.

9 **Magnesium Citrate**

This preparation is made with the greatest care from the finest materials and will be found very much superior to the ordinary brands both in flavor and medicinal value.

Dose: One to two tablespoonfuls in a glass of water.

Supplied in 4 oz. and 8 oz. bottles.

10 **Saline Laxative**

Each drachm represents:

Carlsbad Salt	8 grains
Magnesium Sulphate	8 grains
Sodium Phosphate	8 grains
Sodium Citro-tartrate	30 grains

A palatable effervescing Aperient and Diuretic indicated for the relief of Acute and Chronic Constipation and as an Antacid, Diuretic, Laxative or Cathartic in the incipiency of Fevers and Acute Inflammatory Affections.

Dose: One to four heaping teaspoonfuls in a glass of lukewarm water half an hour before breakfast, may be repeated half an hour before lunch if necessary.

Supplied in 4 oz. and 8 oz. bottles.

11 **Sodium Phosphate,** B.P.C. 1949

This preparation contains 50% of Sodium Phosphate.

Dose: 60 to 240 grains.

Supplied in 4 oz. and 8 oz. bottles.

208 **Urolone** — See Specialties page 55

Opto Brand

LINIMENTS

List No.

1 **Aconite,** B.P. 1948

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

2 **Aconite and Chloroform Compound — Hartz**

A penetrating anodyne embrocation composed of Aconite, Camphor, Eugenol and Chloroform in a rubbing base which facilitates massage and carries the medication into the affected areas.

Recommended for the relief of painful bruises, neuralgia, sprains and soreness in the muscles.

Directions: Apply to unbroken skin with rubbing and then cover parts with flannel cloth.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

3 **Aconite and Menthol Compound— Hartz**

A reliable analgesic and counter irritant application, composed of Aconite, Ammonia, Chloroform and Menthol with Green Soap Liniment as a base.

Recommended as a local application for painful affections, where skin is not broken.

Directions: Apply with massage and cover affected area with a woollen cloth.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

4 **Belladonna,** B.P. 1948

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

Betuline — See Specialties page 7

5 **Camphor,** B.P. 1953

Camphorated Oil

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

6 **Chloroform,** B.P.C. 1949

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

Neuritic Liniment — See Specialties page 39

7 **Saponis,** B.P. 1953

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

White Liniment — See Specialties page 57

Opto Brand

OINTONES

The word **O**intone designates **Hartz** Brand of Ointments, in the manufacture of which, careful consideration is given, not only to the quality of the medicaments, but also to the method of their preparation for incorporation with the unguent-base, so that their therapeutic action may be developed to the fullest extent.

The bases of our Ointones are also carefully selected having in mind the purpose for which each Ointone is applied.

Many of our **Opto Brand Ointones** are prepared with the B.P., U.S.P. or N.F. strength of **Medicaments,** but these are incorporated in **Special Ointment Bases,** which we have developed, and which we believe are more efficient in producing the therapeutic action the Physician expects to receive from the **Medicaments.**

List No.

2 **Acid Boric,** B.P. 1953

Acnelone — See Specialties page 1

3 **Aluminium Paste for Lewis Colostomy Appliance**

Analgesone Cream — See Specialties page 3

Analgesone — See Specialties page 3

Antipruriticum — See Specialties page 4

Aseptico — See Specialties page 4

Borolan — See Specialties page 9

4 **Breast Ointment**

A combination of Balsam Peru and Oleum Ricini in a special base for use as a prophylactic dressing for the nipples of nursing mothers.

Burn Dressing, Stokes' — See Specialties page 10

5 **Calamine,** C.F. 1949

6 **Calamine Cream,** M.G.H.

Calgesone — See Specialties page 11

List No.

Calefact — See Specialties page 11

7 **Chrysarobin,** B.P.C. 1949

Decalone — See Specialties page 19

Dermalone — See Specialties page 19

8 **Diachylon,** B.P.C. 1934

Epithelone — See Specialties page 23

Eucerone — See Specialties page 24

9 ★ **Galls and Opium,** C.F. 1949

℞ **Harcilone** — See Specialties page 27

10 **Ichtholone, 10%**

An emollient, mildly antiseptic and astringent containing ten per cent of Ichtholone, Hartz Brand of Soluble Ammonium Ichthosulphonate.

A useful application in cutaneous disorders, having a stimulating action in chronic skin diseases such as acne, eczema and furunculosis.

11 **Ichtholone, 20%**

A stimulating unguent containing twenty per cent of Ichtholone, Hartz Brand of Soluble Ammonium Ichthosulphonate.

When smeared over inflamed areas, this ointone will afford much relief in acute articular rheumatism and in erysipelas.

Iodine, Stainless — See Specialties page 30

Keratolone, No. 1 — See Specialties page 31

Keratolone, No. 2 — See Specialties page 32

Lanolin Cream, Stokes' — See Specialties page 32

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.

12 **Lassar's Paste**

Hartz Improved Formula

This improved paste contains the same medication as the C. F. 1949 formula, but the medicaments are incorporated in one of Hartz Special Ointone Bases which makes available a greater percentage of the therapeutic value of the medication than is the case when the medicaments are carried in the C. F. Base.

Menthalone — See Specialties page 36

Mercurolone — See Specialties page 37

13 **Mercury Ammoniated,** B.P. 1953

14 **Mercury,** B.P. 1953 **(30% Mercury)**

15 **Mercury, Dilute,** B.P. 1953 **(10% Mercury)**

16 **Mercury Compound,** B.P. 1948 (Scott's Dressing)

Methidone — See Specialties page 37

Hartz Brand of Stainless Iodine Ointone with Methyl Salicylate.

Morrhumel — See Specialties page 39

Unguentum Cod Liver Oil Concentrate with Honey, Hartz.

Nasal Balm, Stokes' — See Specialties page 39

Nuperlone — See Specialties page 39

17 **Petrolatum — Borated, 5%**

18 **Petrolatum — Borated, 10%**

19 **Phenolis,** B.P. 1948

Unguent Acidi Carbolici.

20 **Picis Pini,** N.F. IX

Pine Tar Ointment.

Picrocaine — See Specialties page44

List No.

Protecto Cream — See Specialties page 45

★ **Rectol** — See Specialties page 46

21 **Rosae, ℞ A**

Hartz Brand of Cold Cream

An elegant toilet preparation; also suitable as a base for various chemical ointones.

22 **Rosae, ℞ B**

Suitable for massaging and application to chafed and inflamed skin.

Scabenzone — See Specialties page 47

23 **Scarlet Red,** B.P.C. 1948

24 **Sulphur,** B.P. 1953

Tarmalone — See Specialties page 49

Taroxone — See Specialties page 50

Thermotine — See Specialties page 51

℞ **Thiazolone Emulsion ℞ B, Thick Type** — page 51

℞ **Thiazolone Ointone** — See Specialties page 52

℞ **Thiazomel** — See Specialties page 52

25 **Unna's Paste,** B.P. 1953

Vulnulone — See Specialties page 57

Whitfield's — See Keratolone 1 and 2 in Specialties

Zincone — See Specialties page 58

Hartz Brand of Zinc Oxide Ointment.

℞ Prescription required for retail sales.

★ Narcotic signature required.

Opto Brand

OPHTHALMIC OINTMENTS

Opto Brand Ophthalmic Ointments are prepared with carefully selected bases with the purpose of bringing out and enhancing the therapeutic properties of the medicaments which they carry.

Medicaments are selected for their purity and vigilance is exercised, in their incorporation in our Ophthalmic Ointments, to ensure uniformity of dosage and permanence of therapeutic activity.

Insoluble medicaments, such as Mercury Oxide, are prepared in our own laboratories in colloidal form, for use in our Ophthalmic Ointments, and their therapeutic activity, particularly germicidal efficiency, is thus greatly increased. *Opto Brand Ophthalmic Ointments* are aseptic, homogeneous and non-irritating.

The following formulae are carried in stock regularly, but we are prepared to manufacture other formulae in quantities of *ONE DOZEN* tubes or more.

Packaged in Pure Tin Collapsible Tubes with Ophthalmic Nozzle.

0 **Mercuric Oxide, Yellow ½%**

1 **Mercuric Oxide, Yellow 1%**

2 **Mercuric Oxide, Yellow 2%**

4 **Mercuric Oxide 1%, Atropine Alkaloid ¼%**

5 **Argolone (Hartz brand of Silver Protein mild) 7½%**

6 **Eserine ¼%**

7 **★ Cocaine Alkaloid 2% with Epinephrine**

8 **Atropine Alkaloid 1%**

9 **Zinc Sulphate ½%**

10 **Acid Boric 4%**

12 **Mercury Bichloride 1:3000**

13 **Atropine Alkaloid 2%**

14 **Atropine Alkaloid 1%, Mercuric Oxide 1%**

15 **Mercury Ammoniated 3%**

16 **Copper Citrate 5%**

18 ℞ **Thiazolone (Hartz brand of Sulfathiazole) 5%**

19 ℞ **Harcilone — Potassium Penicillin G 1000 Units per gramme**

20 **Phenacaine Hydrochloride 1% with 2% Epinephrine 1:1000**

21 **Nuperlone ½" with Acid Boric 2% and Epinephrine 1:25,000**

★ Narcotic signature required.

℞ Prescription required for retail sales.

COMPOUND POWDERS

Antiseptic Powder, Hartz — See Specialties page 4

Baby Powder, Hartz — See Specialties page 6

Bismalone — See Specialties page 7
Hartz Alimentary Corrective Powder

Bismuthone — See Specialties page 8
Hartz Brand of Pulvis Bismuthi Compositus

Chalk, Aromatic-Pulvis Cretae Aromaticus, B.P. 1953

★**Dover's Powder-Pulvis Ipecacuanhae et Opii,** B.P. 1953

Licorice Compound — Pulvis Glycyrrhizae Compositus, B.P. 1953

MacLean's Powder, C.F. 1949

Phenyl Iodide — See Specialties page 42
Hartz Antiseptic, Surgical Dressing.

Seidlitz Powder — Pulvis Effervescens Compositus, B.P. 1953
Supplied in packages of ten and one gross.

★ Narcotic signature required.

Opto Brand

SOLUTIONS and LIQUORS

1 Aluminium Acetate, N.F. VIII

Burow's Solution

An aqueous solution representing not less than 4.8% and not more than 5.8% w/v of neutral Aluminium Acetate.

Supplied in 16 oz. bottles.

2 Ammonium Acetate, Strong, B.P. 1953

An aqueous solution representing 57.5% w/v of Ammonium Acetate and is therefore eight times the strength of Liquor Ammonii Acetatis Dilutis B.P. 1953.

Dose: Strong solution — Fifteen to sixty minims.
Dilute solution — Two to eight fluid drachms.
Supplied in 16 oz. bottles.

3 Ammonia, Stronger, U.S.P. XIV

Liquor Ammoniae Fortis

An aqueous solution representing not less than 27% and not more than 30% by weight of NH_3.

Caution: This solution deteriorates rapidly in open containers. Keep well stoppered and in a cool place.

Supplied in 16 oz., 80 oz. and 160 oz. bottles.

4 Arsenic Trioxide, Alkaline

Hartz Brand of Liquor Arsenicalis

An alkaline aqueous solution representing 1% w/v of Arsenic Trioxide. This solution contains the same amount of arsenic as the B.P. or C.F. solutions but in a more permanent vehicle which prevents deterioration and precipitation of the arsenic.

Dose: Two to eight minims.
Supplied in 16 oz. bottles.

5 Castellani's Paint

An antiseptic solution containing Magenta, Phenol, Hydrogen Borate and Resorcin in an Aqueous Acetone, Alcohol vehicle. Recommended as an antiseptic for gram positive organisms in the treatment of Epidermophytoses especially when moist Eczematous Dermatitis is present. Apply with a cotton tipped applicator to the affected parts once or twice daily.

Supplied in 1oz., 2 oz., 4 oz., 8 oz., 16 oz. and 80 oz. bottles.

6 Fluorescein Ophthalmic Solution, 2%

Specially prepared for ophthalmic use.
Supplied in 1 oz. and 2 oz. dropper bottles.

7 Flurochrom, 2%

Hartz Brand of Disodium Dibromohydroxy-mercury-fluorescein

Supplied in 16 oz. bottles.

List No.

8 **Iodine Compound,** B.P.C. 1949

Lugol's Solution

An aqueous solution representing 5% w/v of Iodine and 7½% w/v of Potassium Iodide.

Dose: Five to ten minims.

Supplied in 16 oz. bottles.

9 **Iron Chloride, Stronger,** B.P.C. 1949

Liquor Ferri Perchloridi Fortis

An acid aqueous solution representing not less than 58.5% and not more than 61.5% w/v of Ferric Chloride.

This solution contains four times the quantity of $FeCl_3$ contained in Tincture Ferri Perchloridi B.P. 1914 or Liquor Ferri Perchloridi B.P. 1953.

Supplied in 16 oz. bottles.

10 **Iron Subsulphate,** N.F. IX

Monsel's Solution

An aqueous solution representing not less than 20% and not more than 22% w/v of Fe in the form of Ferric Subsulphate.

Dose: Internal — Two to five minims well diluted with water.
External — As a styptic use undiluted.

Supplied in 16 oz. bottles.

11 **Lead Subacetate, Stronger,** B.P. 1953

Goulard's Extract

An aqueous solution representing not less than 19% and not more than 21.5% w/w of total Pb, and with an alkalinity corresponding to not less than 10.2% and not more than 11.6% of Lead Monoxide.

Exposure of this product to air will cause a precipitation of Lead Carbonate. Store in well filled and stoppered containers.

One part of this product, mixed with seventy-nine parts of recently boiled distilled water will produce eighty parts of Liquor Plumbi Subacetatis Dilutus (Goulard's Lotion).

Supplied in 16 oz. bottles.

12 **Nitroglycerin, 1%,** B.P.C. 1949

Liquor Trinitrini

An alcoholic solution representing 1% w/v of Glyceryl Trinitrate (Glonoin).

Dose: One-half to two minims.

Supplied in 16 oz. bottles.

13 **Picis Carbonis,** B.P. 1953

Liquor Carbonis Detergens

An alcoholic solution representing the spirit soluble principles of prepared coal tar.

A useful antiseptic for the treatment of dermatitis, poison ivy infection and many obscure skin diseases.

List No.

Directions: For skin application — Dilute with from four to twelve parts of water and apply freely. If affected areas are very sensitive use in more dilute lotion.

For Sick Rooms — Dilute with five parts of water and use freely in utensils and expose on saucers to purify the atmosphere of a sick room.

Supplied in 16 oz. bottles.

14 **Strychnine Hydrochloride,** B.P. 1953

A hydro-alcoholic solution representing 1% w/v of Strychnine Hydrochloride.

Dose: Three to twelve minims.

Supplied in 16 oz. bottles.

15 **Vleminckx,** N.F. IX

Liquor Calcis Sulphuratae

Applied to the skin as a pigment or diluted, one fluid ounce to five gallons of water, as a bath, in the treatment of scabies and similar conditions.

Supplied in 16 oz. bottles.

SPIRITS, ESSENCES and WATERS

SPIRITS

List No.

1 **Ammonia Aromatic,** B.P. 1953
Sal Volatile
Dose: Fifteen to sixty minims.

2 **Camphor,** B.P. 1948
Dose: Five to thirty minims.

3 **Chloroform,** B.P. 1953
Dose: Five to thirty minims.

4 **Ether, Nitrous,** B.P. 1948
Sweet Spirit of Nitre
Dose: Fifteen to sixty minims.

5 **Peppermint,** B.P. 1953
Essence of Peppermint
Dose: Five to thirty minims.

ESSENCES

1 **Bitter Almond,** B.P.C. 1934
Essence of Ratafia

2 **Cinnamon, Hartz**

3 **Clove, Hartz**

4 **Ginger**
Tinctura Zingiberis Fortis, B.P. 1948

5 **Lemon, Spirit of Lemon**

6 **Orange, Spirit of Orange**

7 **Vanilla**
Hartz Brand of Spirit Vanillin

WATERS

1 **Peppermint,** B.P.C. 1949
Aqua Menthae Piperitae Destillata
Dose: One-half to one fluid ounce.

2 **Rose, Hartz**

3 **Sterilized Water, Aqua Sterilisata** — See Injectable Solutions page 133

All the above are normally supplied in 16 oz. bottles. If desired, smaller or larger quantities may be obtained.

Opto Brand

SUPPOSITORIES and CONES

SUPPOSITORIES

Packed in Boxes of one Dozen Suppositories

List No.

1 ★ Rectal, ℞ A

Each suppository represents:

*Opium	1 grain
Belladonna Extract	¼ grain
Ephedrine Alkaloid	1/10 grain
Echinacea Extract	1 grain

An astringment and sedative formula for the treatment of haemorrhoids.

2 ★ Rectal, ℞ B

Each suppository represents:

*Opium	¾ grain
Hydrastis	1 grain
*Cocaine Alkaloid	1/10 grain
Tannin	½ grain
Zinc Oxide	2 grains
Stramonium Extract	1/3 grain

An effective sedative and astringent suppository for the treatment of haemorrhoids.

3 ★ Opium and Belladonna

Each suppository represents:

*Opium	1 grain
Belladonna Extract	1 grain

4 Theolone, 7½ grains

Each Suppository represents:

Theolone Hartz Brand of Aminophyllin	7½ grains

CONES

1 Cone Formula, ℞ A

Each cone represents:

Iodine	1 grain
Ichtholone, *Hartz Brand of Ammonium Ichthosulphonate*	10 grains

An antiseptic, astringent, detergent, and alterative formula for the treatment of inflamed and irritated conditions of the vaginal mucosa.

Directions: Moisten cone in warm water and insert, large end first. Use preferably at night when retiring, and cover with a bandage.

Supplied in boxes of 12 and boxes of 50.

★ Narcotic signature required.

Opto Brand

MEDICINAL SYRUPS

List No.

1 **Acid Hydriodic,** B.P.C. 1949
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

2 **Aurantii** — See Orangone page 150

3 **Cinnamon,** N.F. IX
Dose: Two to four fluid drachms.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

4 ★**Codeine Phosphate,** C.F. 1949
Dose: One-half to two fluid drachms.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

5 **Ferrous Iodide,** B.P.C. 1949
Dose: One-half to two fluid drachms.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

6 **Ferrous Phosphate, Compound,** B.P. 1948
Parrish's Food
Dose: One-half to two fluid drachms.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

7 **Ferrous Phosphate with Quinine and Strychnine** B.P.C. 1949
Easton's Syrup
Dose: One-half to one fluid drachm.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

8 **Ginger,** N.F. IX
Dose: Two to four fluid drachms.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

9 **Hypophosphites, Haematic — Hartz**
Each fluid ounce represents:

Calcium Hypophosphite	1 grain
Iron Hypophosphite	1½ grains
Manganese Hypophosphite	1 grain
Potassium Hypophosphite	1½ grains
Quinine Hydrochloride	¼ grain
Strychnine Hydrochloride	8/100 grain

Dose: One to two fluid drachms after meals.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

★ Narcotic signature required.

List No.

10 **Orangone**

Hartz Brand of Syrup Orange

Dose: One-half to two fluid drachms.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

11 **Sarsaparilla, Compound,** U.S.P. XIV

Average dose: Four fluid drachms.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

12 **Squill,** B.P. 1948

Dose: One-half to one fluid drachm.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

13 **Tolu,** B.P. 1953

Dose: One-half to two fluid drachms.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

14 ★ **White Pine Co. with Eucalyptol and Honey** — See Specialties page 58

15 ★ **White Pine Co. with Morphine** — See Specialties page 57

16 **White Pine Co. without Morphine** — See Specialties page 57

17 **Wild Cherry,** B.P. 1948

Dose: One-half to two fluid drachms.
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

★ Narcotic signature required.

Opto Brand

TINCTURES

1 **Aconite,** B.P.C. 1949
Dose: Two to five minims.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

2 **Arnica Flowers,** B.P.C. 1949
Dose: One-half to one fluid drachm.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

3 **Belladonna,** B.P. 1953
Dose: Five to thirty minims.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

4 **Benzalkone** — See Specialties page 6

5 **Benzoin, Compound,** B.P. 1953
Friars' Balsam
Dose: One-half to one fluid drachm.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

6 **Buchu,** B.P.C. 1949
Dose: One-half to one fluid drachm.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

7 **Calumba,** B.P. 1948
Dose: One-half to one fluid drachm.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

8 ★ **Camphor, Compound,** B.P. 1953
Tincture Opii Camphorata
Dose: One-half to one fluid drachm.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

9 **Capsicum,** B.P. 1948
Dose: Five to fifteen minims.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

★ Narcotic signature required.

List No.

10 **Cardamon Compound,** B.P. 1948
Dose: One-half to one fluid drachm.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

11 **Catechu,** B.P. 1948
Dose: One-half to one fluid drachm.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

12 **Cetabrom** — See Specialties page 13

13 **Gentian, Compound,** B.P. 1953
Dose: One-half to one fluid drachm.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

14 **Green Soap — Hartz**
Supplied in 16 oz., 80 oz. and 160 oz. bottles.

15 **Hyoscyamus,** B.P. 1953
Dose: One-half to one fluid drachm.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

16 **Iodine, 2½%,** B.P. 1953
Liquor Iodi Mitis B.P.
Dose: Five to thirty minims.
Supplied in 1 oz., 2 oz., 4 oz., 8 oz., 16 oz., 80 oz. and 160 oz. bottles.

17 **Iodine, 5%**
Tinctura Iodi 5% C.F. 1949
Supplied in 4 oz., 16 oz. and 80 oz. bottles

18 **Iodine, 10%**
Liquor Iodi Fortis, B.P. 1953
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

19 **Iodine, 16½%**
Churchill's Iodine, C.F. 1949
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

19-A **Ipecac — Tinctura Ipecacuanha,** B.P. 1953
Expectorant dose: Ten to thirty minims.
Emetic dose: Four to eight fluid drachms.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

List No.

20 **Iron,** B.P.C. 1949
Tinctura Ferri Perchloridi, B.P.C. 1949
Dose: Five to fifteen minims.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

21 **Lavender, Compound,** B.P.C. 1949
Dose: One-half to one fluid drachm.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

22 **Lobelia,** N.F. IX
Dose: Ten to thirty minims.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

23 **Mersone** — See Specialties page 37

24 **Myrrh,** B.P. 1948
Dose: One-half to one fluid drachm.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

25 **Nux Vomica,** B.P. 1953
Dose: Ten to thirty minims.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

26 ★**Opium,** B.P. 1953
Dose: Five to thirty minims.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

27 **Orange,** B.P. 1953
Dose: One-half to one fluid drachm.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

28 **Rhubarb, Compound,** B.P. 1953
Dose: One-half to one fluid drachm.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

29 **Stramonium,** B.P. 1953
Dose: Five to thirty minims.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

30 **Tolu,** B.P. 1948
Dose: One-half to one fluid drachm.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

31 **Valerian,** B.P.C. 1949
Dose: One to two fluid drachms.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

32 **Valerian, Ammoniated,** B.P. 1948
Dose: One-half to one fluid drachm.
Supplied in 4 oz., 16 oz. and 80 oz. bottles.

★ Narcotic signature required.

COLORIMETER SOLUTIONS

COLORIMETER AND PHOTROMETER REAGENTS

Supplied in 1 oz., 2 oz., 4 oz., 8 oz., 16 oz., 80 oz., and 160 oz. bottles as requested.

List No.

1000 **Acetic Anhydride**

1002 **Acid Digestion Mixture**

1004 **Acid Molybdate Solution**

1005 **Acid Sodium Chloride Solution**

Alcohol-Ether Mixture

1006 **Alkaline Alcohol Wash Reagent**

1008 **Alkaline Copper Tartrate Reagent, (Folin's)**

1048 **Aminonaphtholsulfonic Acid Mixture**
(Solid mixture for preparing solutions).

1120 **Ammonium Oxalate — Potassium Oxalate Solution (Anticoagulant)**

1010 **Ammonium Sulfamate, 0.5%**

1011 **Barium Reagent**

1012 **Buffer Solution**

†**1013** **Buffer Substrate**

†**1014** **Buffered Glycerophosphate**

1016 **Buffered Sulfamate**

1122 **Carbazide Reagent**

1124 **Celite Analytical**

1018 **Chloroform, A.C.S.**

1019 **Chromium Reagent**

1136 **Copper Sulphate, 5%**

STARCH POWDERS FOR MAKING STARCH SUSPENSION

Supplied in:

1 package of 25 units (Each unit will make 25 c.c's Starch Suspension).

1020 **Cyanide Urea Reagent (Solid and Solvent)**

{"Solid, 6¼ gms.
{"Solvent", 4 oz.

{"Solid", 12½ gms.
{"Solvent", 8 ozs.

{"Solid", 25 gms.
{"Solvent", 1 lb.

List No.

1022 **Diazo Blank Solution**

1024 **Diazo Reagent Solution "A"**

1025 **Digitonin ,1% Alcoholic Solution**

1026 **Dimethyl-A-Naphthylamine, 0.4%**

1028 **Ether, A.C.S.**

1029 **Exton's Reagent**

1032 **Ferric Nitrate Reagent**

1034 **Gold Chloride Solution**

1035 **Gower's Solution**

1036 **Gum Ghatti Solution**

1128 **Hydrochloric Acid, A.C.S. —**

§1128 **Hydrochloric Acid, 4.5 Normal**

1130 **Marcol GX**

1038 **Molybdate Reagent**

††1040 **N-(1-Naphthyl) Ethylenediamine Dihydrochloride**

1042 **Nessler's Reagent**

Permutit Powder

1050 **Phenol Reagent (Folin and Ciocalteu)**

1052 **Phosphate Buffer Solution pH. 7.4**

1054 **Phosphomolybdic Acid Reagent**

1056 **Phosphoric Acid, Approximately 0.085 Molar**

1058 **Picric Acid, Saturated Solution**

1060 **Potassium Iodide, 2.5%**

1061 **Potassium Oxalate, 20%**

1062 **Silver Iodate Powder**
Supplied in: ½ oz., 1 oz., 2 oz., 4 oz. and 8 oz. bottles.

1066 **Sodium Carbonate 0.1% Solution**

1067 **Sodium Carbonate, 20% Solution**

1068 **Sodium Chloride, 0.9%**

1138 **Sodium Chloride, 1%**

1070 **Sodium Chloride-Trichloroacetic Acid

§1074 **Sodium Hydroxide, 0.01 Normal**

§1076 **Sodium Hydroxide, 5 Normal**

1078 **Sodium Hydroxide, 5%**

List No.

1080 **Sodium Hydroxide, 10%**

1082 **Sodium Hydroxide, 25%**

††1086 **Sodium Nitrite, 10%**

1088 **Sodium Sulphate, 22.2%**

1089 **Sodium Tungstate, 6%**

1140 **Sodium Tungstate, 7%**

1092 **Sodium Tungstate, 10%**

1094 **Sulphosalicylic Acid, 5%**

1096 **Sulphuric Acid, A.C.S.**

§1098 **Sulphuric Acid, N/12**

§1100 **Sulphuric Acid, 2/3 Normal**

§1102 **Sulphuric Acid, 10 Normal**

1103 **Thymol Barbital Buffer Solution "A"**
Thymol Barbital Buffer Solution "B"

1104 **Trichloroacetic Acid, 10%

†1106 **Trichloroacetic Acid, 15%**

††1108 **Trichloroacetic Acid, 40%**

1110 **Trisodium Phosphate, 5%**

*1112 **Tungstic Acid Solution**

1113 **Urea Solution**

1114 **Urease-Glycerol Extract (Koch)**

Supplied in: 1 oz. and 2 oz. dropper bottles; and 4 oz., 8 oz. and 16 oz. bottles.

1118 **Uric Acid Reagent (Newton)**

* Solution stable two weeks.

** Solution stable three weeks.

† Solution stable one month.

†† Solution stable two months.

§ Not suitable as primary standard.

Opto Brand

MICROSCOPIC STAINS and SOLUTIONS

The stains and solutions listed below are those most commonly used. We are equipped to supply any other material you may require. Prepared from the finest quality Biological Dry Stain, by the most up-to-date technique, the following stains and solutions are fully guaranteed. Normally supplied in 1 oz. bottles, Microscopic Stains and Solutions will be prepared in any quantity.

List No.

1 **Acid Alcohol**

2 **Aniline Gentian Violet — Stirling's**

3 **Bismarck Brown, Solution**

4 **Brilliant Cresyl Blue for Reticulated Cell Count**

5 **Carbol Fuchsin, Ziehl-Neelsen**

6 **Cedarwood Oil, Special for Immersion**
Refractive Index 1.515 at 18° C.

7 **Crystal Violet, Solution**

8 **Diluting Fluid, for counting Leukocytes**

9 **Eosin, Alcoholic,**
Gentian Violet — See Crystal Violet

10 **Giemsa's Blood Stain, Stock Solution**

11 **Gram's Iodine, Solution**

12 **Haematoxylin, Delafield's**

13 **Haematoxylin, Ehrlich's Acid**

14 **Hasting's Blood Stain**

15 **Hayem's Diluting Fluid, for counting Erythrocytes**

16 **Jenner's Blood Stain**

17 **Leishman's Stain**

18 **Lugol's Solution —**
Liquor Iodi Compositus, B.P.C. 1934.

19 **Methylene Blue Stain —**
Gabbett's for Acid-Fast Bacteria.

20 **Methylene Blue Stain — Loeffler's Alkaline**

21 **Methyl Violet, Solution**

22 **Pappenheim's Pyronin Methyl Green**

23 **Safranin, Counterstain for Gram's Method**

24 **Toisson's Diluting Fluid for Counting Erythrocytes**

25 **Wright's Blood Stain**

26 **Buffer Solution for Wright's Stain**

27 **Xylol, C.P. free from Water and Acid**

28 **Xylol Balsam, Neutral**

Opto Brand

TEST SOLUTIONS
AND URINE TEST SOLUTIONS

List No.

1 **Acid Hydrochloric, Deci-Normal**

2 **Acid Hydrochloric — Normal**

3 **Acid Oxalic, Deci-Normal**

4 **Acid Sulphuric, Deci-Normal**

5 **Acid Sulphuric — Normal**

6 **Dimethylamidoazobenzol, Topfer's Test**

7 **Gunsburg's Test**

8 **Iodine,Deci-Normal**

9 **Methyl Orange, Indicator Solution**

10 **Phenolphthalein, Indicator Solution**

11 **Silver Nitrate, Deci-Normal**

12 **Sodium Hydroxide, Deci-Normal**

13 **Sodium Hydroxide — Normal**

14 **Sodium Thiosulphate, Deci-Normal**

The above test solutions are supplied in 4 oz. and 16 oz. bottles.

URINE TEST SOLUTIONS

1 **Acid Sulphosalicylic, 3%**

2 **Benedict's Qualitative Reagent, for Reducing Sugars**

3 **Benedict's Quantitative Reagent, for Reducing Sugars**

4 **Esbach's, Reagent for Albumin**

5 **Fehling's, Reagent for Glucose**
No. 1 Solution, Blue
No. 2 Solution, Colorless

6 **Nessler's, Reagent for NH_3 B.P. Formula**

7 **Obermeyer's, Test for Indican**

8 **Robert's, Reagent for Albumin, Peptone or Proteins in Urine**

The above urine test solutions are supplied in 4 oz. and 16 oz. bottles, larger quantities supplied on request.

Opto Brand

CHEMICALS and DRUGS

We list herewith most of the chemicals and drugs regularly employed in medical practice, but also carry in stock and are prepared to supply, at market prices, other items in technical, medicinal or chemically pure grades.

All items listed are sold at prices in effect on date orders reach our warehouses, and all prices are subject to change without notice.

Due to uncertainty of supplies in many lines, *All Orders* are *Subject* to our *Acceptance* at the Time they *Reach* our *Offices.*

List No

1 **Acetone,** N.F.

2 **Acetum Scillae,** B.P. 1948

ACIDS

3 **Acetic, Dilute,** B.P. 1953
6% W/W of CH_3 COOH

4 **Acetic,** B.P. 1953
33% W/W of CH_3 COOH

5 **Acetic, Glacial,** B.P. 1953
99% W/W of CH_3 COOH

6 **Boric,** B.P. 1953, Crystals or Powder

7 **Carbolic, Phenol,** B.P. 1953, Crystals or Liquified

8 **Citric,** B.P. 1953, Powdered or Crystals

9 **Hydrochloric, Dilute,** B.P. 1953
10% W/W of Hcl.

10 **Hydrochloric,** Reagent Grade

11 **Lactic,** B.P. 1953

12 **Nitric,** Reagent Grade

13 **Nitro-Hydrochloric Dilute,** B.P.C. 1949

14 **Oxalic,** B.P.C. 1934

15 **Phosphoric Dilute,** B.P. 1953
10% W/W of H_3PO_4

16 **Phosphoric,** B.P. 1953
Specific Gravity 1.75 — 89% W/W of H_3PO_4

17 **Picric — Trinitrophenol,** B.P.C. 1949
Due to the explosive nature of Trinitrophenol 15% water is added for safety during transportation. Must not be shipped by mail.

18 **Picric,** Trinitrophenol, Reagent Grade
With 10% of water added.

19 **Sulphosalicylic,** Pure Salicylsulfonic Acid

20 **Sulphosalicylic,** Reagent Grade Salicylsulfonic Acid

21 **Sulphuric,** Reagent Grade

22 **Tannic,** B.P. 1953

23 **Tartaric,** B.P. 1953

24 **Trichloracetic,** B.P. 1953

List No.

25 **Acriflavine Neutral Euflavone — Hartz**
26 **Adeps Lanae,** B.P. 1953 — Anhydrous Lanolin
27 **Adeps Lanae** — Hydrous, B.P. 1953, Lanolin

ALCOHOL

28 **Normal Butyl** — Propylcarbinol
29 **Absolute Methyl** — Reagent Grade free from Acetone
30 **Methyl** — Wood Alcohol
31 **Methylated — Methylated Spirits**
32 **Isopropyl**
33 **Alcohol, Rubbing Compound**

All Alcohols supplied in 16 oz., 80 oz. and 160 oz. bottles.

34 **Alum,** B.P. 1953
35 **Aluminium Acetate,** Basic Aluminium Subacetate
36 **Ammonia**
Aqua Ammoniae Fortior, U.S.P. XIV
Contains not less than 27% and not more than 29% by weight of NH_3.
37 **Ammonium Chloride,** B.P. 1953
38 **Balsam, Canada,** Liquid
39 **Balsam, Peru,** B.P.C. 1949
40 Pr **Barbitone,** B.P. 1953
41 **Barium Sulphate,** B.P. 1953
42 **Beeswax, White, Cera Alba,** B.P. 1953
43 **Beeswax, Yellow, Cera Flava,** B.P. 1948
44 **Benzidine,** Reagent Grade
45 **Benzidine Dihydrochloride,** Reagent Grade
46 **Benzine, Purified,** Petroleum Ether, B.P.C. 1934
47 **Benzol, Benzene,** B.P.C. 1949
48 **Bismuth Subcarbonate,** B.P. 1953
49 **Bismuth Subgallate,** B.P. 1953
50 **Bismuth Subnitrate,** N.F. IX
51 **Borax, Sodium Borate,** B.P. 1953
52 **Calamine, Prepared,** B.P. 1953
53 **Calcium Lactate,** B.P. 1953
54 **Calomel,** B.P. 1953 — Mercurous Chloride
55 **Camphor,** B.P. 1953
56 **Carbon Bisulphide, Technical**
57 **Carbon Tetrachloride, Technical**
58 **Chalk, Calcium Carbonate,** B.P. 1953
A. Heavy
B. Light
59 Pr **Chloral Hydrate,** B.P. 1953

Pr Prescription required for retail sales.

List No.

60 **Chloralone, Hartz Brand of Chloramine,** B.P. 1953

61 **Chloroform,** B.P. 1953

62 **Chloroform, Hartz for Anaesthesia**

63 ★ **Cocaine Hydrochloride,** B.P. 1953

64 **Cocoa Butter,** Oleum Theobromatis, B.P. 1953

65 ☆ **Codeine Phosphate,** B.P. 1953

66 **Collodion, Flexible, Hartz**
Approximately one and one-half times the strength of Collodion Flexile, B.P. 1953.

67 **Copper Sulphate**
Available in B.P. 1953, Reagent and Technical Grades.

68 **Creosol — See Specialties**

69 **Dextrose,** C.P. Anhydrous

70 **Ephalone Hydrochloride**
Hartz Brand of Ephedrine Hydrochloride, B.P. 1953.

72 **Ether, Hartz for Anaesthesia — See Specialties**

73 **Ether,** U.S.P. XIV

74 **Eucalyptol,** B.P. 1953

75 **Formaldehyde, Formalin**
Liquor Formaldehydi, B.P. 1953.

76 **Formin — See Hexamine**

77 **Gelatin,** B.P. 1953, Fine Granular

78 **Glucose, Liquid,** B.P. 1953

79 **Glycerin, C.P.,** B.P. 1953

80 **Green Soap,** Sapo Viridis — **See Specialties**

81 **Hexamine,** B.P.C. 1949, Formin

82 **Hydrogen Peroxide,** B.P. 1953 — Liquor Hydrogenii Peroxidi

83 **Ichtholone, Hartz Brand of Ammonium Ichthosulphonate**

84 **Iodine,** B.P. 1953

85 **Iodoform,** B.P. 1948

86 **Iron Sulphate,** B.P. 1953
Ferrous Sulphate, Granular

87 **Iron, Reduced,** B.P.C. 1949

88 **Iron and Ammonium Citrate,** B.P. 1953

89 **Keith's Dressing**

90 **Lead Acetate,** B.P. 1953, Sugar of Lead

91 **Linseed Meal,** B.P.C. 1949, Ground Flaxseed

92 **Magnesium Carbonate,** B.P. 1953
A. Heavy
B. Light

93 **Magnesium Oxide,** B.P. 1953
A. Heavy
B. Light

★ Narcotic signature required.

List No.

94 **Magnesium Sulphate,** B.P. 1953
Hartz Peerless Brand. Epsom Salts.

95 **Male Fern, Oleoresin,** Extractum Filicis, B.P. 1953

96 **Mandl's Paint,** B.P.C. 1949
Pigmentum Iodi Compositum.

97 **Menthol,** B.P. 1953
Natural Crystals.

98 **Mercury,** B.P. 1953, Redistilled

99 **Mercury Ammoniated,** B.P. 1953
White Precipitate.

100 **Mercury Bichloride,** B.P. 1953
Corrosive Sublimate,

101 **Methyl Salicylate,** B.P. 1953
Oil Wintergreen, Synthetic.

102 **Milk Sugar, Lactose,** B.P. 1953

103 ★ **Morphine Sulphate,** B.P. 1953

OILS

104 **Cade,** B.P. 1953
Juniper Tar Oil.

105 **Castor, Oleum Ricini,** B.P. 1953

106 **Cedarwood**
Microscopic for Immersion.

107 **Cloves,** B.P. 1953

108 **Cod Liver,** B.P. 1953

109 **Eucalyptus,** B.P. 1953

110 **Lemon,** B.P. 1953

111 **Linseed, Raw,** B.P. 1953

112 **Olive,** B.P. 1953

113 **Peppermint,** B.P. 1953

114 **Turpentine,** B.P. 1953

115 **Wintergreen — See Methyl Salicylate**

116 ★ **Opium, Powdered,** B.P. 1953

117 **Paraffin Wax**
Filtered and moulded into one pound cakes.
A. M.P. 118° — 120°F.
B. M.P. 123° — 125°F.
C. M.P. 128° — 130°F.
D. M.P. 133° — 136°F.

118 ℞ **Paraldehyde,** B.P. 1953

119 **Pepsin, Spongy Granular 1:3000**

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.

120 **Petrolatum, White**

121 **Petrolatum, Amber**

122 ℞ **Phenobarbital**
See Hypnolone, Specialties, pages 29-30.

123 **Plaster of Paris, Dental**

124 **Potassium Bicarbonate,** B.P. 1953

125 **Potassium Bichromate, Technical**

126 **Potassium Bromide,** B.P. 1953

127 **Potassium Citrate,** B.P. 1953

128 **Potassium Iodide,** B.P. 1953

129 **Potassium Nitrate,** B.P. 1953

130 **Potassium Permanganate,** B.P. 1953

131 **Potassium Thiocyanate,** Reagent Grade

132 **Procaine** — See Stocaine, Specialties, page 48

133 **Silver Nitrate,** B.P. 1953, Crystals

134 **Silver Protein,** Mild
Silver Nucleinate
See Argolone, Specialties, page 4.

135 **Soda Lime** — See Kinetolime and Metalime Specialties

136 **Sodium Benzoate,** B.P. 1953

137 **Sodium Biborate**
See Borax.

138 **Sodium Bicarbonate,** B.P. 1953

139 **Sodium Bromide,** B.P. 1953

140 **Sodium Carbonate,** Anhydrous, Reagent Grade

141 **Sodium Carbonate,** Crystals, Reagent Grade

142 **Sodium Chloride,** Reagent Grade

143 **Sodium Citrate,** B.P. 1953

144 **Sodium Citrate,** Reagent Grade

145 **Sodium Hydroxide,** B.P. 1953, Pellets

146 **Sodium Hyposulphite,** Sodium Thiosulphate U.S.P., XI

147 **Sodium Iodide,** B.P. 1953

148 **Sodium Nitrite,** U.S.P. XIV

149 **Sodium Nitroprusside,** Reagent Grade

150 **Sodium Perborate,** N.F. IX

151 **Sodium Phosphate,** Dibasic, B.P. 1953

152 **Sodium Phosphate,** Monobasic, U.S.P. XIV

153 **Sodium Salicylate,** B.P. 1953

154 **Sodium Salicylate,** Crystals, Reagent Grade

155 **Strontium Bromide,** N.F. IX

156 **Strychnine Sulphate,** N.F. IX

157 **Sugar of Milk,** Lactose, B.P. 1953

158 **Sulphur,** B.P. 1953
A. Precipitated
B. Sublimed

℞ Prescription required for retail sales.

List No.

159 **Talcum,** B. A

160 **Talcum — Glove Pdr., Sterilized** — See Specialties page 26

161 **Toluol,** Toluene, B.P.C. 1949

162 **Tragacanth,** B.P. 1953

163 **Tragacanth,** Hartz Opto Brand

164 **Water,** Distilled, Single Distillation
For better grade see Sterile, Triple Distilled—page 133.

165 **Witch Hazel,** Distilled Extract, N.F. IX

166 **Xylol,** Xylene, B.P.C. 1949
Free from water and acid.

167 **Zinc Oxide,** B.P. 1953

168 **Zinc Stearate,** B.P. 1953

169 **Zinc Sulphate,** B.P. 1953

DISPENSING SUPPLIES

PRESCRIPTION BOTTLES

Supplied in: Cabinet ovals, Screw Cap Finish.
King Ovals, Cork or Screw Cap Finish.

SIZE	
½ Ounce.	Two Gross Per Carton
1 Ounce.	Two Gross Per Carton
2 Ounce.	Two Gross Per Carton
3 Ounce.	One Gross Per Carton
4 Ounce.	One Gross Per Carton
6 Ounce.	Half Gross Per Carton
8 Ounce.	Half Gross Per Carton
12 Ounce.	Quarter Gross Per Carton (Screw Cap finish only)
16 Ounce.	Quarter Gross Per Carton

Caps and corks not included.

When ordering please specify style desired, i.e., cabinet oval or king oval and cork or screw cap finish; also if caps or corks are required.

BOXES — Cardboard

FOLDING, *Printed and ruled for directions*

SIZE	
Small	1-7/8" x 3/4" x 3/8"
Medium	1-7/8" x 1" x 1/2"
Large	2-3/8" x 1-7/16" x 9/16"

PILL BOXES — Square

No. 30	1-3/16"	No. 31X	1-3/4"
No. 31	1-1/2"	No. 31XX	2"

WHITE, Slide, Powder Boxes

SIZE	
No. 76½	2-5/16" x 1-5/16" x 11/16"
No. 77½	2-1/2" x 1-11/16" x 7/8"
No. 78½	2-13/16" x 1-7/8" x 15/16"
No. 79½	3" x 1 15/16" x 15/16"
No. 178½	3-1/4" x 2-1/4" x 1-1/8"

BOXES — Tin

Plain, Seamless, Ointment
Sizes available: ½ oz., 1 oz., 2 oz., 3 oz. and 4 oz.

Lacquered Tin, with affixed label on lid
Sizes available: ¼ oz., ½ oz., 1 oz., 2 oz., 3 oz. and 4 oz.

CORK SCALE



EXTRA GOOD QUALITY AND SPECIALLY SELECTED

Packed in Five Gross Bags

No. 1 For Homeo Vials	No. 6 For 6 oz. Bottles
No. 2 For ½ oz. Bottles	No. 7 For 8 oz. Bottles
No. 3 For 1 oz. Bottles	Nos. 3 to 5, Assorted
No. 4 For 2 and 3 oz. Bottles	Nos. 1 to 6, Assorted
No. 5 For 4 oz. Bottles	Nos. 3 to 6, Assorted

CAPSULES, *Empty, Hard Gelatin, White or Pink*

SIZE
No. 000
No. 00
No. 0
No. 1
No, 2
No. 3
No. 4
No. 5

ENVELOPES

For Powders, Open end, with gummed flap.

Size 4¼" x 2½". Plain, White. Printed and ruled for directions.

LABELS

Plain Prescription, Gummed and ruled for directions.

Size: Small, 2½" x 1-11/16". Large, 3-5/16" x 2-3/16".

LABELS

Strip, Gummed

"Poison". "For External Use Only". "Shake the Bottle".

PAPER, Best Quality Kraft Wrapping

In 9, 12, 15 or 18 inch Rolls

Colours: Brown, Green, White.

PAPER, for Powders

Packed in Boxes of 1000.

No.1—3¼" x 2½". No. 2—4" x 2¾". No. 3—4¼" x 3½". No. 4—5¾" x 4¼".



100



101



102

PRESCRIPTION LABELS

Specially printed to client's specifications

When ordering please state size, style and any change in wording such as *Office Hours, Phone No., etc.*, desired.



200



201



202

When ordering please state size, style and any change in wording such as *Office Hours, Phone No., etc.,* desired.



300



301



302

When ordering please state size, style and any change in wording such as *Office Hours, Phone No., etc.,* desired.



400



401



402

When ordering please state size, style and any change in wording such as *Offiice Hours, Phone No., etc.,* desired.

PHARMACOLOGICAL INDEX

Number opposite product name denotes catalogue page number.

ABSORBENTS

External — Protective

Baby Powder 6
Calgesone 11
Localone 34
Phenyl Iodide 42
Taroxone 50
Vulnulone 57

INTERNAL — TOXINS

Alugel 2
Alugel Pulvets 67
Bismalone 7
Bismuthone 8
Gastrolone Pulvets 89
Indigestion Powder Infants Pulvets 62
Intestinal Antiseptic—Infants Pulvets 62
Kayalone Emulsion 31
Magalone 35
Magalone Pulvets 95
Milk of Bismuth 38
Papaya Compound Pulvets 100
Trisilone Pulvets 115

ALTERATIVES

Acne Corrective Pulvets 66
Dermalone Ointone 19
Digestone Arseniated 20
Hepatic Pulvets 92
Phosiodol 43
Stomachic Pulvets 109

ANAESTHETICS

General

Chloroform Hartz Especially Purified for Anaesthesia 15
Ether Hartz Especially Purified for Anaesthesia 24

Local

Amolyn 3
Analgesone 3
Betuline 7
C.A.D.C. Local Anaesthetic 11
Cocaine Solvets 120
Picrocaine 44
Stocaine 48

ANALGESICS or ANODYNES

General

Acetylone—Infants Pulvets 60
Anodyne—Infants Pulvets 61
Anapyrone—Infants Pulvets 61
Antipyrin Pulvets 69
Black Haw Sedative 8-9
Chlorodyne 14-15
Chlorodyne Pulvets 79
Epyrone 23
Migraine Pulvets 97
Phenalone Pulvets 101
Phenalone with Codeine Pulvets 101

Local

Analgesone 3
Betuline 7
Dermalone Ointone 19
Menthalone Ointone 36
Neuritic Liniment 39
Phenyl Iodide 42
Rectol 46
Toothache Drops 53

ANAPHRODISIACS

Brovalone 10
Chloral Compound 14
Fibrolone 25
Sedative Hartz Pulvets 106

ANTACIDS

Alkalone 2
Alugel 67
Bismalone 7
Bismuthone 8
Corrective Cordial 17
Cream of Magnesia 17
Gastrolone Pulvets 89
Hydroxyl 28
Magalone 35
Magalone Pulvets 95
Neutralizing Pulvets 98

ANTHELMINTICS

Santonin & Calomel Pulvets 105
Vermolone Pulvets 116, 117
Worm Remover Infant Pulvets 63

ANTIPHLOGISTICS

Ichtholone 139
Thermotine 51

ANTIPRURITICS

Antipruriticum 4
Calgesone 11
Dermalone Ointone 19
Ichtholone 139
Rectocaine 130

ANTIPYRETICS

Acetylone Pulvets 64
Anapyrone Pulvets 61
Epyrone 23
Flulone Pulvets 89
Phenalone 5 gr. Pulvets 101

ANTIRHEUMATICS

Citro-Salone 15
Methidone 37
Phenalone with Codeine Pulvets 101
Rheumatism Pulvets 104
Salcarbone Pulvets 105

ANTISEPTICS and DISINFECTANTS

External

Antiseptic Powder 4
Argolone 4
Argolone Solvets 119
Benzalkone 6
Burn Dressing 10
Cetabrom 13
Cetabrom Detergent 13
Chloralone Solvets 119
Creosol 18
Chlorxylone 15
Chlorxylone Cream 15
Dermigerm 20
Epithelone 23
Euflavone Solvets 120
Flaverole 26
Flurochrom 26
Flurochrom Solvets 121
Germaform 26
Ichtholone 139
Iodolone 30
Iodine Ointone Stainless 30
Lavorone 33
Mersone 36
Methidone 37
Phenyl Iodide 42
Triseptol 53

Antiseptics and Disinfectants (Continued)

Internal

Alka Antiseptol 2
Astringone 5
Bismuth Compound 8
Kavalone Pulvets 95
Methylene Blue Comp. Pulvets ... 96
Thymolyptine 52
Urolone 55

ANTISPASMODICS

Brovalone 10
Magalone 35
Magalone Pulvets 95
Sedative Pulvets 106
Uterine Tonic Pulvets 116

ASTRINGENTS

External

Albasulphidi 2
Antiseptic Powder 4
Argolone 4
Argolone Solvets 119
Calgesone 11
Iodolone 30
Lavorone 33
Localone 34
Phenyl Iodide 42

Internal

Astringone 5
Bismuth Compound 8
Diarrhoea ℞ "A" Pulvets 83
Furunculone Pulvets 89

CARMINATIVES

Camalone 12
Chlorodyne 14
Colic Infantile Pulvets 80
Corrective Cordial 17

CATHARTICS

Aperient

Cream of Magnesia 17
Cream of Magnesia Pulvets 82
Fruit Saline Effervescent 136
Magnesium Citrate Effervescent ... 136
Saline Laxative Effervescent 136
Sodium Phosphate Effervescent ... 136

Cholagogue

Carbilone Pulvets 77
Chionanthus Compound 14
Hepatic Pulvets 92

Laxative

Corrective Cordial 17
Evacuant Special ℞ "A" Pulvets 87
Laxagrada 33
Laxogen Pulvets 95
Lubricol 34
Parola 40
Petrolone 41
Petrolone with Magnesia 41
Petrolone with Phenolphthalein ... 42
Rheitone 46
Rhubarb and Ipecac Pulvets 104

Purgative

Cathartic Special Pulvets 78
Vegetable Laxative Pulvets 116

CELL PROLIFERANTS

Epithelone 23

COUNTER-IRRITANTS

Analgesone 3
Betuline 7
Calefact 11
Neuritic Liniment 39

DEMULCENTS

Bismuthone 8
Oxymelone 40
Renaform 46

DEODORANTS

Alka Antiseptol 2
Colosan 16
Deodoro 19
Lavorone 33
Phenyl Iodide 42
Thymolyptine 52

DETERGENTS

Albasulphidi 2
Antiseptic Powder 4
Cetabrom Detergent 13
Dermigerm 20
Green Soap 27
Lusan 34
Sani-Sope 47

DIAPHORETICS

Chlorodyne 14
Cold Special Pulvets 80
Coryza ℞ "A" Pulvets 81
Dover's Powder Pulvets 86
Pavodeine Pulvets 100
Rhinitis Pulvets 104

DIGESTIVE

Carozyme 12
Digestone Acid 20
Digestone Alkaline 20
Digestone Aromatic Pulvets 85
Enzymolone 22
Flatulence Pulvets 89

DISINFECTANTS — SEE ANTISEPTICS

DIURETICS

Citro-Salone 15
Colcholone 16
Cystitis Elixir 18
Cystitis ℞ "A" Pulvets 82
Diuretic Elixir 21
Diuretic ℞ "A" Pulvets 85, 86
Pichimetto 44
Renaform 46
Thebarlone Pulvets 110
Theolone Pulvets 211
Theophylone Pulvets 111
Triplex Pulvets 115
Urolone 55
Uro-Vesical Pulvets 116

EMMENAGOGUES

Emmenagogue Pulvets 86, 87
Ergalone 23

EMOLLIENTS

Antipruriticum 4
Aseptico 4, 5
Baby Powder 6
Borated Emollient Lotion 9
Borolan 9
Burn Dressing 10
Dermal Lotion 19
Lanolin Cream 32
Protecto Cream 45
Protecto Lotion 45

EXPECTORANTS

Bronchitis Improved Pulvets 72
Broncholone 10
Calcium Iodized Pulvets 74
Cherry Cordial 13
Cherry Cordial without Morphine 13
Codeine Compound—Codelone ... 16
Diolone 21
Glyco-Thiocol 27
Herodine 27, 28
Heroin & Terpin Hydrate Elixir 28
Mistura Tussi 38
Oxymelone 40
Pertussalone 41
Stokes' Expectorant 49
Terpogen 50, 51
Tussilago Compound 54, 55
White Pine with Eucalyptol and Honey 58

GERMICIDES

Antiseptic ℞ "B" Solvets 119
Benzalkone 6
Cetabrom 13
Chloralone Solvets 119, 120
Chlorxylone 15
Chlorxylone Cream 15
Deodoro 19
Germaform 26
Mercide Solvets 121, 122
Mercuride Solvets 122
Mercylone Solvets 122, 123
Mersone 36, 37
Triseptol 53, 54

HAEMATINICS

Eastosol Catalytic Pulvets 86
Ferro-B Pulvets 88
Ferrone 25
Ferrone with Quinine and Strychnine 25
Haematone Pulvets 90
Sixavit Pulvets 106, 107

HAEMOSTATICS

Dicalcone Pulvets 84
Glucalone Pulvets 90

HYPNOTICS

Ambarlone Pulvets 67
Barbitone Pulvets 70
Butylone Pulvets 73, 74
Chloral Compound 14
Chloral Compound with Morphine 14
Hypnolone Elixir 29
Hypnolone Powder 29, 30
Hypnolone Pulvets 93, 94
Hypnolone-Sodium 30
Natribarb Pulvets 98
Pentalone Pulvets 100
Thyalone Pulvets 113, 114

LAXATIVES — SEE CATHARTICS

LUBRICANTS

Dermigerm 20
Lanolin Cream 32
Lubra-Septol 34

PARASITICIDES

Cutigen 18
Decalone Ointone 19
Decalone Powder 19
Dermalone 19
Keratolone 31, 32
Larkspurcide 33
Mercurolone 36
Scabenzone 47, 48
Scabide 48

PURGATIVES — SEE CATHARTICS

RUBEFACIENTS — SEE COUNTER-IRRITANTS

SCLEROSANTS

Quinine and Urethane 130
Sodium Morrhuate 132

SEDATIVES

Gastric

Bismalone 7
Bismuthone 8
Magalone 35
Magalone Pulvets 95, 96
Milk of Bismuth 38
Nausea B "A" Pulvets 98

Respiratory

Cherry Cordial 13
Cherry Cordial without Morphine 13
Codeine Compound (Codelone) 16
Diolone 21
Eucalone 24
Glyco-Thiocol 27
Herodine 27
Heroin and Terpin Hydrate 28
Menthalone Inhalant 36
Mistura Tussi 38
Terpogen 50, 51

Central Nervous System

Ambarlone 67
Black Haw Sedative 8, 9
Brovalone 10
Butylone 73
Chloral Compound 14
Chloral Compound with Morphine 14
Chlorodyne 14, 15
Fibrolone 25
Hyburlone 28
Hypnolone Powder 29, 30
Hypnolone Pulvets 93, 94
Hypnolone—Sodium 30
Pentalone 100
Secolone 106
Sedative Pulvets 106

STYPTICS — SEE HAEMOSTATICS

SUDORIFICS — SEE DIAPHORETICS

TONICS

General

Ferro-B Pulvets 88
Ferrone 25
Ferrone with Quinine and Strychnine 25
Maltalone with Cod Liver Oil
Vitamins and Red Bone Marrow 35
Morrhulone 38
Phosmalone 43
Sixavit Pulvets 106, 107

Heart

Difolone Pulvets 84, 85
Digitalin and Strychnine 21
Heart Tonic Pellets 91

Nerve

Hyburlone 28
Peptonated Hypophosphites 40, 41
Phosphorus and Lecithin 43
Phosiodol 43
Phostone 44

Stomach

Bitter Tonic 8
Camalone 12
Rheitone 46, 47

VASOCONSTRICTORS

Ephalone 3% Solution 22
Ephalone Nebulant 22
Ephalone Pulvets 87
Ephiazone Nasal Drops 22, 23
Ichtholone 139
Nasal Balm 39

VASODILATORS

Theolone Pulvets 111
Tensilone Pulvets 110
Theophylone Pulvets 111, 112

VERMICIDES & VERMIFUGES — SEE ANTHELMINTICS

VEHICLES

Carozyme 12
Enzymolone 22
Lactated Pepsin 32

THERAPEUTIC INDEX

This Index is not suggested as a complete classification, but we trust it will be of help in selecting desired medication. Numbers opposite product name denotes catalogue page number.

ABORTION (THREATENED)

Black Haw Sedative 8

ABRASIONS

Aseptico 4
Acriflavine Emulsion 1
Burn Dressing 10
Cetabrom 13
Chlorxylone 15
Mersone 36
Vulnulone 57

ABSCESSES

Externally

Antiseptic Powder 4
Dermigerm 80
Phenyl Iodide 42
Rectol 46
Thermotine 51
Thiazolone 5% 52
Thymolyptine 52
Triseptol 53

Internally

Acne Corrective Pulvets 66
Digestone Arseniated 20
Furunculone Pulvets 89
Glucalone Pulvets 90
Phosiodol 43

ACIDITY OF STOMACH

Alugel (Liquid and Pulvets) ... 2; 67
Bismalone 7
Cream of Magnesia 17
Hydroxyl 28
Magalone 35

ACIDOSIS

Alkalone 2
Alugel 2
Hydroxyl 28
Soda Mint Pulvets 107

ACNE

Externally

Acnelone 1
Albasulphidi 2
Dermalone 19
Ichtholone Ointone 139
Localone 34
Tarmalone 49

Internally

Acne Corrective Pulvets 66

ADHESIVE

Mastisol 35
Tectone 50

ADHESIVE REMOVER

Adhesive Remover 1

AFTER-PAIN

Phenalone with Codeine Pulvets ..... 62 and 101

ALBUMINURIA

Glucalone Pulvets 90
Renaform 46
Urolone 55

AMENORRHOEA

Emmenagogue Pulvets 86
Ergalone 23
Hyburlone 28
Stilbestrone Pulvets 109
Uterine Tonic Pulvets 116

ANAEMIA

Blaud Nascent ℞ "D" Pulvets ... 71
Eastosol Pulvets 86
Ferrone 25
Ferrone with Quinine and Strychnine 25
Ferro "B" Pulvets 88
Haematone Pulvets 90
Iron Citrate Amps 128
Peptonated Hypophosphites 40
Phosmalone 43

ANGINA PECTORIS

Also see Cardiac Disorders.

Amephabarb Pulvets 67
Difolone Pulvets 84
Heart Tonic Pellets 91
Thebarlone 110
Theolone Pulvets 111
Theophylone Pulvets 111

ANOREXIA — LOSS OF APPETITE

Bitter Tonic 8
Stomatone 49
Vitabolone Elixir 56
Vitabolone Pulvets 117

ARSENIC POISONING

Glucalone Pulvets 90

ARTHRITIS

Alkalone 2
Analgesone 3
Betuline 7
Citro-Salone 15
Colcholone 16
Neuritic Liniment 39
Rheumatism Pulvets 104
Salicylone 47
Sodium Iodide with Sodium Salicylate and Colchicine Ampoules 132
Urolone 55

ASTHMA

Ephalone Soln. 3% 22
Ephalone Nebulant 22
Ephalone Pulvets 87
Herodine 27
Menthalone Ointone 36
Phenephedrone 42
Theolone Pulvets 111
Tussilago Compound 54
Vapolone 56

ATHLETE'S FOOT (Epidermomycosis)

Burn Dressing 10
Decalone Powder and Cream 19
Dermalone 19
Keratolone No. 1 31

AVITAMINOSIS

Adamin ℞ "C" 1
Ascorbone Pulvets 69
Calphovit Pulvets 76
Infalone 30
Nicotinic Acid Pulvets 99
Plexone 45
Sixavit Pulvets 106
Vitabolone Elixir 56
Vitaplex 56

BARBER'S RASH

Mercurolone 36

BED SORES

Baby Powder 6
Borolan 9
Burn Dressing 10
Dermal Lotion 19
Epithelone 23
Lavo 33
Phenyl Iodide 42

BOILS

Acriflavine Emulsion 2
Acne Corrective Pulvets 66
Flaverole 26
Furunculone Pulvets 89
Glucalone Pulvets 90
Harcilone Ointone 27
Ichtholone Ointone 139
Thermotine 51

BRONCHITIS

Internally

Bronchitis Improved Pulvets 72
Broncholone 10
Herodine 27
Mistura Tussi 38
Morrhulone 38
Stokes' Expectorant 49
Terpogen 50
Tussilago Compound 54

Externally

Calefact 11
Eucalone 24
Menthalone Ointone 36
Thermotine 51
Vapolone 56

BRUISES

Externally

Aconite and Menthol Liniment 137
Analgesone 3
Betuline 7
Lavo 33
White Liniment 57

Internally

Phenalone with Codeine Pulvets 101

BURNS

Externally

Aseptico 4
Borolan 9
Burn Dressing 10
Dermalone 19
Epithelone 23
Harcilone Ointone 27
Menthalone Ointone 36
Morrhumel Ointone 39
Phenyl Iodide 42
Picrocaine 44
Thiazolone Emulsion 51
Ustol 55
Vulnulone 57

Internally

Phenalone Pulvets 101

CACHEXIA

Eastosol Pulvets 86
Ferrone 25
Peptonated Hypophosphites 40
Phosiodol 43
Phosmalone 43

CALCULI

Biliary

Carbilone Pulvets 77
Phenalone with Codeine Pulvets 101

Renal and Vesical

Citro-Salone 15
Cystitis Elixir 18
Pichimetto 44
Renaform 46
Uro-Cystine Pulvets 115
Urolone 55

CARBUNCLE (See Boils)

Furunculone Pulvets 10

CARDIAC DISORDERS

Amephabarb Pulvets 67
Difolone Pulvets 84, 85
Digitalin and Strychnine 21
Diuretic ℞ "A" Pulvets 85
Heart Tonic Pellets 91
Heart Tonic ℞ "B" Pulvets 91
Theolone Pulvets 111
Theophylone Pulvets 111

CATARRH

Externally

Alka-Antiseptol 2
Antipruriticum 4
Argolone 4
Ephalone Nebulant 22
Ephiazone 22
Eucalone 24
Menthalone Inhalant 36
Vapo-Antiseptol 55

Internally

Alkalone 2
Glyco-Thiocol 27

CHANCRE

Externally

Mercurolone 36
Phenyl Iodide 42
Rectol 46

Internally

Brovalone 10

CHAPPED SKIN

Aseptico 4
Baby Powder 6
Borated Emollient Lotion 9
Borolan 9
Dermal Lotion 19
Lanolin Cream 32
Lubra-Septol 34

CHILBLAINS

Externally

Ichtholone Ointone 139
Menthalone Ointone 36
Morrhumel 39

Internally

Calcium Lactate Pulvets 75
Glucalone Pulvets 90

CHLOROSIS (See Anaemia also)

Blaud Compound Improved Pulvets 71
Eastosol Pulvets 86
Peptonated Hypophosphites 40
Iron, Arsenic & Strychnine Amps 128

CHOLERA INFANTUM

Anodyne Infant Pulvets 61
Astringone 5
Bismuth Compound 8
Cholera Infantum Pulvets 79
Hydroxyl 28
Intestinal Antiseptic Infant Pulvets 62
Kayalone 31
Kayalone Emulsion 31

CHOLERA MORBUS

Bismuth Compound 8
Chlorodyne 14
Diarrhoea ℞ "A" Pulvets 83
Opium and Lead Pulvets 100

CHORDEE

Brovalone 10
Chloral Compound 14

CHOREA

Brovalone 10
Chloral Compound 14
Hypnolone Pulvets 93, 94
Phenalone with Codeine Pulvets 101

CIRRHOSIS

Carbilone Pulvets 77
Chionanthus Compound 14
Phylone Pulvets 102

CLIMACTERIC DISORDERS (Menopause)

Black Haw Sedative 8
Brovalone 10
Hyburlone 28
Phenalone with Codeine Pulvets 101
Uterine Tonic Pulvets 116

COLDS

Externally

Antipruriticum 4
Calefact 11
Eucalone 24
Menthalone Inhalant 36
Vapolone 56

Internally

Broncholone 10
Cold Special Pulvets 80
Flulone Pulvets 89
Mistura Tussi 38
Pavodeine Pulvets 100
Phenalone Pulvets 101
Rhinitis Pulvets 104
Tussilago Compound 54

COLIC

Intestinal

Astringone 5
Carbilone Pulvets 77
Chlorodyne 14
Colic Infantile Pulvets 80
Hydroxyl 28
Phenalone with Codeine Pulvets 101

Renal

Diuretic Pulvets 85
Phylone Pulvets 102
Renaform 46

COLITIS

Astringone 5
Bismuth Compound 8
Hydroxyl 28

CONJUNCTIVITIS

Argolone 4
Eye Water Kistler's 25
Ophthalmic Ointments 142

CONSTIPATION (See Laxatives also)

Carbilone Pulvets 77
Cathartic Special Pulvets 78
Laxagrada 33
Petrolone 41
Vegetable Laxative Pulvets 116

CONVALESCENCE

Bitter Tonic Elixir 8
Camalone 12
Morrhulone 38
Peptonated Hypophosphites 40

CORYZA (See Rhinitis)

COUGH

Externally

Analgesone 3
Calefact 11
Eucalone 24
Iodolone 30
Menthalone Ointone 36

Internally

Bronchitis Improved Pulvets 72
Broncholone 10
Cherry Cordial 13
Cherry Cordial without Morphine 13
Codeine Compound (Codelone) 16
Diolone 21
Eucaform Solvets 87
Glyco-Thiocol 27
Herodine 27
Heroin and Terpin Hydrate 28
Mistura Tussi 38
Oxymelone 40
Phenephedrone 42
Stokes' Expectorant 49
Terpogen 50
Throat Mentholated 113
Tussilago Compound 54

CROUP

Calcium Iodized Pulvets 74, 75
Eucalone 24
Pertussalone 41
Terpogen 50
Vapolone 56

CYSTITIS

Alkalone 2
Cystitis 18
Diuretic 21
Flurochrom 26
Kavalone Pulvets 95
Pichimetto 44
Renaform 46
Uro-Cystine Pulvets 115
Urolone 55

DEBILITY, GENERAL

Digestone Arseniated 20
Ferrone 25
Ferrone with Quinine and Strychnine 25
Maltalone with Vitamins A and D 35
Morrhulone 38
Peptonated Hypophosphites 40
Phosmalone 43
Phosphorus and Lecithin 43

DERMATITIS

Albasulphidi 2
Calgesone 11
Cutigen 18
Dermalone 19
Detergo 20
Epithelone 23
Localone 34
Mercurolone 37
Protecto Cream 45
Taroxone 50

DIABETES

Phenalone with Codeine Pulvets 101
Renaform 46
Saline Laxative 136

DIARRHOEA

Astringone 5
Bismuth Compound 8
Bismuthone 8
Diarrhoea ℞ "A" Pulvets 83
Diarrhoea "B" Pulvets 83
Gastrolone Pulvets 89
Hydroxyl 28
Kayalone Emulsion 31
Kayalone Powder 31
Milk of Bismuth 38
Opium and Lead Pulvets 100
Rheitone 46

DIPHTHERIA

Eucaform Pulvets 87
Iodolone 30

DROPSY

Amephabarb Pulvets 67
Cathartic Special Pulvets 78
Difolone Pulvets 84, 85
Diuretic ℞ "A" Pulvets 85
Thebarlone Pulvets 110
Theolone Pulvets 111
Theophylone Pulvets 111
Triplex Pulvets 115

DYSENTRY (See Diarrhoea)

DYSMENORRHOEA

Black Haw Sedative 8
Chlorodyne 14
Epyrone 23
Hyburlone 28
Uterine Tonic Pulvets 116

DYSPEPSIA

Bismalone 7
Bismuthone 8
Camalone 12
Carozyme 12
Corrective Cordial 17
Digestone Acid 20
Digestone Alkaline 20
Digestive Aromatic Pulvets 85
Enzymolone 22
Gastrolone Pulvets 89
Hydroxyl 28
Magalone Pulvets 35
Neutralizing Pulvets 98
Papaya Compound Pulvets 100
Rheitone 46

EARACHE

Aurolone 5
Keith's Dressing 161
Otolone 39

ECLAMPSIA

Hypnolone Pulvets 93, 94
Magnesium Sulphate Amps 128, 129

ECZEMA

Externally

Cutigen 18
Dermalone 19
Epithelone 23
Ichtholone Ointone 139
Localone 34
Mercurolone 37
Morrhumel 39
Taroxone 50

Internally

Digestone Arseniated 20

EPILEPSY

Chloral Compound 14
Chloral Compound with Morphine 14
Glucalone Pulvets 90
Hypnolone Elixir 29
Hypnolone Powder 29, 30
Hypnolone Pulvets 93, 94
Hypnolone, Sodium 30
Natribarb Pulvets 98

EYE DISEASES

Amolyn 3
Argolone Crystals 4
Argolone Solvets 119
Eye Water 25
Ophthalmic Ointments 142

FAINTING

Ammonia Inhalant Amps 3

FEVER

(see Antipyretics, Diaphoretics and Sedatives)

FISTULA OF ANUS

Antipruriticum 4
Rectol 46

FLATULENCE

Bismalone 7
Bismuthone 8
Chionanthus Compound 14
Flatulence Pulvets 89
Hydroxyl 28
Neutralizinz Pulvets 98
Papaya Compound Pulvets 100
Stomatone 49
Trisilone Pulvets 115

GASTRIC ULCER

Alkaline Sippy A and B Pulvets 66
Bismalone 7
Bismuthone 8
Gastrolone Pulvets 89
Magalone 35, 95
Papaya Compound Pulvets 100

GOITRE

Iodine Stainless 30
Methidone 37

GONORRHOEA

Antiseptic Powder 4
Argolone 4
Citro-Salone 15
Cystitis 18
Diuretic 21
Flurochrom 26
Kavalone Pulvets 95
Methylene Blue Compound Pulvets 96
Renaform 46
Triple Sulpha Suspension 54

GOUT

Alkalone 2
Analgesone 3
Betuline 7
Chionanthus Compound 14
Citro-Salone 15
Colcholone 16
Methidone 37
Urolone 55

HAY FEVER

Ephalone 3% Solution 22
Ephalone Nebulant 22
Ephalone Pulvets 87
Glucalone Pulvets 90
Menthalone Ointone 36
Nasal Balm 39
Pyrimalone Pulvets 102, 103
Vapo-Antiseptol 55

HEADACHE (See Migraine and Sedative)

Brovalone 10
Hyburlone 28
Phenalone Pulvets 101

HEMORRHAGE

Antiseptic Powder 4
Ergalone 23
Glucalone Pulvets 90

HEMORRHOIDS

Camalone 12
Laxagrada 33
Nuperlone Ointone 39
Phenol and Almond Oil 120
Rectol 46

HYPERTENSION

Chionanthus Compound 14
Hypnolone Pulvets 93, 94
Salsub 47
Sulphocyalone 49
Tensilone 110
Thebarlone Pulvets 110
Theolone Pulvets 111

HYSTERIA

Brovalone 10
Chloral Compound 14
Chloral Compound with Morphine 14
Hypnolone Elixir 29
Hypnolone Powder 29, 30
Hypnolone Pulvets 93, 94
Hypnolone Sodium 30
Sedative Pulvets 96
Thyalone Pulvets 113

IMPETIGO

Cetabrom Detergent 13
Dermalone 19
Harcilone Ointone 27
Mercurolone 37

IMPOTENCE

Phosphorus and Lecithin 43
Phostone 44
Pichimetto 44

INCONTINENCE

Incontinence Pulvets 94
Pichimetto 44

INFLUENZA

Acetylone Pulvets 60
Anapyrone Infant Pulvets 61
Anti-Grippe ℞ "B" Pulvets 68
Cold Special Pulvets 80
Eucalone 24
Flulone Pulvets 89
Iodolone 30
Nasal Balm 39
Phenalone Pulvets 101

INSOMNIA

Brovalone 10
Butylone Pulvets 73
Chloral Compound 14
Chloral Compound with Morphine 14
Fibrolone 25
Hypnolone Elixir 29
Hypnolone Powder 29, 30
Hypnolone Pulvets 93, 94
Hypnolone, Sodium 30
Natribarb Pulvets 98
Phosphorus and Lecithin 43
Thyalone Pulvets 113

JAUNDICE

Carbilone Pulvets 77
Chionanthus Compound 14
Hepatic Pulvets 92
Phylone Pulvets 102
Saline Laxative 136

LARYNGITIS

Acetyl-Sal Throat Solvets 118
Chloralone Solvets 119
Eucaform Pulvets 87
Eucalone 24
Iodolone 30
Lavorone 33
Rheumatism Pulvets 104
Salcarbone Pulvets 105
Vapolone 56

LEUCORRHOEA

Antiseptic Powder 4
Hyburlone 28
Pichimetto 44
Vaginal Cones 148

LUMBAGO

Alkalone 2
Analgesone 3
Betuline 7
Calefact 11
Citro-Salone 15
Colcholone 16
Neuritic Liniment 39
Phenalone with Codeine Pulvets 101
Rheumatism Pulvets 104
Thermotine 51
Urolone 55

MEASLES

Alkalone 2
Aseptico 4
Phenalone 101
Saline Laxative G. E. 136
Thymolyptine 52

MIGRAINE

Amilone Pulvets 67
Epyrone 23
Hyburlone 28
Migraine Pulvets 97
Phenalone Pulvets 101

MOUTH WASHES

Alka-Antiseptol 2
Lavorone 33
Thymolyptine 52

NAUSEA

Gastrolone Pulvets 89
Hydoxyl 28
Nausea Pulvets 98
Rheitone 46

NEPHRITIS

Cystitis 18
Pichimetto 44
Renaform 46
Thebarlone Pulvets 110
Theolone Pulvets 111
Theophylone Pulvets 111
Urolone 115

NEURALGIA

Analgesone 3
Betuline 7
Calefact 11
Chloral Compound 14
Chloral Compound with Morphine 14
Chlorodyne 14
Hyburlone 28
Ichtholone Ointone 139
Migraine Pulvets 97
Neuritic Liniment 39
Phenalone with Codeine Pulvets 101
Phosphorus and Lecithin 43
Rheumatism Pulvets 104

NEURASTHENIA

Peptonated Hypophophites 40
Phosiodol 43
Phosphorus and Lecithin 43
Phostone 44

OBESITY

Benzolone Pulvets 70
Chionanthus Compound 14
Obesolone Pulvets 99
Saline Laxative G. E. 136

OPHTHALMIA

Amolyn 3
Argolone 4
Eye Oil 24
Eye Water 25
Ophthalmic Ointments 142

PEDICULOSIS

Larkspurcide 33
Mercurolone 37
Tarmalone 49, 50

PERTUSSIS

Chloral Compound 14
Eucalone 24
Mistura Tussi 38
Pertussalone 41
Terpogen 50
Vapolone 56

PNEUMONIA

Analgesone 3
Anti-Grippe ℞ "B" Pulvets 68
Broncholone 10
Calcium Iodized Pulvets 75
Calefact 11
Phenalone with Codeine Pulvets 101
Thermotine 51
Thiazolone Pulvets 112
Triple Sulpha Suspension 54

PRURITIS

Antipruriticum 4
Antiseptic Powder 4
Calgesone 11
Dermalone 19
Glucalone Pulvets 90
Keratolone No. 1 31
Rectocaine Ampoules 130, 131
Rectol 46
Tarmalone 49, 50

PSORIASIS

Externally

Cutigen 18
Dermalone 19
Mercurolone 37
Rectol 46

Internally

Acne Corrective Pulvets 66
Alkalone 2
Digestone Arseniated 20
Ferrone 25

PYELITIS

Alkalone 2
Renaform 46
Urolone 55

RHEUMATISM

Alkalone 2
Analgesone 3
Betuline 7
Calefact 11, 12
Citro-Salone 15, 16
Colcholone 16
Ichtholone Ointone 139
Menthalone Ointone 36
Phenalone with Codeine Pulvets 101
Renaform 46
Rheumatism Pulvets 104
Salcarbone Pulvets 105
Salicylone Compound 47
Sodium Iodide with Sodium Salicylate and Colchicine 132
Urolone 55
White Liniment 57

RHINITIS

Alka-Antiseptol 2
Alkalone 2
Anti-Grippe ℞ "B" Pulvets 68
Argolone Solvets 119
Chloralone Solvets 119, 120
Cold Special Pulvets 80
Coryza Pulvets 81
Ephalone Nebulant 22
Eucalone 24
Flulone Pulvets 89
Menthalone Inhalant 36
Nasal Balm 39
Pavodeine Pulvets 100
Phenalone Pulvets 101
Rhinitis Pulvets 104
Thymolyptine 52
Vapo-Antiseptol 55
Vapolone 56

RICKETS

Glucalone Pulvets 90
Maltalone with Vitamins A & D 35
Morrhulone 38
Phosiodol 43
Phosmalone 43

RINGWORM

Dermalone 19
Iodine Stainless 30
Keratolone 31
Mercurolone 37

SCABIES

Mercurolone 37
Scabenzone 47, 48
Scabide 48
Tarmalone 49, 50

SCIATICA

Externally

Analgesone 3
Betuline 7
Calefact 11, 12
Methidone 37, 38
Neuritic Liniment 39

Internally

Alkalone 2
Colcholone 16
Phenalone with Codeine Pulvets 101
Rheumatism Pulvets 104
Urolone 55

SEA-SICKNESS

Alkalone 2
Bismuthone 8
Brovalone 10
Chloral Compound 14
Gastrolone Pulvets 89, 90
Nausea ℞ "A" Pulvets 98
Thyalone Pulvets 113, 114

SPRAINS

Aconite and Chloroform 137
Analgesone 3
Betuline 7
Calefact 11, 12
Neuritic Liniment 39
White Liniment 57

SUNBURN

Aseptico 4, 5
Borated Emollient Lotion 9
Borolan 9
Burn Dressing 10
Calgesone 11
Dermal Lotion 19
Epithelone 23
Lanolin Cream 32
Localone 34
Vulnulone 57

TEETHING

Pulvets for Infants 60

TONSILLITIS

Acetyl-Sal Throat Solvets 118
Eucaform Pulvets 87
Eucalone 24
Iodolone 30, 31
Phenalone Pulvets 101
Salcarbone Pulvets 105
Vapolone 56

TOOTHACHE

Phenalone with Codeine Pulvets ... 101
Toothache Drops 53

TUBERCULOSIS

Bronchitis Improved Pulvets 72, 73
Glucalone Pulvets 90
Glyco-Thiocol 27
Maltalone with Vitamins A & D 35
Morrhulone 38
Phosiodol 43
Terpogen 50, 51

ULCERS

Externally

Aseptico 4, 5
Chloralone Solvets 119
Epithelone 23
Phenyl Iodide 42, 43
Vulnulone 57

Internally

(See Gastric Ulcers)

URTICARIA

Alkalone 2
Calcium Lactate Pulvets 75
Cathartic Special Pulvets 78
Glucalone Pulvets 90
Ichtholone Ointone 139
Keratolone No. 1 31
Mercurolone 37
Saline Laxative 136

VOMITING

Bismuthone 8
Brovalone 10
Chloral Compound 14
Gastrolone Pulvets 89, 90
Papaya Compound Pulvets 100
Thyalone Pulvets 113, 114

WHOOPING COUGH (See Pertussis)

WORMS (See Anthelmintics)

WOUNDS

Aseptico 4, 5
Chloralone Solvets 119, 120
Epithelone 23
Flaverole 26
Mastisol 35, 36
Phenyl Iodide 42, 43
Tectone 50
Thiazolone 51, 52
Vulnulone 57

Information

Prices Subject to Revision

Prices listed are subject to change without notice. Our products are sold subject to prices in effect on date orders are received.

The prices shown in this catalogue are list prices and are subject to the usual trade discounts. Excise and Sales Taxes are not included and must be added when applicable.

Containers not Returnable

We use new containers only for packing our products and cannot accept any empty containers for credit.

Loose Labels

We assume responsibility for goods bearing our label and the necessity of having all labelling done under the supervision of our Finishing Department will therefore be appreciated and is the reason for our refusal to supply loose labels under any conditions.

Shipping Instructions

In the absence of definite instructions we endeavour to effect delivery of goods by the safest and most economical route.

Freezable Goods

Transportation systems do not accept freezable goods for freight shipment during winter months even at Purchaser's Risk. From October first until May first we are obliged to ship such goods by express *only*.

May we suggest the advisability of our clients anticipating their winter's requirements of freezable items so as to take advantage of freight shipment before danger of frost necessitates express shipments.

Shortage, Breakage, Etc.

Carefully examine packing material when unpacking shipments as small packages are easily overlooked. In case of shortage please notify us promptly.

Transportation companies act as agents of the purchaser, and although our responsibility ceases when the transportation company accepts goods at our warehouses for delivery to clients, we shall always do our utmost to expedite delivery and assist clients in the collection of claims against transportation companies for damage or non-delivery.

Our goods are double checked before being carefully packed and are handed to transportation companies in good condition, and responsibility for breakage or damage is at once assumed by such carriers to whom all claims should be addressed.

If goods arrive in damaged condition or show evidence of rough handling have damage noted on your expense receipt. If damage does not become apparent until goods are unpacked have concealed damage noted on expense bill.

Returned Goods

Before returning goods please notify us of your desire to do so and obtain our shipping instructions.

We cannot receive for credit opened packages, but will be glad to exchange, for other goods, all unopened packages of our products which have been shipped from our laboratories within one year, provided original seals and labels have not been tampered with and that they have not been unduly exposed to heat, cold, moisture or sunlight, and that return is made with transportation charges prepaid.

PRICE LIST

SPECIALTIES

List No.			16 Fl. Ozs.	80 Fl. Ozs.	160 Fl. Ozs.
1	ACNELONE — OINTONE				
	2¼ oz. jar	$ 1.20 ea.			
		13.45 doz.			
	16 oz. jar	5.20 ea.			
2	ACRIFLAVINE EMULSION 1:1000		$ 2.10	$ 8.50	$16.00
3	ADAMIN B "C"				
	2 oz. dropper bottle (Sales Tax Exempt)	4.00 ea.			
4	ADHESIVE REMOVER—Stokes'		1.20	4.40	8.00
5	ALBASULPHIDI		1.60	6.80	12.80
6	ALKA ANTISEPTOL		1.10	4.40	8.00
7	ALKALONE				
	4 oz. bottle	1.05 ea.			
		12.00 dz.			
	8 oz. bottle	1.60 ea.			
		18.25 dz.			
8	ALUGEL		1.35	5.20	9.60
9	AMMONIA INHALANT AMPOULES				
	Box of 6 amps	1.20 ea.			
	Box of 100 amps	12.80 ea.			
10	AMOLYN 2%				
	1 oz. bottle	1.60 ea.			
11	ANALGESONE CREAM				
	800 gr. tube	1.30 ea.			
		14.40 dz.			
	4 oz. jar	1.45 ea.			
	16 oz. jar	4.00 ea.			
12	ANALGESONE—OINTONE				
	400 gr. tube	.65 ea.			
		6.40 dz.			
	840 gr. tube	.70 ea.			
		8.00 dz.			
	4 oz. jar	1.05 ea.			
	16 oz. jar	3.20 ea.			
13	ANTIPRURITICUM—OINTONE				
	290 gr. tube	.65 ea.			
		6.40 dz.			
	4 oz. jar	.95 ea.			
	16 oz. jar	3.20 ea.			
14	ANTISEPTIC POWDER				
	4 oz. bottle	.80 ea.			
		8.00 dz.			
	16 oz. bottle	1.75 ea.			
15	ARGOLONE				
	1 oz. bottle	3.20 ea.			
	2 oz. bottle	6.10 ea.			
	4 oz. bottle	12.00 ea.			
16	AROMATIC ELIXIR (Clear or Red)		1.10	4.15	7.50
17	ASEPTICO—OINTONE				
	935 gr. tube	.80 ea.			
		8.65 dz.			
	4 oz. jar	.80 ea.			
	15 oz. jar	1.75 ea.			

List No.			16 Fl. Ozs.	80 Fl. Ozs.	160 Fl. Ozs.
18	ASEPTONE DETERGENT		1.30	4.40	8.00
19	ASTRINGONE		1.90	7.35	13.75
20	AURALONE		12.00	48.00	
	½ oz. dropper bottle	.90 ea. 9.60 dz.			
	1 oz. dropper bottle	1.30 ea. 14.40 dz.			
	2 oz. dropper bottle	2.10 ea. 24.00 dz.			
	4 oz. bottle	3.60 ea.			
	8 oz. bottle	6.40 ea.			
21	BABY OIL—HARTZ		1.60	6.80	12.80
22	BABY POWDER—HARTZ				
	2½ oz. Shaker Top Tin	.55 ea. 5.75 dz.			
	10 oz. Shaker Top Tin	1.10 ea. 12.80 dz.			
	(Subject to 10% Cosmetic Tax)				
23	BARILONE				
	1 lb. package	.95 ea.			
	5 lb. package	4.00 ea.			
24	BENZALKONE 16% w/v SOLN.		4.80	21.60	40.00
	4 fl. oz.	1.45 ea.			
25	BENZALKONE 1:1000 AQUEOUS SOLN.		1.60	4.80	8.00
	4 fl. oz.	.70 ea.			
26	BENZALKONE 1:1000 TINCTURE (Tinted)		1.75	7.20	12.80
	4 fl. oz.	.80 ea.			
27	BENZALKONE 1:1000 TINCTURE (Untinted)		1.75	7.20	12.80
	4 fl. oz.	.80			
28	BENZOCIDE				
	1 lb. tin	.80 ea.			
	5 lb. tin	3.60 ea.			
29	BETULINE		2.80	10.00	19.20
30	BISMALONE				
	3 oz. Dispensing tin	.90 ea. 9.30 dz.			
	1 lb. bottle	3.60 ea.			
31	BISMUTH COMPOUND		2.55	10.00	18.40
32	BISMUTHONE				
	2½ oz. Dispensing bottle	.90 ea. 9.30 dz.			
	1 lb. bottle	4.00 ea.			
33	BITTER TONIC ELIXIR		1.30	4.20	9.30
34	BLACK HAW SEDATIVE		2.40	9.60	18.25
35	BONE WAX—ASEPTIC				
	2 oz. Glass Stoppered jar	2.40 ea.			
36	BORATED EMOLLIENT LOTION (Subject to 10% Cosmetic Tax)		1.50	6.25	11.75
37	BOROLAN—OINTONE				
	916 gr. tube	.70 ea. 7.70 dz.			
	4 oz. jar	.95 ea.			
	16 oz. jar	3.20 ea.			
38	BROMO-VALERIAN ELIXIR		2.10	6.40	11.80
39	BRONCHOLONE		2.00	6.00	10.40

List No.			16 Fl. Ozs.	80 Fl. Ozs.	160 Fl. Ozs.
40	BROVALONE		2.80	8.00	14.40
41	BURN DRESSING Stokes'				
	990 gr. tube	.70 ea.			
		7.20 dz.			
	2500 gr. tube	1.60 ea.			
		18.40 dz.			
42	C.A.D.C. LOCAL ANAESTHETIC				
	2 c.c. amps	1.60 dz.			
		11.20 box of 100			
	33 cc.. Rubber Capped vial	1.20 ea.			
43	C.A.D.C. LOCAL ANAESTHETIC B "A" Half Strength				
	2 c.c. amps	1.60 dz.			
		11.20 box of 100			
	33 c.c. Rubber Capped vial	1.20 ea.			
44	C.A.D.C. LOCAL ANAESTHETIC B "B" Without Epinephrine				
	2 c.c. amps	1.60 dz.			
		11.20 box of 100			
	33 c.c. Rubber Capped vial	1.20 ea.			
45	C.A.D.C. LOCAL ANAESTHETIC B "C" Half Strength without Epinephrine				
	2 c.c. amps	1.60 dz.			
		11.20 box of 100			
	33 c.c. Rubber Capped vial	1.20 ea.			
46	CALGESONE—OINTONE				
	2 oz. tube	.90 ea.			
		9.20 dz.			
	4 oz. jar	1.35 ea.			
	16 oz. jar	4.40 ea.			
47	CALEFACT—OINTONE				
	390 gr. tube	.70 ea.			
		7.75 dz.			
	775 gr. tube	1.05 ea.			
		11.05 dz.			
	4 oz. jar	.95 ea.			
	16 oz. jar	2.95 ea.			
48	CALSOLONE				
	1 lb. carton	1.60 ea.			
	5 lb. carton	1.10 lb.			
	10 lb. carton	.95 lb.			
	25 lbs.	.80 lb.			
	50 lbs.	.65 lb.			
49	CAMALONE		1.60	6.80	12.80
50	CAROZYME		1.75	7.35	14.40
51	CASCARA AROMATIC		1.90	7.70	14.40
52	CETABROM POWDER				
	4 oz. container	3.20 ea.			
	1 lb. container	9.30 ea.			
	5 lb. container	8.80 lb.			
53	CETABROM DETERGENT		2.40	6.40	9.60
54	CETABROM TINCTURE 1:200 (Tinted)		3.20	12.80	23.70
55	CETABROM TINCTURE 1:200 (Untinted)		3.20	12.80	23.70
56	★ CHERRY CORDIAL		1.60	6.40	11.20
57	CHERRY CORDIAL without Morphine		1.45	5.60	9.60

★ Narcotic signature required.

List No.			16 Fl. Ozs.	80 Fl. Ozs.	160 Fl. Ozs.
58	CHIONANTHUS COMPOUND ELIXIR		2.00	8.00	15.20
59	★CHLORAL COMPOUND—LIQUOR		2.55	11.20	21.85
60	★CHLORAL COMPOUND with MORPHINE—LIQUOR		3.20	14.40	27.75
61	★CHLORODYNE		6.80	32.00	62.40
62	CHLOROFORM FOR ANAESTHESIA				
	4 oz. bottle	.95 ea.			
	8 oz. bottle	1.60 ea.			
	1 lb. bottle	2.80 ea.			
63	CHLORXYLONE		1.45	4.40	8.00
64	CHLORXYLONE CREAM				
	5 oz. tube	1.30 ea.			
		14.40 dz.			
	8 oz. Dispenser-top bottle	1.60 ea.			
	5 lb. jar	6.40 ea.			
65	CITRO-SALONE		2.00	8.40	16.00
66	★ CODELONE		2.40	9.20	17.60
67	COLCHOLONE		2.40	8.40	16.00
68	COLOSAN				
	8 oz. bottle	.95 ea.			
	16 oz. bottle	1.60 ea.			
69	CONTRASEPTONE				
	With Applicator Tube	1.45 ea.			
		15.35 dz.			
	Without Applicator Tube	.80 ea.			
		8.80 dz.			
70	CORRECTIVE CORDIAL		1.75	8.00	15.20
71	CREAM OF MAGNESIA		.80	2.80	4.80
72	CREOSOL		.90	2.95	5.05
	(Sales Tax exempt)				
73	CUTIGEN		1.60		
74	CYSTITIS—ELIXIR		1.70	7.50	14.25
75	DECALONE—OINTONE				
	400 gr. tube	1.05 ea.			
		11.50 dz.			
	4 oz. jar	3.60 ea.			
	16 oz. jar	12.00 ea.			
76	DECALONE—POWDER				
	2½ oz. Shaker Top tin	.90 ea.			
		20.15 dz.			
	16 oz. bottle	9.90 ea.			
77	DEODORO		1.90	7.70	13.60
78	DERMAL LOTION—Stokes'		1.45	5.20	9.60
	(Subject to 10% Cosmetic Tax)				
79	DERMALONE—OINTONE				
	2 oz. jar	.95 ea.			
		10.55 dz.			
	4 oz. jar	1.45 ea.			
	16 oz. jar	4.80 ea.			
80	DERMIGERM		1.20	3.75	6.40
81	DETERGO—SKIN CLEANSER				
	40 fl. oz.	2.80		4.40	8.00
82	DIGESTONE—ACID		2.10	8.00	14.70

★ Narcotic signature required.

List No.			16 Fl. Ozs.	80 Fl. Ozs.	160 Fl. Ozs.
83	DIGESTONE—ALKALINE		1.75	7.20	13.45
84	DIGESTONE—ARSENIATED		2.10	8.15	15.50
85	DIGITALIN AND STRYCHNINE—ELIXIR		2.00	8.00	15.20
86	★ DIOLONE		2.40	8.95	16.80
87	DIURETIC—ELIXIR		2.00	7.60	14.40
88	ELECTRODE LUBRICANT				
	Type "A"—With Abrasive				
	5½ oz. tube	1.60 ea.			
		17.30 dz.			
89	ELECTRODE LUBRICANT				
	Type "B"—Without Abrasive				
	5½ oz. tube	1.60 ea.			
		17.30 dz.			
90	ENZYMOLONE		1.90	8.00	15.05
91	EPHALONE NEBULANT		4.80		
	1 oz. bottle	.65 ea.			
	2 oz. bottle	.95 ea.			
	4 oz. bottle	1.45 ea.			
92	EPHALONE 3% SOLUTION		8.90		
	1 oz. bottle	.90 ea.			
	2 oz. bottle	1.35 ea.			
	4 oz. bottle	2.30 ea.			
93	Pr EPHIAZONE NAZAL DROPS		6.40		
	1 oz. dropper bottle	.95 ea.			
94	EPITHELONE—OINTONE				
	375 gr. tube	.65 ea.			
		6.40 dz.			
	4 oz. jar	1.10 ea.			
	16 oz. jar	3.35 ea.			
95	Pr EPYRONE		2.95	12.55	24.30
96	Pr ERGALONE		14.40		
	4 oz. bottle	3.70 ea.			
97	ETHER FOR ANAESTHESIA—Hartz				
	¼ lb. tin	.88 ea.			
	½ lb. tin	1.58 ea.			
	1 lb. tin	2.92 ea.			
98	EUCALONE		3.20	13.60	25.60
99	EUCERONE—OINTONE				
	4 oz. jar	.80 ea.			
	16 oz. jar	2.00 ea.			
100	EYE OIL—Stokes'		3.85		
	2 oz. bottle	.65 ea.			
	4 oz. bottle	1.10 ea.			
101	EYE WATER—KISTLER'S		1.20		
102	FERRONE		1.60	6.80	12.80
103	FERRONE WITH QUININE AND STRYCHNINE		2.40	10.00	18.40
104	FIBROLONE		2.40	10.40	20.15
105	FLAVEROLE		3.45	16.00	30.40
106	FLUROCHROM				
	10 gramme bottle	1.30 ea.			
	1 oz. bottle	2.90 ea.			

★ Narcotic signature required.

Pr Prescription required for retail sales.

List No.			16 Fl. Ozs.	80 Fl. Ozs.	160 Fl. Ozs.
107	GERMAFORM			5.30	9.60
	40 fl. oz.	2.80			
107-A	GLOVE POWDER—STERILIZED				
	16 oz. Shaker-top tin	.65 ea.			
		6.40 dz.			
	5 lb. carton	2.40 ea.			
108	★ GLYCO-THIOCOL		3.20	14.40	27.60
109	GREEN SOAP—SOLID				
	1 lb jar	.95 ea.			
	6 lb. jar	.65 lb.			
	30 lb. pail	.50 lb.			
	Prices on 125 and 450 lb. drums quoted on request. (Drums are charged extra and returnable for refund)				
110	GREEN SOAP—LIQUID		1.60	3.60	5.60
	5 gal. tin	4.80 gal.			
	Prices on 25 and 45 gal. drums quoted on request. (Drums are charged extra and returnable for refund)				
111	Pr HARCILONE—OINTONE				
	350 gr. tube	1.05 ea.			
		11.50 dz.			
	4 oz. jar	2.80 ea.			
	16 oz. jar	9.60 ea.			
112	★ HERODINE		2.80	9.75	18.40
113	★ HEROIN AND TERPIN HYDRATE—ELIXIR		2.40	10.80	20.80
114	HYBURLONE		2.10	8.80	16.80
115	HYDROXYL		2.00	6.40	12.00
116	Pr HYPNOLONE—ELIXIR ℞ "A"		1.60	6.80	12.80
117	Pr HYPNOLONE—ELIXIR ℞ "B"		1.75	7.20	13.60
118	Pr HYPNOLONE—ELIXIR ℞ "C"		2.00	8.00	15.20
119	Pr HYPNOLONE—POWDER				
	1 oz. bottle	1.30 ea.			
	4 oz. bottle	4.50 ea.			
120	Pr HYPNOLONE-SODIUM—POWDER				
	1 oz. bottle	1.35 ea.			
	4 oz. bottle	4.80 ea.			
121	INFALONE				
	10 oz. bottle	3.20 ea.			
122	IODINE—OINTONE STAINLESS				
	4 oz. jar	.80 ea.			
	16 oz. jar	2.00 ea.			
123	IODINE APPLICATOR AMPOULES				
	Box of 6 amps.	1.20 ea.			
	Box of 12 amps.	2.10 ea.			
124	IODOLONE		2.00	7.60	14.40
125	KAYALONE—POWDER				
	4 oz. bottle	.80 ea.			
	16 oz. bottle	2.40 ea.			
126	KAYALONE—EMULSION		2.00	8.00	15.35
127	KERATOLONE—OINTONE No. 1				
	4 oz. jar	1.30 ea.			
	16 oz. jar	4.15 ea.			

★ Narcotic signature required.

Pr Prescription required for retail sales.

List No.			16 Fl. Ozs.	80 Fl. Ozs.	160 Fl. Ozs.
128	KERATOLONE—OINTONE No. 2				
	4 oz. jar	1.05 ea.			
	16 oz. jar	3.05 ea.			
129	KINETOLIME—PLAIN				
	5 lb. jar	1.30 lb.			
	35 lb. tin	.90 lb.			
130	KINETOLIME—INDICATING				
	5 lb. jar	1.30 lb.			
	35 lb. tin	.90 lb.			
131	LACTATED PEPSIN—ELIXIR		1.05	4.00	7.20
132	LANOLIN CREAM—Stokes'				
	4 oz. jar	.80 ea.			
	16 oz. jar	2.55 ea.			
133	LARKSPURCIDE		2.40	10.40	19.20
134	LAVO		.95	3.60	6.40
135	LAVORONE		1.10	4.15	7.50
136	LAXAGRADA		3.35	15.20	29.60
137	LOCALONE		1.60	5.20	9.60
138	LUBRA-SEPTOL				
	1040 gr. tube	.75 ea. 7.40 dz.			
	2600 gr. tube	1.05 ea. 12.00 dz.			
139	LUBRICOL		.95	3.60	5.60
140	LUSAN				
	1 lb. bottle	2.40 ea.			
	5 lb. carton	2.00 lb.			
141	Pr MAGALONE		2.40	9.60	16.80
142	MALTALONE WITH RED BONE MARROW AND COD LIVER OIL VITAMINS				
	10 oz. jar	1.30 ea.			
	20 oz. jar	2.25 ea.			
	40 oz. jar	3.90 ea.			
143	MASTISOL				
	4 oz. bottle	1.75 ea.			
	8 oz. bottle	3.20 ea.			
	16 oz. bottle	6.00 ea.			
144	MENTHALONE—LIQUID INHALANT		6.70		
	1 oz. bottle	.80 ea.			
	2 oz. bottle	1.30 ea.			
	4 oz. bottle	1.90 ea.			
	8 oz. bottle	3.50 ea.			
145	MENTHALONE—OINTONE				
	400 gr. tube	.80 ea. 8.65 dz.			
	4 oz. jar	1.30 ea.			
	16 oz. jar	4.15 ea.			
146	MERCUROLONE—OINTONE				
	467 gr. tube	.65 ea. 6.40 dz.			
	4 oz. jar	.80 ea.			
	16 oz. jar	2.40 ea.			

Pr Prescription required for retail sales.

List No.			16 Fl. Ozs.	80 Fl. Ozs.	160 Fl. Ozs.
147-A	MERSONE SOLUTION 1:1000		2.40	9.30	17.30
147-B	MERSONE—TINCTURE 1:1000		2.55	10.40	19.20
148	METALIME—PLAIN				
	5 lb. jar	1.30 lb.			
	40 lb. tin	.90 lb.			
149	METALIME—INDICATING				
	5 lb. jar	1.30 lb.			
	40 lb. tin	.90 lb.			
150	METHIDONE—OINTONE				
	1 oz. tube	.80 ea.			
		8.65 dz.			
	4 oz. jar	.90 ea.			
	16 oz. jar	2.55 ea.			
151	MILK OF BISMUTH		2.40	9.60	17.60
152	★ MISTURA TUSSI		2.80	8.00	14.40
153	MORRHULONE		1.60	6.40	11.20
154	MORRHUMEL—OINTONE				
	400 gr. tube	.65 ea.			
		6.40 dz.			
	4½ oz. tube	1.50 ea.			
		16.80 dz.			
	4 oz. jar	1.20 ea.			
	16 oz. jar	3.60 ea.			
155	NASAL BALM				
	300 gr. Nasal tube	.65 ea.			
		6.70 dz.			
156	NEURITIC LINIMENT—Stokes'		4.40	20.00	38.40
157	NUPERLONE—OINTONE				
	390 gr. tube	1.05 ea.			
		11.50 dz.			
	4 oz. jar	2.00 ea.			
	16 oz. jar	6.80 ea.			
158	OTOLONE		15.60	64.00	
	1 oz. dropper bottle	1.70 ea.			
		19.20 dz.			
	2 oz. dropper bottle	2.50 ea.			
		28.80 dz.			
	4 oz. bottle	4.40 ea.			
	8 oz. bottle	8.00 ea.			
159	OXYMELONE		1.75	6.00	10.40
160	PAROLA		1.30	4.65	8.40
161	PEPTONATED HYPOPHOSPHITES		2.40	7.20	13.60
162	PERTUSSALONE		2.10	8.40	15.10
163	PETROLONE—PLAIN		1.35	5.05	9.20
164	PETROLONE WITH MAGNESIA		1.05	3.85	6.70
165	PETROLONE WITH PHENOLPHTHALEIN		1.50	6.25	11.75
166	PHEDROSE SPRAY		9.30		
	1 oz. bottle	.80 ea.			
	2 oz. bottle	1.50 ea.			
	4 oz. bottle	2.90 ea.			
	8 oz. bottle	5.45 ea.			

★ Narcotic signature required.

List No.			16 Fl. Ozs.	80 Fl. Ozs.	160 Fl. Ozs.
167	**Pr** PHENEPHEDRONE		1.90	6.80	12.80
168	PHENYL IODIDE				
	6 gramme Shaker-top tin	.40 ea.			
		4.00 dz.			
	1¼ oz. Shaker-top tin	.80 ea.			
		8.65 dz.			
	16 oz. bottle	7.70 ea.			
169	PHOSIODOL		1.60	6.80	12.80
170	PHOSMALONE		1.60	6.80	12.80
171	PHOSPHORUS AND LECITHIN—ELIXIR		1.50	6.30	11.75
172	PHOSTONE		2.40	8.80	16.80
173	PICHIMETTO		2.25	9.20	17.60
174	PICROCAINE—OINTONE				
	400 gr. tube	.70 ea.			
		7.20 dz.			
	800 gr. tube	.95 ea.			
		10.55 dz.			
	4 oz. jar	1.30 ea.			
	16 oz. jar	3.85 ea.			
175	PLEXONE		4.00	17.60	33.60
176	★ POISON IVY LOTION		2.55	10.90	19.20
177	PROTECTO CREAM				
	4 oz. jar	1.60 ea.			
	16 oz. jar	4.00 ea.			
178	PROTECTO LOTION		2.40	8.00	15.20
	8 oz. Dispensing bottle	1.60			
179	★ RECTOL—OINTONE				
	1 oz. tube	1.30 ea.			
		14.40 dz.			
	4 oz. jar	2.25 ea.			
	16 oz. jar	8.00 ea.			
180	RENAFORM		2.00	8.00	14.40
181	RHEITONE		1.75	6.10	11.20
182	SALICYLONE COMPOUND—ELIXIR		1.70	7.10	13.45
183	SALSUB				
	2 oz. bottle	.80 ea.			
		8.65 dz.			
184	SANI-SOPE				
	Bars	2.10 dz.			
		21.10 gross			
185	SCABENZONE—OINTONE				
	4 oz. jar	1.10 ea.			
	16 oz. jar	3.20 ea.			
186	SCABIDE LOTION		3.20	14.80	28.80
187	SILVER NITRATE APPLICATORS 75%				
	Tube of 50	1.45 ea.			
		15.35 dz.			
188	STOCAINE				
	1 oz. bottle	2.00 ea.			
	4 oz. bottle	6.00 ea.			
	16 oz. bottle	19.20 ea.			

★ Narcotic signature required.

Pr Prescription required for retail sales.

List No.			16 Fl. Ozs.	80 Fl. Ozs.	160 Fl. Ozs.
189	★ STOKES' EXPECTORANT		2.40	8.80	16.00
190	STOMATONE—ELIXIR		1.30	4.65	8.40
191	Pr SULPHOCYALONE—ELIXIR		1.75	6.70	12.80
192	TARMALONE—OINTONE				
	1 oz. jar	.90 ea.			
		9.60 dz.			
	2 oz. jar	1.20 ea.			
		13.45 dz.			
	4 oz. jar	2.00 ea.			
	16 oz. jar	6.40 ea.			
193	TAROXONE—OINTONE				
	1 oz. tube	.55 ea.			
		5.75 dz.			
	4 oz. jar	.80 ea.			
	16 oz. jar	2.40 ea.			
194	TECTONE with Brush Applicator				
	8 oz. bottle	2.00 ea.			
195	★ TERPOGEN		2.10	8.80	16.80
196	THERMOTINE				
	½ lb. tin	.90 ea.			
		10.10 dz.			
	1 lb. tin	1.35 ea.			
		15.50 dz.			
	5 lb. tin	5.75 ea.			
	10 lb. tin	11.20 ea.			
197	Pr THIAZOLONE—EMULSION ℞ "B" Thick Type				
	4 oz. jar	.95 ea.			
	16 oz. jar	3.05 ea.			
	5 lb. jar	2.70 lb.			
198	Pr THIAZOLONE—OINTONE				
	4 oz. jar	.95 ea.			
	16 oz. jar	3.20 ea.			
199	Pr THIAZOMEL				
	400 gr. tube	.70 ea.			
		7.20 dz.			
	4 oz. jar	1.75 ea.			
	16 oz. jar	5.10 ea.			
200	THREBROLONE		1.50	6.30	11.75
201	THYMOLYPTINE		1.30	5.20	9.60
202	★ TOOTHACHE DROPS "A"				
	1 oz. bottle	2.25 ea.			
203	TOOTHACHE DROPS "B"				
	1 oz. bottle	.80 ea.			
204	TRISEPTOL		1.30	4.40	8.00
	(Prices of 5 gal. tins, 25 and 45 gal. drums quoted on request)				
	(Drums are charged extra and returnable for refund)				
205	Pr TRIPLE SULFA SUSPENSION		5.20	24.80	46.40
206	Pr TRIZINE		4.80	22.40	42.55
207	★ TUSSILAGO COMPOUND—SYRUP		1.90	8.50	15.70

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.			Fl. Ozs. 16	Fl. Ozs. 80	Fl. Ozs. 160
208	UROLONE				
	4 oz. bottle	1.30 ea.			
		12.80 dz.			
	8 oz. bottle	2.00 ea.			
		21.10 dz.			
209	USTOL		3.20	14.40	24.00
	4 oz. bottle	.95 ea.			
210	VAPO-ANTISEPTOL		2.10	9.20	17.60
211	VAPOLONE		6.40	29.20	56.80
	2 oz. btl.	1.60 ea.			
	4 oz. btl.	2.40 ea.			
	8 oz. btl.	4.00 ea.			
212	VITABOLONE—ELIXIR		2.00	7.20	12.80
213	VITAPLEX CAPLETS				
	Bottle of 100	4.40 ea.			
214	VULNULONE—OINTONE				
	1 oz. tube	.65 ea.			
		6.70 dz.			
	935 gr. tube	.90 ea.			
		9.60 dz.			
	4 oz. jar	.80 ea.			
	16 oz. jar	2.00 ea.			
215	WHITEHEAD'S VARNISH		7.20	33.60	
	4 oz. bottle	2.10 ea.			
216	WHITE LINIMENT		1.10	4.40	7.20
217	★ WHITE PINE COMPOUND—SYRUP		1.35	5.60	10.00
218	WHITE PINE COMPOUND WITHOUT MORPHINE		1.20	4.80	8.00
219	★ WHITE PINE WITH EUCALYPTOL AND HONEY		1.45	5.75	10.10
220	ZINCONE—OINTONE				
	900 gr. tube	.70 ea.			
		7.70 dz.			
	4 oz. jar	.65 ea.			
	16 oz. jar	1.30 ea.			
	5 lb. tin	1.20 lb.			
	10 lb. tin	1.10 lb.			
	25 lb. pail	.95 lb.			

HYPLETS

List No.		25	100
1	★AMILONE, 5 mgm.	$ .65	$2.00
2	APOMORPHINE HYDROCHLORIDE, 1/10 gr.	1.10	4.00
3	ATROPINE SULPHATE, 1/150 gr.	.40	.95
4	ATROPINE SULPHATE, 1/100 gr.	.40	.95
5	★ CODEINE PHOSPHATE, 1/4 gr.	.70	2.10
6	★ CODEINE PHOSPHATE, 1/2 gr.	1.10	3.35
7	★ CODEINE PHOSPHATE, 1 gr.	1.75	6.10
8	★ DIAMORPHINE HYDROCHLORIDE, 1/12 gr.	.50	1.30
9	★ DIAMORPHINE HYROCHLORIDE, 1/6 gr.	.65	2.00
10	DIGITALIN, 1/100 gr.	.50	1.10

★ Narcotic signature required.

List No.		25	100
11	EPHALONE HYDROCHLORIDE, 1/2 gr.	.55	1.45
12	EPHALONE HYDROCHLORIDE, 3/4 gr.	.65	2.00
13	HYOSCINE HYDROBROMIDE, 1/200 gr.	.50	1.20
14	HYOSCINE HYDROBROMIDE, 1/150 gr.	.55	1.45
15	HYOSCINE HYDROBROMIDE, 1/100 gr.	.60	1.60
16	★ HYOSCINE COMPOUND	1.10	3.50
17	★ MORPHINE SULPHATE, 1/8 gr.	.50	1.45
18	★ MORPHINE SULPHATE, 1/6 gr.	.55	1.70
19	★ MORPHINE SULPHATE, 1/4 gr.	.70	2.25
20	★ MORPHINE SULPHATE, 1/2 gr.	1.10	3.85
21	★ MORPHINE, 1/6 gr. and ATROPINE, 1/180 gr. ℞ "B"	.60	1.85
22	★ MORPHINE, 1/4 gr. and ATROPINE, 1/150 gr. ℞ "C"	.75	2.40
23	NITROGLYCERIN, 1/100 gr.	.40	.70
24	PLACEBO	.30	.65
25	STRYCHNINE SULPHATE, 1/60 gr.	.35	.80
26	STRYCHNINE SULPHATE, 1/30 gr.	.35	.80

PULVETS — for Infants

List No.		100	500	1,000
1	ACETYLONE—Infants	$ .50	$1.60	$2.80
2	ACETYL-SAL COMPOUND—Infants	.65	1.75	2.90
3	★ ACETYL-SAL COMPOUND with Dover's Powder—Infants	.80	3.10	5.85
4	★ ANAPYRONE—Infants-Aromatic and Colored Pink	.80	2.70	5.00
5	★ ANODYNE—Infants	.65	2.10	3.75
6	CALOMEL, 1/10 gr.—Infants	.50	.95	1.60
7	★ DIARRHOEA—Infants	.50	1.85	3.35
8	★ DOVER'S POWDER, 1 gr.—Infants	.65	2.10	3.85
9	INDIGESTION POWDER—Infants	.50	1.85	3.35
10	INTESTINAL ANTISEPTIC—Infants	.50	1.85	3.35
11	℞ MEPHATRONE	.95	3.70	6.70
12	★ PHENALONE with CODEINE—Infants	1.60	7.35	12.80
13	RHINITIS—Infants	.50	1.85	3.35
14	WORM REMOVER—Infants	1.20	5.20	10.10

PULVETS

List No.		100	500	1,000
1	ACETYLONE	$ .50	$1.60	$2.80
2	ACETYL-SAL, 5 gr. Plain	.55	1.35	2.40
3	★ ACETYL-SAL, CODEINE & ATROPINE	1.30	5.60	10.65
4	ACETYL-SAL COMPOUND	.90	3.20	5.60
5	★ ACETYL-SAL COMPOUND with CODEINE No. 1 (White or Pink)	1.45	5.90	11.20
6	★ ACETYL-SAL COMPOUND with CODEINE No. 2 (White or Pink)	2.00	9.05	17.60
7	★ ACETYL-SAL COMPOUND with CODEINE No. 3 (White or Pink)	3.20	15.35	30.25

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.		100	500	1,000
8	★ ACETYL-SAL COMPOUND with DOVER'S POWDER	1.35	5.45	10.40
9	ACID BORIC WITH SALOL	1.10	4.10	7.70
10	ACNE CORRECTIVE	.70	2.80	5.10
11	ALKALINE SIPPY "A"	.70	2.95	5.60
12	ALKALINE SIPPY "B"	.65	2.40	4.40
13	A.B.S. & C.	.50	1.85	3.20
14	ALUGEL PULVETS	2.00	7.20	12.80
15	**℞** AMBARLONE	2.40	10.40	20.00
16	**℞** AMEPHABARB	2.40	10.00	19.20
17	★ AMILONE	1.10	4.40	8.00
18	AMMONIUM CHLORIDE ENTERIC COATED	.80	3.35	6.40
	ANAPYRONE (SEE INFANT PULVETS LIST)	.80	2.70	5.05
19	ANTI GRIPPE ℞ "A"	1.20	5.35	10.40
20	ANTI GRIPPE ℞ "B"	1.30	5.75	11.20
21	ANTIPYRIN	1.30	5.75	11.20
22	ASCORBONE, 25 mgm.	.95	3.20	5.60
23	ASCORBONE, 50 mgm.	1.30	5.20	9.60
24	ASCORBONE, 100 mgm.	2.15	8.95	17.30
25	ATROPINE SULPHATE, 1/150 gr.	.40	1.35	2.40
26	ATROPINE SULPHATE, 1/100 gr.	.50	1.45	2.55
27	**℞** BARBITONE	1.75	8.00	15.60
28	**℞** BENZOLONE "A"	1.60	5.30	10.10
29	**℞** BENZOLONE "B"	.95	3.70	6.70
30	**℞** BENZOLONE "C"	1.30	4.30	8.30
31	BLAUD COMPOUND IMPROVED	.65	2.00	3.60
32	BLAUD MASS, 5 gr.	.65	1.90	3.20
33	BLAUD NASCENT ℞ "C"	.65	2.10	3.35
34	BLAUD NASCENT ℞ "D"	.65	2.40	4.30
35	BLAUD & STRYCHNINE COMPOUND	.65	2.40	4.30
36	BREWERS YEAST	.80	2.40	4.40
37	BRONCHIAL IMPROVED	.95	3.35	6.40
38	★ BRONCHITIS IMPROVED	1.10	4.80	8.65
39	★ BROWN MIXTURE	.65	2.70	5.05
40	★ BROWN MIXTURE COMPOUND	.65	2.70	5.05
41	**℞** BUTYLONE 1/2 gr.	2.00	7.60	14.40
42	**℞** BUTYLONE 1-1/2 gr.	4.00	18.00	35.20
43	CAFFEINE CITRATE, 1 gr.	.65	1.75	3.20
44	CALCIUM IODIZED, 1/3 gr.	.50	1.45	2.55
45	CALCIUM IODIZED, 1 gr.	.65	2.15	4.00
46	CALCIUM IODIZED, 2-1/2 gr.	.80	3.20	6.00
47	CALCIUM LACTATE, 5 gr.	.65	1.75	3.20
48	CALCIUM LACTATE, 10 gr.	.95	3.05	5.60
49	CALCIUM SULPHIDE, 1 gr.	.50	1.45	2.55
50	CALOMEL, 1/10 gr.	.50	.95	1.60
51	CALOMEL, 1/4 gr.	.50	1.45	2.40
52	CALOMEL, 1/2 gr.	.65	1.90	3.35
53	CALOMEL, 1 gr.	.80	2.55	4.80
54	CALOMEL 1/10 gr. & PHENOLPHTHALEIN 1/10 gr.	.50	1.30	2.10
55	CALPHOVIT	2.25	10.40	19.20
56	CARBILONE	2.00	8.40	16.00
57	CASCARA CATHARTIC—HINKLE	.65	2.40	4.50

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.		100	500	1,000
58	CASCARA SAGRADA EXTRACT	.80	3.35	6.40
59	CATHARTIC COMPOUND IMPROVED	1.10	3.50	6.70
60	CATHARTIC GRANULES	.65	1.60	2.90
61	CATHARTIC SPECIAL	.95	4.00	7.50
62	CHARCOAL ACTIVATED, 5 gr.	.80	2.25	3.85
63	★ CHLORODYNE, No. 1	1.75	7.75	15.20
64	★ CHLORODYNE, No. 2	1.30	4.50	8.65
65	★ CHOLERA INFANTUM	.65	2.25	4.00
66	★ CODEINE PHOSPHATE, 1/8 gr.	1.30	5.45	9.90
67	★ CODEINE PHOSPHATE, 1/4 gr.	1.75	8.00	15.20
68	★ CODEINE PHOSPHATE, 1/2 gr.	3.20	14.55	28.80
69	★ CODEINE PHOSPHATE, 1 gr.	5.85	28.30	56.00
70	★ COLD SPECIAL	2.00	8.00	15.60
71	★ COLIC INFANTILE	.50	1.30	2.25
72	CORRECTIVE INFANT	.65	2.40	4.30
73	★ CORYZA ℞ "A"	.95	4.15	8.00
74	★ CORYZA ℞ "B"	.65	2.55	4.80
75	★ CORYZA ℞ "C"	.80	3.35	6.40
76	CREAM OF MAGNESIA	.65	1.90	3.50
77	CYSTITIS ℞ "A" (Acid)	1.10	4.95	9.60
78	CYSTITIS ℞ "B" (Alkaline)	1.30	5.45	10.40
79	**Pr** DEPALONE	2.40	10.40	19.20
80	★ DIARRHOEA ℞ "A"	1.60	6.40	12.00
81	★ DIARRHOEA ℞ "B"	.70	2.95	5.60
82	**Pr** DIAZOLONE 0.5 gramme	4.00	17.20	33.60
83	DICALCONE	.95	3.35	6.40
84	DIFOLONE, 1/2 gr.	.65	2.25	4.00
85	DIFOLONE, 1 gr.	.65	2.55	4.80
86	DIFOLONE 1-1/2 gr.	.80	3.05	5.60
87	DIGESTIVE AROMATIC	.95	3.35	6.40
88	DIGITALIN, 1/100 gr.	.95	3.35	6.40
88-A	**Pr** DIMERMETHONE	5.15	22.40	43.20
89	DIURETIC ℞ "A"	1.20	4.95	9.60
90	★ DOVER'S POWDER, 5 gr.	1.30	4.95	9.60
91	EASTOSOL CATALYTIC	1.10	4.95	9.60
92	**Pr** EMMENAGOGUE	1.75	8.15	16.00
93	EPHALONE, 1/2 gr.	.95	4.00	7.20
94	**Pr** ERGOTIN 3 gr.	3.85	18.25	36.00
95	EUCAFORM	.80	2.55	4.80
96	EVACUANT SPECIAL ℞ "A"	.65	2.55	4.80
97	EVILONE, 33-1/3 I.U.	4.00	18.80	36.80
98	FERRO B	.95	2.80	
	Bottle of 1,250 5.60			
99	FERROUS SULPHATE CATALYTIC (Chocolate Coated)	.65	1.75	3.20
00	FERROUS SULPHATE, 5 gr. (Sugar Coated Red)	.80	2.40	3.60
01	FERROUS SULPHATE, 5 gr. (Chocolate Coated)	.80	2.40	3.60
01	FLATULENCE	.80	2.55	4.80
03	FLULONE	1.60	4.80	8.00

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.		100	500	1,000
104	FURUNCULONE	1.60	6.80	12.80
105	GASTROLONE	1.75	8.50	16.80
106	GLUCALONE	1.30	4.95	9.60
107	HAEMATONE	.50	1.45	2.55
108	HEART TONIC PELLETS, Small	.95	3.60	6.40
109	HEART TONIC PELLETS, Large	.95	3.60	6.40
110	HEART TONIC PELLETS, Extra Large	.95	3.60	6.40
111	HEART TONIC ℞ "A"	.80	3.50	6.70
112	HEART TONIC ℞ "B"	.65	1.75	3.20
113	HEART TONIC ℞ "C"	.65	2.25	4.15
114	HEPATIC	.65	2.25	4.00
115	★ HEROIN, 1/12 gr.	1.05	4.50	8.65
116	★ HEROIN, 1/6 gr.	1.75	8.00	15.70
117	★ HEROIN & TERPIN HYDRATE	1.90	7.85	15.20
118	HOMOLONE	1.60	6.40	11.20
119	HYOSCINE HYDROBROMIDE, 1/200 gr.	.80	2.55	4.80
120	HYOSCINE HYDROBROMIDE, 1/100 gr.	1.10	4.00	7.70
121	Pr HYPATRONE	.65	2.25	4.15
122	Pr HYPNOLONE 1/4 gr.	.50	1.20	2.00
123	Pr HYPNOLONE 1/4 gr. S.C. Red	1.05	2.80	4.80
124	Pr HYPNOLONE 1/4 gr. S.C. Green	1.05	2.80	4.80
125	Pr HYPNOLONE 1/2 gr.	.55	1.60	2.90
126	Pr HYPNOLONE 1/2 gr. S.C. Red	1.20	3.35	6.00
127	Pr HYPNOLONE 1/2 gr. S.C. Green	1.20	3.35	6.00
128	Pr HYPNOLONE 3/4 gr.	.65	2.10	3.70
129	Pr HYPNOLONE 1 gr.	.70	2.40	4.50
130	Pr HYPNOLONE 1-1/2 gr.	.80	3.35	6.25
131	Pr INCONTINENCE	1.05	4.30	8.40
132	KAVALONE	.95	3.60	6.40
133	LAXOGEN, 2 gr.	.80	2.55	4.80
134	LAXOGEN, 5 gr.	.95	4.15	8.00
135	Pr MAGALONE	3.20	12.80	24.00
136	MEPHENESIN 0.5 gramme	4.40	21.60	38.40
137	MERCURY PROTOIODIDE, 1/4 gr.	.95	3.20	5.60
136	MEPHENESIN 0.5 gramme	4.40	21.60	38.40
139	Pr MIGRAINE ℞ "A"	.80	3.35	6.40
140	MIGRAINE ℞ "D"	.80	3.35	6.40
141	MIGRAINE ℞ "E"	.80	3.35	6.40
142	★ MORPHINE SULPHATE, 1/8 gr.	1.20	5.35	10.40
143	★ MORPHINE SULPHATE, 1/4 gr.	1.75	8.15	16.00
144	Pr NATRIBARB	1.10	4.15	8.00
145	Pr NAUSEA ℞ "A"	1.45	6.55	12.80
146	★ NAUSEA ℞ "B"	1.90	8.95	17.60
147	NEUTRALIZING	.95	3.85	7.20
148	NICOTINIC ACID, 50 mgm.	.80	3.20	6.10
149	NICOTINIC ACID, 100 mgm.	1.30	5.20	9.60
150	NITROGLYCERIN, 1/100 gr.	.40	.95	1.60
151	Pr OBESOLONE	1.60	6.40	12.00
152	★ OPIUM, 1 gr.	1.45	6.25	12.00
151	★ OPIUM & LEAD	.95	3.70	6.90
154	PAPAYA COMPOUND	.80	3.05	5.75
155	★ PAVODEINE	3.85	18.40	36.00

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.		100	500	1,000
156	**Pr** PENTALONE	2.40	8.80	16.00
157	PHENACETIN B.P., 5 gr.	.95	3.50	6.70
158-A	PHENALONE, 1 gr.	.80	1.90	3.20
158	PHENALONE, 5 gr.	1.20	4.00	
	Bottle of 1,250 — 7.20			
159	★ PHENALONE with CODEINE	2.40	9.60	
	Bottle of 1,250 — 22.40			
160	PHYLONE	2.40	10.40	19.20
161	POTASSIUM CHLORATE, 5 gr.	.65	1.60	2.90
162	POTASSIUM CITRATE, 5 gr.	.80	2.70	5.10
163	POTASSIUM IODIDE, 5 gr.	1.30	5.20	10.10
164	PSYCHIC—Placebo	.50	.80	1.30
165	PYRIMALONE, 25 mgm.	2.15	10.00	19.20
166	PYRIMALONE, 50 mgm.	4.00	19.20	35.20
167	QUINIDINE SULPHATE, 3 gr.	4.15	20.80	41.30
168	QUININE SULPHATE, 1 gr.	1.10	4.65	8.95
169	QUININE SULPHATE, 2 gr.	1.60	7.05	13.60
170	QUININE SULPHATE, 3 gr.	2.10	9.75	19.20
171	QUININE SULPHATE, 5 gr.	3.45	15.70	31.20
172	RHEUMATISM	1.30	5.20	10.10
173	RHINITIS	.80	3.20	6.10
174	RHUBARB & IPECAC	.95	3.85	7.20
175	RHUBARB & SODA	.65	1.75	3.20
176	SACCHARIN, 1/4 gr.	.30	.95	1.60
177	SACCHARIN, 1/2 gr.	.40	1.10	1.90
178	SACCHARIN, 1 gr.	.50	1.60	2.90
179	SALCARBONE	.90	3.50	6.70
180	SALOL, 5 gr.	.95	3.70	7.05
181	SANTONIN & CALOMEL	3.50	17.00	33.60
182	**Pr** SECOLONE 1-1/2 gr.	4.15	19.20	37.60
183	**Pr** SEDATIVE NEW FORMULA	1.30	5.10	10.40
184	**Pr** SEDATIVE IMPROVED	1.30	5.75	11.20
185	SIXAVIT	3.20	12.80	24.00
186	SIXAVIT WITHOUT IRON	3.20	12.80	24.00
187	SODA MINT	.50	1.10	1.75
188	SODIUM BICARBONATE, 5 gr.	.50	.95	1.60
189	SODIUM BICARBONATE, 10 gr.	.50	1.10	1.90
190	SODIUM CHLORIDE, 7½ gr. (Enteric Coated)	.95	2.80	4.80
191	SODIUM NITRITE, 1 gr.	.40	1.30	2.10
192	SODIUM PHOSPHATE, 5 gr.	.50	.95	1.75
193	SODIUM PHOSPHATE (Acid), 5 gr.	.65	2.25	4.15
194	SODIUM SALICYLATE, 5 gr.	.65	2.40	4.50
195	**Pr** STILBESTRONE 0.5 Mgm.	.80	2.90	5.10
196	**Pr** STILBESTRONE 1.0 Mgm.	.95	3.70	6.90
197	**Pr** STILBESTRONE 5.0 Mgm.	2.25	9.05	17.60
198	STOMACHIC	.80	3.35	6.40
199	STRYCHNINE SULPHATE, 1/60 gr., Plain	.40	1.10	1.75
200	STRYCHNINE SULPHATE, 1/60 gr., S.C. Red	.50	1.60	3.05
201	STRYCHNINE SULPHATE, 1/30 gr., Plain	.40	1.10	1.90
202	STRYCHNINE SULPHATE, 1/30 gr., S.C. Red	.50	1.75	3.20

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.		100	500	1,000
204	**Pr** TENSILONE	.95	3.45	6.40
205	**Pr** THEBARLONE	3.20	12.40	24.00
206	THEOLONE	1.60	5.60	10.40
207	THEOLONE ENTERIC COATED	2.00	8.40	16.00
208	**Pr** THEOPHYLONE	2.55	11.90	23.50
209	THIAMINE, 5 mgm.	1.20	4.55	8.80
209-A	THIAMINE, 10 mgm.	2.10	8.30	16.50
210	THIAMIN, 50 mgm.	6.70	29.45	57.60
210-A	THIAMIN, 100 mgm.	12.55	57.60	113.60
211	**Pr** THIAZOLONE, 0.5 gramme	1.60	7.20	13.60
212	THREE BROMIDES	.80	3.05	5.60
213	★ THROAT MENTHOLATED	.50	1.85	3.35
214	**Pr** THYALONE, 5 gr.	2.25	10.65	21.00
215	**Pr** THYROID, 1/4 gr.	.55	1.75	3.20
216	**Pr** THYROID, 1/2 gr.	.65	2.00	3.70
217	**Pr** THYROID, 1 gr.	.80	2.40	4.50
218	**Pr** THYROID, 2 gr.	1.05	3.20	6.00
219	TRIPLEX	.95	3.35	6.25
220	TRISILONE	1.05	4.30	8.40
221	**Pr** TRISULFONE	4.80	20.40	40.00
222	URO-CYSTINE	1.60	6.10	11.85
223	URO-VESICAL, 5 gr.	.50	1.75	3.20
224	UTERINE TONIC	2.40	10.00	19.20
225	VEGETABLE LAXATIVE	1.05	4.40	7.20
226	VERMOLONE, 3/20 gr.	.80	3.35	6.40
227	VERMOLONE, 1/2 gr.	1.30	6.00	11.20
228	VITABOLONE, 3 mgm.	.95	3.45	6.40

SOLVETS

List No.		100	500	1,000
1	ALKALINE ANTISEPTIC (Dr. Seiller)—Plain	$ .50	$ 1.75	$ 3.20
2	ACETYL-SAL THROAT—Plain	.80	3.00	5.60
3	ANTISEPTIC ℞ A	1.10	3.90	7.05
	Bottle of 250 ea. 2.15			
4	ANTISEPTIC ℞ B (Hydra-Sol)—Plain	2.15	10.00	19.20
	Bottle of 250 ea. 5.30			
5	ARGOLONE, 3 gr.—Plain	4.80	21.60	38.40
	Bottle of 25 ea. 1.60			
	Bottle of 50 ea. 2.80			
6	CHLORALONE—Plain	.95	3.90	7.20
7	★ COCAINE HYDROCHLORIDE, 1-1/8 gr. —Plain	14.40		
	Bottle of 25 ea. 3.90			
8	DOBELL'S SOLUTION—Plain	.55	2.00	3.60
9	EUFLAVONE—Plain	2.40		
	Bottle of 25 ea. .95			
10	FLUROCHROME—Plain	7.10	29.30	
	Bottle of 25 ea. 2.55			
	Bottle of 50 ea. 3.75			
11	FORMALIN, 1 gramme—Plain	2.10	6.00	11.75
12	MERCIDE—Plain	2.10	9.20	16.80
13	MERCURIDE—Plain	1.30	5.60	10.90

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.		100	500	1,000
14	MERCYLONE—Plain	2.80	10.40	20.50
15	MERKALIDE—Plain	4.50	20.50	40.00
16	NITROSOL—Plain	1.60	5.10	9.60
17	POTASSIUM PERMANGANATE, 1 gr.—Plain	.50	1.10	1.75
18	POTASSIUM PERMANGANATE, 2 gr.—Plain	.50	1.30	2.10
19	POTASSIUM PERMANGANATE, 5 gr.—Plain	.50	1.45	2.55
20	SODIUM CHLORIDE, 5 gr.—Plain	.40	.80	1.30
21	SODIUM CHLORIDE, 10 gr.—Plain	.40	.80	1.30
22	SODIUM CHLORIDE, 15-3/4 gr.—Plain	.50	1.75	3.20
23	SODIUM CHLORIDE, 7 gr. with DEXTROSE, 3 gr.	.65	1.30	2.00
24	ACID SULPHOSALICYLIC Bottle of 200 ea. 2.40			
25	UROSET	2.00	8.00	12.80

INJECTABLE SOLUTIONS

List No.		Each	Dozen
1	ATROPINE SULPHATE, 1/150 gr. per c.c Box of 12 x 1 c.c. amps.	$2.40	
	33 c.c. Rubber Capped Vial	2.40	
2	C.A.D.C.—See Specialities		
3	C.A.D.C. B A—See Specialties		
4	C.A.D.C. B B—See Specialties		
5	C.A.D.C. B C—See Specialties		
6	CAFFEINE AND SODIUM BENZOATE, 7-1/2 gr. Box of 12 x 2 c.c amps.	2.25	
7	CALCIUM GLUCONATE, 10% Box of 6 x 10 c.c. amps	2.55	
8	DEXTROSE, 50% Pkg. of 6 x 20 c.c. amps	2.25	
9	DEXTROSE, 50% Pkg. of 6 x 50 c.c. amps.	4.15	
10	EPHALONE HYDROCHLORIDE, 3/4 gr. Box of 12 x 1 c.c. amps.	3.60	
11	★ HEROIN HYDROCHLORIDE, 1/12 gr. per c.c. 33 c.c. Rubber Capped Vial	2.80	
12	IRON CITRATE Box of 12 x 1 c.c. amps.	2.25	
13	IRON, ARSENIC AND STRYCHNINE Box of 12 x 1 c.c. amps.	2.25	
14	MAGNESIUM SULPHATE, 25% Box of 6 x 10 c.c. amps.	2.90	
15	MAGNESIUM SULPHATE, 50% Box of 12 x 2 c.c. amps.	2.10	
16	★ MORPHINE SULPHATE, 1/4 gr. per c.c. Box of 12 x 1 c.c. amps.	2.40	
	33 c.c. Rubber Capped Vial	2.40	
17	★ MORPHINE SULPHATE, 1/2 gr. per c.c. 33 c.c. Rubber Capped Vial	3.20	
18	★ MORPHINE, 1/4 gr. and ATROPINE, 1/150 gr. per c.c. 33 c.c. Rubber Capped Vial	2.80	

★ Narcotic signature required.

List No.		Each	Dozen
19	PHENOL in ALMOND OIL, 5% 33 c.c. Rubber Capped Vial	1.70	
20	**Pr** PROCAINE PENICILLIN G in OIL, 300,000 I.U. per c.c. 10 c.c. Rubber Capped Vial	2.25	
21	QUININE HYDROCHLORIDE and URETHANE Box of 12 x 2 c.c. amps.	2.90	
22	QUININE AND UREA HYDROCHLORIDE, 5% Box of 12 x 2 c.c. amps.	2.40	
23	RECTOCAINE Box of 12 x 2 c.c. amps. 5 c.c. amp.	4.80 .80	
24	SODIUM CHLORIDE, 0.9% (Normal Saline) Box of 6 x 10 c.c. amps.	2.10	
25	SODIUM CHLORIDE, 0.9% (Normal Saline) with BACTERIOSTATIC ADDED 33 c.c. Rubber Capped Vial	90	9.60
26	SODIUM CITRATE, 2-1/2% Pkg. of 6 x 50 c.c. amps.	4.80	
27	SODIUM IODIDE with SODIUM SALICYLATE and COLCHICINE Pkg. of 6 x 20 c.c. amps.	4.80	
28	SODIUM MORRHUATE, 5% 33 c.c. Rubber Capped Vial	1.70	
29	THEOLONE, 0.50 gramme—Intramuscular Box of 12 x 2 c.c. amps.	2.90	
30	THEOLONE, 0.50 gramme—Intravenous Box of 6 x 10 c.c. amps.	5.00	
31	THEOLONE, 0.25 gramme—Intravenous Box of 6 x 10 c.c. amps.	2.90	
32	THIAMIN CHLORIDE, 10 mgm. per c.c. 33 c.c. Rubber Capped Vial	1.75	
33	THIAMIN CHLORIDE, 100 mgm. per c.c. 33 c.c. Rubber Capped Vial	5.60	
34	STERILE WATER Box of 6 x 10 c.c. amps. Box of 50 x 10 c.c. amps. Pkg. of 6 x 20 c.c. amps. Box of 50 x 20 c.c. amps.	1.60 10.00 2.00 12.00	
35	STERILE WATER with a BACTERIOSTATIC ADDED 50 c.c. Rubber Capped Vial 100 c.c. Rubber Capped Vial	.90 1.20	9.60 13.45

Pr Prescription required for retail sales.

FLUID EXTRACTS

List No.		4 fl. oz.	16 fl. oz.
1	BELLADONNA, B.P. 1953	$3.45	$12.80
2	CASCARA SAGRADA, B.P. 1953	1.10	3.50
3	ERGOT—See Ergalone—Specialties		
4	HYOSCYAMUS (Henbane), B.P. 1953	2.50	8.80
5	IPECAC, B.P. 1953	8.00	28.80
6	LICORICE, B.P. 1953	.90	2.40
7	NUX VOMICA, B.P. 1953	1.20	3.85
8	QUASSIA, N. F.	1.00	2.70
9	RHUBARB COMPOUND	1.45	4.80
10	SARSAPARILLA COMPOUND	1.45	4.80
11	SENEGA	3.30	12.00
12	TOLU	1.00	2.80
13	WILD CHERRY	1.00	3.00

GRANULAR EFFERVESCENT SALTS

List No.		Each	Dozen
7	ALKALONE—See Specialties		
8	FRUIT SALINE		
	4 oz. bottle	$ .70	$ 8.30
	8 oz. bottle	1.10	12.80
9	MAGNESIUM CITRATE		
	4 oz. bottle	.70	8.30
	8 oz. bottle	1.10	12.80
10	SALINE LAXATIVE		
	4 oz. bottle	.80	8.95
	8 oz. bottle	1.30	14.10
11	SODIUM PHOSPHATE		
	4 oz. bottle	.80	8.95
	8 oz. bottle	1.30	14.10
208	UROLONE—See Specialties.		

LINIMENTS

List No.		16 fl. oz.	80 fl. oz.	160 fl. oz.
1	ACONITE, B.P. 1948	$4.80	$23.20	$44.80
2	ACONITE AND CHLOROFORM COMPOUND—Hartz	2.55	11.70	22.40
3	ACONITE AND MENTHOL COMPOUND—Hartz	2.80	13.45	25.60
4	BELLADONNA, B.P. 1948	6.40	31.20	60.80
	BETULINE—See Specialties			
5	CAMPHOR, B.P. 1953	1.90	8.00	15.20
6	CHLOROFORM, B.P.C. 1949	2.55	11.35	21.60
	NEURITIC LINIMENT—See Specialties			
7	SAPONIS, B.P. 1953	1.75	7.35	14.40

OINTONES

List No.		Each	Dozen
2	ACID BORIC, B.P. 1953		
	400 gr. tube	$ .35	$3.85
	795 gr. tube	.45	4.80
	4 oz. jar	.55	
	16 oz. jar	1.30	
	ACNELONE—See Specialties		
3	ALUMINIUM PASTE for Lewis Colostomy Appliance		
	4 oz. jar	1.45	
	16 oz. jar	4.80	
	ANALGESONE CREAM—See Specialties		
	ANALGESONE OINTONE—See Specialties		
	ANTIPRURITICUM—See Specialties		
	ASEPTICO—See Specialties		
	BOROLAN—See Specialties		
4	BREAST OINTMENT		
	757 gr. tube	.70	7.20
	4 oz. jar	1.20	
	16 oz. jar	4.00	
	BURN DRESSING, Stokes—See Specialties		
5	CALAMINE, C.F. 1949		
	4 oz. jar	.65	
	16 oz. jar	1.60	
6	CALAMINE CREAM, M.G.H.		
	4 oz. jar	.80	
	16 oz. jar	1.90	
	CALEFACT—See Specialties		
	CALGESONE—See Specialties		
7	CHRYSAROBIN, B.P.C. 1949		
	4 oz. jar	1.30	
	16 oz. jar	4.50	
	DECALONE—See Specialties		
	DERMALONE—See Specialties		
8	DIACHYLON, B.P.C. 1934		
	4 oz. jar	1.60	
	16 oz. jar	5.10	
	EPITHELONE—See Specialties		
	EUCERONE—See Specialties		
9	★ GALLS AND OPIUM, C.F. 1949		
	1 oz. tube	.90	9.60
	4 oz. jar	2.10	
	16 oz. jar	7.20	
	Pr HARCILONE—See Specialties		
10	ICHTHOLONE, 10%		
	4 oz. jar	.80	
	16 oz. jar	2.10	
11	ICHTHOLONE, 20%		
	4 oz. jar	.95	
	16 oz. jar	3.00	
	IODINE, Stainless—See Specialties		
	KERATOLONE, No. 1—See Specialties		
	KERATOLONE, No. 2—See Specialties		
	LANOLIN CREAM, Stokes—See Specialties		

★ Narcotic signature required.

Pr Prescription required for retail sales.

List No.		Each	Dozen
12	LASSAR'S PASTE		
	4 oz. jar	.55	
	16 oz. jar	1.35	
	MENTHALONE—See Specialties		
	MERCUROLONE—See Specialties		
13	MERCURY AMMONIATED, B.P. 1953		
	4 oz. jar	.70	
	16 oz. jar	1.90	
14	MERCURY, B.P. 1953 (30% Mercury)		
	4 oz. jar	1.60	
	16 oz. jar	5.45	
15	MERCURY, Dilute, B.P. 1953 (10% Mercury)		
	4 oz. jar	1.05	
	16 oz. jar	3.20	
16	MERCURY COMPOUND, B.P. 1948 (Scott's Dressing)		
	4 oz. jar	1.90	
	16 oz. jar	6.00	
	METHIDONE—See Specialties		
	MORRHUMEL—See Specialties		
	NASAL BALM, Stokes'—See Specialties		
	NUPERLONE—See Specialties		
17	PETROLATUM—Borated, 5%		
	360 gr. tube	$ .40	$ 4.00
	760 gr. tube	.50	4.80
	4 oz. jar	.55	
	16 oz. jar	1.15	
18	PETROLATUM—Borated, 10%		
	360 gr. tube	.40	4.00
	760 gr. tube	.50	4.80
	4 oz. jar	.55	
	16 oz. jar	1.15	
19	PHENOLIS, B.P. 1948		
	837 gr. tube	.80	8.30
	4 oz. jar	.80	
	16 oz. jar	1.90	
20	PICIS PINI, N.F. IX		
	4 oz. jar	.95	
	16 oz. jar	3.20	
	PICROCAINE—See Specialties		
	PROTECTO CREAM—See Specialties		
	★ RECTOL—See Specialties		
21	ROSAE, ℞ A (Subject to 10% Cosmetic Tax)		
	4 oz. jar	.65	
	16 oz. jar	1.85	
22	ROSAE, ℞ B (Subject to 10% Cosmetic Tax)		
	16 oz. jar	1.60	
	SCABENZONE—See Specialties		
23	SCARLET RED, B.P.C. 1948		
	395 gr. tube	.65	6.40
	4 oz. jar	1.30	
	16 oz. jar	3.50	

★ Narcotic signature required.

List No.		Each	Dozen
24	SULPHUR, B.P. 1953		
	4 oz. jar	.65	
	16 oz. jar	1.45	
	TARMALONE—See Specialties		
	TAROXONE—See Specialties		
	THERMOTINE—See Specialties		
	Pr THIAZOLONE EMULSION B B—Thick Type—See Specialties		
	Pr THIAZOLONE OINTONE—See Specialties		
	Pr THIAZOMEL—See Specialties		
25	UNNA'S PASTE, B.P.		
	4 oz. jar	.80	
	16 oz. jar	2.10	
	VULNULONE—See Specialties		
	WHITEFIELDS'—See Keratolone 1 and 2 Specialties		
	ZINCONE—See Specialties		

OPHTHALMIC OINTONES

List No.			
0	MERCURIC OXIDE, YELLOW, 1/2%		
	1/8 oz. tube	$ .40	$ 4.00
1	MERCURIC OXIDE, YELLOW, 1%		
	1/8 oz. tube	.40	4.15
2	MERCURIC OXIDE, YELLOW, 2%		
	1/8 oz. tube	.50	4.50
4	MERCURIC OXIDE, 1%, ATROPINE ALKALOID, 1/4%		
	1/8 oz. tube	.50	4.80
5	ARGOLONE, (Hartz brand of Silver Protein, Mild), 7-1/2%		
	1/8 oz. tube	.55	5.60
6	ESERINE, 1/4%		
	1/8 oz. tube	.55	5.75
7	★ COCAINE ALKALOID, 2% with EPINEPHRINE		
	1/8 oz. tube	.65	7.20
8	ATROPINE ALKALOID, 1%		
	1/8 oz. tube	.55	6.10
9	ZINC SULPHATE, 1/2%		
	1/8 oz. tube	.50	4.50
10	ACID BORIC, 4%		
	1/8 oz. tube	.40	4.15
12	MERCURY BICHLORIDE, 1:3000		
	1/8 oz. tube	.50	4.30
13	ATROPINE ALKALOID, 2%		
	1/8 oz. tube	.70	7.70
14	ATROPINE ALKALOID, 1% MERCURIC OXIDE, 1%		
	1/8 oz. tube	.65	6.40
15	MERCURY AMMONIATED, 3%		
	1/8 oz. tube	.50	4.80
16	COPPER CITRATE, 5%		
	1/8 oz. tube	.50	4.80
18	**Pr** THIAZOLONE (Hartz brand of Sulfathiazole), 5%		
	1/8 oz. tube	.50	4.50
19	**Pr** HARCILONE		
	1/8 oz. tube	.70	7.20

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.		Each	Dozen
20	PHENACAINE HYDROCHLORIDE, 1% with 2% EPINEPHRINE, 1:1000		
	1/8 oz. tube	.50	4.80
21	NUPERLONE, 1/2% with ACID BORIC, 2% and EPINEPHRINE 1:25,000		
	1/8 oz. tube	.50	4.80

COMPOUND POWDERS

ANTISEPTIC POWDER, HARTZ—See Specialties
BABY POWDER, Hartz—See Specialties
BISMALONE—See Specialties
BISMUTHONE—See Specialties
CHALK, Aromatic Pulvis Cretae Aromaticus, B.P. 1953
16 oz. ctn. ..... ea. 1.95
★ DOVER'S POWDER, Pulvis Ipecacuanhae et Opii, B.P. 1953
4 oz. bottle ..... ea. 2.70
16 oz. bottle ..... ea. 9.60
LICORICE COMPOUND—Pulvis Glycyrrhizae Compositus, B.P. 1953
16 oz. ctn. ..... ea. 1.60
MacLEAN'S POWDER, C.F. 1949
4 oz. bottle ..... ea. .95
16 oz. bottle ..... ea. 2.40
PHENYL IODIDE—See Specialties
SEIDLITZ POWDER—Pulvis Effervescens Compositus, B.P. 1953
Box of 10 ..... ea. .67
doz. 7.52
Bulk ..... gross 7.52

SOLUTIONS AND LIQUORS

List No.		16 fl. oz.	80 fl. oz.	160 fl. oz.
1	ALUMINIUM ACETATE, N.F. VI	$ 1.30	$ 4.80	$ 8.00
2	AMMONIUM ACETATE, Strong, B.P. 1953	1.30		
3	AMMONIA, Stronger, U.S.P. XIV	.65	1.90	3.20
4	ARSENIC TRIOXIDE, Alkaline	1.10	3.20	5.60
5	CASTELLANI'S PAINT	6.00	28.80	
	1 oz. bottle ..... ea. .80			
	2 oz. bottle ..... ea. 1.40			
	4 oz. bottle ..... ea. 2.40			
	8 oz. bottle ..... ea. 3.60			
6	FLUORESCEIN OPHTHALMIC SOLUTION, 2%			
	1 oz. dropper bottle ..... ea. .80			
	2 oz. dropper bottle ..... ea. 1.30			
7	FLUOROCHROM, 2%	2.10		
	2 oz. bottle ..... ea. .50			
	4 oz. bottle ..... ea. .65			
	8 oz. bottle ..... ea. 1.15			
8	IODINE COMPOUND, B.P.C. 1949 (Lugol's Soln.)	2.40	10.40	

★ Narcotic signature required.

List No.		16 Fl. Ozs.	80 Fl. Ozs.	160 Fl. Ozs.
9	IRON CHLORIDE, Stronger, B.P.C. 1949	1.60		
10	IRON SUBSULPHATE, N.F. IX	3.50	16.00	
11	LEAD SUBACETATE, Stronger, B.P. 1953	1.60		
12	NITROGLYCERIN 1%, B.P.C. 1949	4.50		
13	PICIS CARBONIS, B.P. 1953	2.00	8.40	16.00
14	STRYCHNINE HYDROCHLORIDE, B.P. 1953	2.10		
15	VLEMINCKX', N.F. IX	2.10		
	4 oz. bottle ea. .95			
	8 oz. bottle ea. 1.30			

SPIRITS, ESSENCES AND WATERS

Spirits

List No.		16 fl. oz.	80 fl. oz.	160 fl. oz.
1	AMMONIA AROMATIC, B.P. 1953	$ 1.75	$ 7.20	$13.60
	1 oz. bottle ea. .50			
	2 oz. bottle ea. .65			
	4 oz. bottle ea. .80			
	8 oz. bottle ea. 1.20			
2	CAMPHOR, B.P. 1948	2.40	10.40	20.00
	1 oz. bottle ea. .65			
	2 oz. bottle ea. .80			
	4 oz. bottle ea. .95			
	8 oz. bottle ea. 1.45			
3	CHLOROFORM, B.P. 1953	1.90	8.30	16.00
4	ETHER, Nitrous, B.P. 1948	2.10	8.80	17.60
5	PEPPERMINT, B.P. 1953	4.40	19.20	37.60

Essences

1	BITTER ALMOND, B.P.C. 1934	2.90
2	CINNAMON, Hartz	4.00
3	CLOVE, Hartz	4.00
4	GINGER, Tinctura Zingiberis Fortis, B.P. 1948	4.20
5	LEMON, Spirit of Lemon	2.55
6	ORANGE, Spirit of Orange	2.55
7	VANILLA, Hartz brand of Spirit Vanillan	2.10

Waters

1	PEPPERMINT, B.P.C. 1949	.65
2	ROSE, Hartz	.65
	(Subject to 10% Cosmetic Tax)	
3	STERILIZED WATER—See Injectable Solutions	

SUPPOSITORIES AND CONES

List No.

Suppositories

1	★ RECTAL, ℞ A	
	Package of 1 dozen	$1.50
	12 packages of 1 dozen each	17.60
2	★ RECTAL, ℞ B	
	Package of 1 dozen	1.75
	12 packages of 1 dozen each	20.15

★ Narcotic signature required.

List No.

3 ★ OPIUM, 1 gr. and BELLADONNA, 1 gr.
Package of 1 dozen 1.50
12 packages of 1 dozen each 17.60

4 THEOLONE, 7½ gr.
Package of 1 dozen 2.00
12 packages of 1 dozen each 23.00

Cones

5 CONE FORMULA, ℞ A
Package of 1 dozen 2.00
12 packages of 1 dozen each 23.00

MEDICINAL SYRUPS

List No.		16 fl. oz.	80 fl. oz.	160 fl. oz.
1	ACID HYDRIODIC, B.P.C. 1949	$ 2.25	$ 7.70	$15.20
2	AURANTII—See Orangone Syrups			
3	CINNAMON, N.F. IX	1.30	4.50	8.00
4	★ CODEINE PHOSPHATE, C.F. 1949	2.90	12.80	25.30
5	FERROUS IODIDE, B.P.C. 1949	1.70	7.70	15.05
6	FERROUS PHOSPHATE COMPOUND, B.P. 1948	.95	3.50	6.00
7	FERROUS PHOSPHATE with QUININE and STRYCHNINE, B.P.C. 1949	1.45	5.90	11.20
8	GINGER, N.F. IX	1.30	4.50	8.00
9	HYPOPHOSPHITES, Haematic—Hartz	1.10	4.15	7.60
10	ORANGONE	1.30	3.85	7.20
11	SARSAPARILLA COMPOUND, U.S.P. XIV	2.10	8.00	15.20
12	SQUILL, B.P. 1948	1.10	4.80	8.80
13	TOLU, B.P. 1953	1.45	6.10	11.20
14	★ WHITE PINE COMPOUND with EUCALYPTOL and HONEY—See Specialties			
15	★ WHITE PINE COMPOUND with MORPHINE—See Specialties			
16	WHITE PINE COMPOUND without MORPHINE—See Specialties			
17	WILD CHERRY, B.P. 1948	1.45	6.10	11.50

TINCTURES

List No.		4 fl. oz.	16 fl. oz.	80 fl. oz.
1	ACONITE, B.P.C. 1949	$ 1.10	$ 3.60	$16.30
2	ARNICA FLOWERS, B.P.C. 1949	.95	2.25	8.65
3	BELLADONNA, B.P. 1953	.95	2.25	10.00
4	BENZALKONE—See Specialties			
5	BENZOIN COMPOUND, B.P. 1953	.90	2.55	12.40
6	BUCHU, B.P.C. 1949	.90	2.55	10.65
7	CALUMBA, B.P. 1948	.80	2.40	
8	★ CAMPHOR COMPOUND, B.P. 1953	.65	1.60	7.20
9	CAPSICUM, B.P. 1948	.80	2.40	9.60
10	CARDAMON COMPOUND, B.P. 1948	.80	2.25	9.30
11	CATECHU, B.P. 1948	1.10	3.60	13.45

★ Narcotic signature required.

List No.			4 fl. oz.	16 fl. oz.	80 fl. oz.
12	CETABROM—See Specialties				
13	GENTIAN COMPOUND, B.P. 1953	.70	1.90	8.00	
14	GREEN SOAP—Hartz	.80	2.00	7.20	
15	HYOSCYAMUS, B.P. 1953	.80	2.55	10.90	
16	IODINE, 2½%, B.P. 1953		1.35	5.60	
	1 oz. bottle ea. .40				
	2 oz. bottle ea. .50				
	4 oz. bottle ea. .55				
	8 oz. bottle ea. .90				
17	IODINE, 5%	.70	1.85	7.60	
18	IODINE, 10%	.80	2.55	12.00	
19	IODINE, 16½% (Churchill's)	1.05	3.20	14.55	
20	IPECAC (Tinctura Ipecacuanhae) B.P. 1953	1.05	3.20	12.80	
21	IRON, B.P.C. 1949	.65	1.45	5.45	
22	LAVENDER COMPOUND, B.P.C. 1949	1.00	3.20	12.00	
23	LOBELIA, N.F. IX	.80	2.40	11.20	
24	MERSONE—See Specialties				
25	MYRRH, B.P. 1948	1.30	4.40	16.00	
26	NUX VOMICA, B.P. 1953	.65	1.60	6.70	
27	★ OPIUM, B.P. 1953	2.40	7.35	35.20	
28	ORANGE, B.P. 1953	.95	3.20	12.80	
29	RHUBARB COMPOUND, B.P. 1953	.95	3.20	12.80	
30	STRAMONIUM, B.P. 1953	.65	2.10	8.00	
31	TOLU, B.P. 1948	1.45	4.50	20.00	
32	VALERIAN, B.P.C. 1949	1.10	3.60	16.00	
33	VALERIAN, Ammoniated, B.P. 1948	.95	3.20	12.00	

COLORIMETER AND PHOTROMETER REAGENTS

List No.		1 oz.	4 oz.	8 oz.	16 oz.
1000	ACETIC ANHYDRIDE		$ 1.60	$ 2.40	$ 3.20
1002	ACID DIGESTION MIXTURE		2.40	3.60	5.60
1004	ACID MOLYBDATE SOLUTION		2.00	3.20	4.80
1005	ACID SODIUM CHLORIDE		.80	1.20	2.00
	ALCOHOL-ETHER MIXTURE		2.00	2.80	4.00
1006	ALKALINE ALCOHOL WASH REAGENT		2.40	3.60	6.40
1008	ALKALINE COPPER TARTRATE REAGENT, (Folin's)		1.45	2.00	3.60
	32 oz. bottle ea. 6.40				
	80 oz. bottle ea. 12.80				
1048	AMINONAPHTHOLSULFONIC ACID MIXTURE	$ 2.40	6.70	12.80	19.20
1120	AMMONIUM OXALATE—POTASSIUM OXALATE SOLUTION (Anticoagulant)	.55	1.00	1.45	2.55
1010	AMMONIUM SULFAMATE, 0.5%		1.60	2.80	4.00
1011	BARIUM REAGENT		2.40	3.60	5.60
1012	BUFFER SOLUTION	1.00	1.60	2.40	3.60
1013	BUFFER SUBSTRATE		2.40	3.60	5.60
1014	BUFFERED GLYCEROPHOSPHATE	.80	2.00	3.20	

★ **Narcotic signature required.**

List No.		1 oz.	4 oz.	8 oz.	16 oz.
1016	BUFFERED SULFAMATE		1.60	2.80	4.00
1122	CARBAZIDE REAGENT		2.90	4.50	8.00
1124	CELITE ANALYTICAL	1.85	5.60	7.20	14.00
1018	CHLOROFORM, A.C.S.		1.45		2.55
1019	CHROMIUM REAGENT		2.40	3.60	5.60
1136	COPPER SULPHATE, 5%		.80	1.20	2.00
1137	CORN STARCH		.70	.80	1.05
	STARCH POWDERS for making Starch Suspension 1 package 25 units ..... ea. 8.40 (Each unit will make 25 c.c. Starch Suspension)				
1020	CYANIDE UREA REAGENT SOLID — SOLVENT 6¼ gms. – .40 — 4 ozs. – 2.00 12½ gms. – .50 — 8 ozs. – 3.50 25 gms. – .60 — 16 ozs. – 5.75				
1022	DIAZO BLANK SOLUTION		1.20	1.60	2.80
1024	DIAZO REAGENT SOLUTION "A"		1.35	2.15	3.20
1025	DIGITONIN, 1% Alcoholic Solution	6.40			
1026	DIMETHYL-A-NAPHTHYLAMINE, 0.4%		2.00	3.20	6.40
1028	ETHER, A.C.S.				2.20
1029	EXTON'S REAGENT		1.35	2.00	3.20
1032	FERRIC NITRATE REAGENT		1.60	2.80	4.00
1034	GOLD CHLORIDE SOLUTION		5.20	9.60	
1035	GOWER'S SOLUTION		1.05	1.60	2.40
1036	GUM GHATTI SOLUTION	.65	1.20	1.60	2.40
1126	HYDROCHLORIC ACID, A.C.S.— See Chemicals and Drugs				
1128	HYDROCHLORIC ACID, 4.5 Normal		1.35	2.15	3.20
1130	MARCOL GX		.55	1.00	1.45
1038	MOLYBDATE REAGENT		1.20	2.00	3.20
1040	N-(1-NAPTHYL) ETHYLENE-DIAMINE DIHYDROCHLORIDE		2.00	3.20	5.60
1042	NESSLER'S REAGENT		2.00	3.20	5.35
	80 oz. bottle ..... ea. 14.40				
	PERMUTIT POWDER		2.90	4.50	7.60
	2 oz. bottle ..... ea. 1.60				
1050	PHENOL REAGENT (Folin and Ciocalteu)	.80	2.00	3.60	6.80
1052	PHOSPHATE BUFFER SOLUTION pH—7.4	.80	1.20	2.00	3.20
1054	PHOSPHOMOLYBDIC ACID REAGENT		2.00	3.20	5.60
	80 oz. bottle ..... ea. 15.20				
	160 oz. bottle ..... ea. 29.20				
1056	PHOSPHORIC ACID, Approximately 0.085 Molar		1.60	2.40	4.00
1058	PICRIC ACID, Saturated Solution		1.20	1.60	2.80

List No.		1 oz.	4 oz.	8 oz.	16 oz.
1060	POTASSIUM IODIDE, 2.5%		1.20	2.00	3.20
1061	POTASSIUM OXALATE, 20%		1.20	2.00	3.20
1062	SILVER IODATE POWDER	6.40			
	¼ oz. 1.90				
	½ oz. 3.50				
1066	SODIUM CARBONATE 0.1% Solution		1.00	1.45	1.85
	80 oz. bottle ea. 4.40				
	160 oz. bottle ea. 6.80				
1067	SODIUM CARBONATE, 20% Solution		1.20	1.60	2.40
1068	SODIUM CHLORIDE, 0.9%		.80	1.20	1.60
1138	SODIUM CHLORIDE, 1%		.80	1.20	1.60
1070	SODIUM CHLORIDE— TRICHLOROACETIC ACID		2.00	3.20	5.20
1074	SODIUM HYDROXIDE, 0.01 Normal		1.20	1.60	2.40
1076	SODIUM HYDROXIDE, 5 Normal		1.20	1.60	2.40
1078	SODIUM HYDROXIDE, 5%		1.20	1.60	2.40
1080	SODIUM HYDROXIDE, 25%		1.20	1.60	2.80
1086	SODIUM NITRITE, 10%		1.20	2.00	3.60
1088	SODIUM SULPHATE, 22.2%		1.20	2.00	3.60
1089	SODIUM TUNGSTATE, 6%		1.20	2.00	2.80
1140	SODIUM TUNGSTATE, 7%		1.20	2.00	2.80
1092	SODIUM TUNGSTATE, 10%		1.60	2.40	4.00
	80 oz. bottle ea. 16.80				
1094	SULPHOSALICYLIC ACID, 5%		1.60	2.40	4.00
1096	SULPHURIC ACID, A.C.S. See Chemicals and Drugs				
1098	SULPHURIC ACID, N/12		.80	1.20	2.00
	80 oz. bottle ea. 6.40				
	160 oz. bottle ea. 12.00				
1100	SULPHURIC ACID, 2/3 Normal		.80	1.20	2.00
	80 oz. bottle ea. 6.40				
	160 oz. bottle ea. 12.00				
1102	SULPHURIC ACID, 10 Normal		1.45	2.00	3.60
1103	THYMOL BARBITAL BUFFER SOLUTION "A"	1.20			
	THYMOL BARBITAL BUFFER SOLUTION "B"		2.80	5.60	10.40
1104	TRICHLOROACETIC ACID, 10%		1.35	2.00	3.60
1106	TRICHLOROACETIC ACID, 15%		1.60	2.40	4.00
1108	TRICHLOROACETIC ACID, 40%		4.00	7.20	13.60
1110	TRISODIUM PHOSPHATE, 5%		1.00	1.20	1.60
1112	TUNGSTIC ACID SOLUTION		1.60	2.40	4.00
1113	UREA SOLUTION		2.00	3.50	5.75
1114	UREASE-GLYCEROL EXTRACT (Koch)	1.20	3.60	6.80	13.20
1118	URIC ACID REAGENT (Newton)	1.60	3.20	6.00	11.20

MICROSCOPIC STAINS AND SOLUTIONS

List No.		1 fl. oz.	4 fl. oz.	16 fl. oz.
1	ACID ALCOHOL	$ .50	$ 1.30	$ 3.20
2	ANILINE GENTIAN VIOLET—Stirling's	.65	1.60	5.60
3	BISMARCK BROWN SOLUTION	.65	2.00	7.70
4	BRILLIANT CRESYL BLUE for Reticulated Cell Count	1.45	4.80	
5	CARBOL FUCHSIN, Ziehl-Neelsen	.50	1.05	3.00
6	CEDARWOOD OIL, Special for Immersion	.80	2.10	6.80
7	CRYSTAL VIOLET SOLUTION	.65	1.05	3.00
8	DILUTING FLUID for counting Leukocytes	.40	.75	2.40
9	EOSIN, Alcoholic	.65	1.30	4.80
	GENTIAN VIOLET—See Crystal Violet			
10	GIEMSA'S BLOOD STAIN, Stock Solution	1.30	3.85	12.80
11	GRAM'S IODINE Solution	.50	.80	2.00
12	HAEMATOXYLIN, Delafield's	.80	2.40	9.30
13	HAEMATOXYLIN, Ehrlich's Acid	1.00	3.20	12.00
14	HASTING'S BLOOD STAIN	1.00	2.00	7.20
15	HAYEM'S DILUTING FLUID, for counting Erythrocytes	.40	.75	2.40
16	JENNER'S BLOOD STAIN	1.00	2.00	7.20
17	LEISHMAN'S STAIN	1.00	2.00	7.20
18	LUGOL'S SOLUTION—Liquor Iodi Compositus, B.P.C. 1934	.50	1.00	2.40
19	METHYLENE BLUE STAIN—(Gabbett's for Acid-Fast Bacteria)	1.00	1.90	6.40
20	METHYLENE BLUE STAIN—Loeffler's Alkaline	.50	1.00	2.55
21	METHYL VIOLET SOLUTION	.65	1.30	4.80
22	PAPPENHEIM'S PYRONIN METHYL GREEN	1.00	2.80	10.25
23	SAFRANIN, Counterstain for Gram's Method	.55	1.15	3.20
24	TOISSON'S DILUTING FLUID for Counting Erythrocytes	.40	1.05	3.00
25	WRIGHT'S BLOOD STAIN	1.00	1.90	6.40
26	BUFFER SOLUTION FOR WRIGHT'S STAIN	.55	1.30	3.20
27	XYLOL, C.P. free from Water and Acid	.35	.50	.80
28	XYLOL BALSAM, Neutral 1 oz. tube	.80		

TEST SOLUTIONS

List No.		16 fl. oz.	80 fl. oz.	160 fl. oz.
1	ACID HYDROCHLORIC, Deci-Normal	$1.90	$ 4.80	$ 8.00
	4 oz. bottle ea. .65			
	8 oz. bottle ea. 1.15			
2	ACID HYDROCHLORIC, Normal	1.90		
	4 oz. bottle ea. .65			
3	ACID OXALIC, Deci-Normal	2.40		
	4 oz. bottle ea. 1.00			
4	ACID SULPHURIC, Deci-Normal	1.90		
	4 oz. bottle ea. .65			
5	ACID SULPHURIC, Normal	1.90		
	4 oz. bottle ea. .65			

List No.		16 Fl. Ozs.	80 Fl. Ozs.	160 Fl. Ozs.
6	DIMETHYLAMIDOAZOBENZOL, Topfer's Test	4.80		
	1 oz. bottle ea. .80			
	4 oz. bottle ea. 1.90			
7	GUNZBURG'S TEST			
	1 oz. bottle ea. 2.00			
8	IODINE, Deci-Normal	2.40		
	4 oz. bottle ea. 1.00			
9	METHYL ORANGE, Indicator Solution	2.80		
	1 oz. bottle ea. .50			
	4 oz. bottle ea. 1.20			
10	PHENOLPHTHALEIN, Indicator Solution	4.00		
	1 oz. bottle ea. .65			
	4 oz. bottle ea. 1.20			
11	SILVER NITRATE, Deci-Normal	3.20		
	4 oz. bottle ea. 1.30			
12	SODIUM HYDROXIDE, Deci-Normal	1.90	4.80	8.00
	4 oz. bottle ea. .65			
13	SODIUM HYDROXIDE, Normal	1.90		
	4 oz. bottle ea. .65			
14	SODIUM THIOSULPHATE, Deci-Normal	2.40		
	4 oz. bottle ea. 1.00			

URINE TEST SOLUTIONS

List No.		4 fl. oz.	16 fl. oz.
1	ACID SULPHOSALICYLIC 3%	$ .65	$ 1.60
2	BENEDICTS'S QUALITATIVE REAGENT for Reducing Sugars	.50	1.30
3	BENEDICT'S QUANTITATIVE REAGENT for Reducing Sugars	1.05	3.15
4	ESBACH'S REAGENT for Albumin	.65	1.30
5	FEHLING'S REAGENT for Glucose		
	No. 1 Solution—Blue	.50	1.30
	No. 2 Solution—Colorless	.65	1.90
6	NESSLER'S REAGENT for NH_3 B.P. Formula	2.00	5.35
7	OBERMEYER'S TEST for Indican	1.00	2.55
8	ROBERT'S REAGENT for Albumin, Peptone or Proteins in Urine	.65	1.45

CHEMICALS AND DRUGS

List No.		1 lb.	5 lbs.	10 lbs.
1	ACETONE, N.F. IX	$ 1.00	$ 2.80	$ 4.80
1	ACETUM SCILLAE, B.P. 1948	1.45	4.65	8.00
	Acids			
3	ACETIC, Dilute, B.P. 1953	.65	2.40	4.40
4	ACETIC, B.P. 1953	.90	3.55	5.40
5	ACETIC, Glacial, B.P. 1953	1.15	4.40	8.00
6	BORIC, B.P. 1953			
	(a) Crystals	.60	2.10	
	(b) Powder	.56	1.95	

List No.		1 lb.	5 lbs.	10 lbs.
7	CARBOLIC, Phenol, B.P. 1953			
	(a) Crystals	1.60	6.10	
	(b) Liquefied	1.45	5.20	9.60
8	CITRIC, B.P. 1953, Powdered or Crystals	1.45	7.00	13.45
9	HYDROCHLORIC, Dilute, B.P. 1953	.75	2.80	4.80
10	HYDROCHLORIC, Reagent Grade	1.60		
	8 oz. bottle 1.15			
	6 lb. bottle 4.80			
11	LACTIC, B.P. 1953	3.20		
12	NITRIC, Reagent Grade	1.85		
	8 ozs. 1.20			
	7 lb. bottle 6.40			
13	NITRO-HYDROCHLORIC Dilute, B.P.C. 1949	1.15	3.60	
14	OXALIC, B.P.C. 1934	1.30		
15	PHOSPHORIC DILUTE, B.P. 1953	1.15	3.45	
16	PHOSPHORIC, B.P. 1953	1.20		
17	PICRIC, Trinitrophenol, B.P.C. 1949	4.00		
	4 ozs. 1.20			
18	PICRIC, Trinitrophenol, Reagent Grade	10.60		
19	SULPHOSALICYLIC, Pure Salicylsulfonic Acid	11.45		
	1 oz. 1.05			
	4 oz. 3.20			
	8 oz. 6.00			
20	SULPHOSALICYLIC, Reagent Grade, Salicylsulfonic Acid	15.00		
	1 oz. 1.30			
	4 oz. 4.00			
	8 oz. 7.60			
21	SULPHURIC, Reagent Grade	1.70		
	8 ozs. 1.20			
	9 lb. bottle 6.75			
22	TANNIC, B.P. 1953	6.40		
23	TARTARIC, B.P. 1953	1.80		
24	TRICHLOROACETIC, B.P. 1953			
	1 oz. Glass Stoppered Bottle 1.80			
25	ACRIFLAVINE—NEUTRAL (EUFLAVONE—Hartz)			
	5 grammes 1.55			
	10 grammes 2.80			
	1 oz. 7.20			
26	ADEPS LANAE, B.P. 1953—Anhydrous Lanolin	1.40	6.00	
27	ADEPS LANAE, Hydrous, B.P. 1953, Lanolin	1.30	5.60	
	Alcohols			
28	NORMAL BUTYL—Propylcarbinol	1.30	3.85	6.75
29	ABSOLUTE METHYL—Reagent Grade free from Acetone	1.85	7.20	13.80
30	METHYL—Wood Alcohol	.80	2.75	4.80
31	METHYLATED SPIRITS	.80	2.75	4.80
32	ISOPROPYL	.75	2.50	4.20
33	ALCOHOL, Rubbing Compound	75		
34	ALUM, B.P. 1953	.50	1.60	3.05
35	ALUMINIUM ACETATE, Basic Aluminium Subacetate	4.80		

List No.		1 lb.	5 lbs.	10 lbs.
36	AMMONIA, Aqua Ammoniae Fortior, U.S.P. XIV	.65	1.95	3.20
37	AMMONIUM CHLORIDE, B.P. 1953	.65		
38	BALSAM, Canada, Liquid	12.00		
	1 oz.	1.15		
	4 oz.	3.55		
39	BALSAM, Peru, B.P.C. 1949	5.95		
40	**Pr** BARBITONE, B.P. 1953	12.80		
	1 oz.	1.00		
	4 ozs.	3.40		
41	BARIUM SULPHATE, B.P. 1953	.80	3.20	6.10
42	BEESWAX, White, Cera Alba, B.P. 1953	2.65		
43	BEESWAX, Yellow, Cera Flava, B.P. 1948	2.25		
44	BENZIDINE, Reagent Grade			
	¼ oz.	.80		
	1 oz.	2.75		
45	BENZIDINE DIHYDROCHLORIDE, Reagent Grade			
	¼ oz.	1.05		
	1 oz.	4.00		
46	BENZINE, Purified, Petroleum Ether, B.P.C. 1934	.65	1.60	2.40
47	BENZOL, Benzene, B.P.C. 1949	1.30	2.90	5.00
48	BISMUTH SUBCARBONATE, B.P. 1953	8.40	40.00	
49	BISMUTH SUBGALLATE, B.P. 1953	8.20	39.20	
50	BISMUTH SUBNITRATE, N.F. IX	7.55	35.60	
51	BORAX, Sodium Borate, B.P. 1953	.60	2.40	4.00
52	CALAMINE, Prepared, B.P. 1953	1.30	5.60	10.40
53	CALCIUM LACTATE, B.P. 1953	1.60		
54	CALOMEL, B.P. 1953—Mercurous Chloride	10.40		
	1 oz.	.90		
	4 oz.	2.90		
55	CAMPHOR, B.P. 1953	2.60		
	1 oz.	.40		
	4 oz.	.80		
56	CARBON BISULPHIDE, Technical	1.30	3.85	6.75
57	CARBON TETRACHLORIDE, Technical	1.00		
	8 lb. bottle	4.00		
	16 lb. bottle	7.20		
58	CHALK, Calcium Carbonate, B.P. 1953			
	(a) Heavy	.60	2.00	
	(b) Light	.60	2.00	
59	CHLORAL HYDRATE, B.P. 1953	3.20		
60	CHLORALONE, Hartz Brand of Chloramine, B.P. 1953	4.50		
	4 ozs.	1.30		
61	CHLOROFORM, B.P. 1953	1.45		
	7 lb. bottle	7.70		
	14 lb. bottle	14.40		
62	CHLOROFORM, Hartz for Anaesthesia— See Specialties			
63	★ COCAINE HYDROCHLORIDE, B.P. 1953			
	⅛ oz.	4.80		
	¼ oz.	9.20		
	½ oz.	17.60		
	1 oz.	34.60		

★ Narcotic signature required.

Pr Prescription required for retail sales.

List No.		1 lb.	5 lbs.	10 lbs.
64	COCOA BUTTER, Oleum Theobromatis, B.P. 1953	4.60		
65	★ CODEINE PHOSPHATE, B.P. 1953			
	⅛ oz.	2.40		
	¼ oz.	4.60		
	½ oz.	8.80		
	1 oz.	16.80		
66	COLLODION, Flexible, Hartz	1.95	7.20	13.60
	1 oz.	.40		
	4 oz.	.75		
67	COPPER SULPHATE			
	Technical Grade	.90	3.60	6.80
	U.S.P. Grade	1.60	7.60	14.40
	Reagent Grade	3.40	15.20	30.40
68	CREOSOL—See Specialties			
69	DEXTROSE, C.P. Anhydrous	1.20		
	6¼ lb. bottle	per lb. 1.05		
70	EPHALONE HYDROCHLORIDE			
	1 oz.	3.20		
72	ETHER, HARTZ—FOR ANAESTHESIA—See Specialties			
73	ETHER, U.S.P. XIV	1.05	4.00	7.20
74	EUCALYPTOL, B.P. 1953	4.80		
	1 oz.	.65		
	4 ozs.	1.60		
75	FORMALDEHYDE, Formalin	.80	2.65	4.40
76	FORMIN—See Hexamine—Chemicals & Drugs			
77	GELATIN, B.P. 1953, Fine Granular	3.20		
78	GLUCOSE, Liquid, B.P. 1953	.60		
79	GLYCERIN, C.P., B.P. 1953	1.30		
	6¼ lb. bottle	6.75		
	12½ lb. bottle	13.00		
80	GREEN SOAP, Sapo Viridis—See Specialties			
81	HEXAMINE, B.P.C. 1949, Formin	1.95		
82	HYDROGEN PEROXIDE, B.P. 1953—Liquor Hydrogenii Peroxidi (Subject to 10% Cosmetic Tax)			
	4 oz. bottle ea. .35	.50	$2.00	$3.20
	doz. 3.60	doz. 5.00		
	8 oz. bottle ea. .40			
	doz. 4.35			
83	ICHTHOLONE, Hartz Brand of Ammonium Ichthosulphonate	6.00		
	4 ozs.	1.80		
84	IODINE, B.P. 1953	8.40		
	1 oz.	.80		
	4 ozs.	2.35		
85	IODOFORM, B.P. 1948	18.40		
	1 oz.	1.45		
	4 ozs.	4.80		
86	IRON SULPHATE, B.P. 1953	.50	1.60	
87	IRON, Reduced, B.P.C. 1949	2.40		
	4 ozs.	.80		

★ Narcotic signature required.

List No.		1 lb.	5 lbs.	10 lbs.
88	IRON AND AMMONIUM CITRATE, B.P. 1953	2.60	12.80	
89	KEITH'S DRESSING	2.65		
90	LEAD ACETATE, B.P. 1953, Sugar of Lead	2.10		
	4 ozs.	.75		
91	LINSEED MEAL, B.P.C. 1949, Ground Flaxseed	.50	2.00	
92	MAGNESIUM CARBONATE, B.P.			
	(a) Heavy	1.15	5.30	
	(b) Light	1.00	4.50	
93	MAGNESIUM OXIDE, B.P. 1953			
	(a) Heavy	2.10	8.00	
	(b) Light	2.10	8.00	
94	MAGNESIUM SULPHATE, B.P. 1953	.35	1.15	1.95
95	MALE FERN, Oleoresin, Extractum Filicis, B.P. 1953			
	1 oz.	1.45		
96	MANDL'S PAINT, B.P.C. 1949	3.95		
	4 ozs.	1.20		
	8 ozs.	2.20		
97	MENTHOL, Natural Crystals, B.P. 1953	20.00		
	1 oz.	1.60		
	4 ozs.	5.20		
98	MERCURY, Redistilled, B.P. 1953	8.80	40.00	
	4 ozs.	2.65		
	8 ozs.	4.80		
99	MERCURY AMMONIATED, B.P. 1953	11.60		
	4 ozs.	3.15		
100	MERCURY BICHLORIDE, B.P. 1953	9.45		
	4 ozs.	2.40		
101	METHYL SALICYLATE, B.P. 1953			
	18 oz. bottle	2.25		
	5¾ lb. bottle	9.60		
	12 lb. bottle	18.25		
102	MILK SUGAR, Lactose, B.P. 1953 (Sales Tax Exempt)	1.20	4.80	
103	★ MORPHINE SULPHATE, B.P. 1953			
	⅛ oz.	3.20		
	¼ oz.	6.10		
	½ oz.	11.55		
	1 oz.	22.40		

OILS

104	CADE, B.P. 1953	3.20		
	4 ozs.	1.15		
105	CASTOR, Oleum Ricini, B.P. 1953	1.40	5.60	9.60
106	CEDARWOOD—See Microscopic Stains & Solns			
107	CLOVES, B.P. 1953	11.50		
	1 oz.	1.20		
	4 ozs.	3.50		
108	COD LIVER, B.P. 1953 (Sales Tax Exempt)	1.20	5.00	8.40
109	EUCALYPTUS, B.P. 1953	4.50		
	1 oz.	.50		
	4 ozs.	1.30		

★ Narcotic signature required.

List No.			1 lb.	5 lbs.	10 lbs.
110	LEMON, B.P. 1953		23.20		
	1 oz.	1.60			
	4 ozs.	6.10			
111	LINSEED, Raw, B.P. 1953		1.00	2.60	4.80
112	OLIVE, B.P. 1953 (Sales Tax Exempt)		1.45	5.20	9.60
113	PEPPERMINT, B.P. 1953		25.60		
	1 oz.	1.95			
	4 ozs.	6.75			
114	TURPENTINE, B.P. 1953		.80	2.40	4.00
115	WINTERGREEN—See Methyl Salicylate—Chemicals and Drugs				
116	★ OPIUM, Powdered, B.P. 1953				
	1 oz.	3.40			
117	PARAFFIN WAX				
	(a) M.P. 118° - 120° F.				
	(b) M.P. 123° - 125° F.				
	(c) M.P. 128° - 130° F.				
	(d) M.P. 133° - 136° F.				
	1 lb. Cake ea.	1.00			
118	℞ PARALDEHYDE, B.P. 1953		2.40	10.40	
119	PEPSIN, Spongy Granular 1:3000		12.00		
	4 ozs.	3.20			
120	PETROLATUM, White		.75	2.80	4.80
	366 gr. Tube	ea. .40			
		doz. 4.00			
	785 gr. Tube	ea. .50			
		doz. 4.80			
121	PETROLATUM, Amber		.65	2.00	3.70
122	℞ PHENOBARBITAL				
	1 oz.	1.30			
	4 ozs.	4.50			
123	PLASTER OF PARIS, Dental		.35	1.00	1.60
124	POTASSIUM BICARBONATE, B.P. 1953		1.30		
125	POTASSIUM BICHROMATE, Technical		.90	4.00	
126	POTASSIUM BROMIDE, B.P. 1953		1.80	8.00	
127	POTASSIUM CITRATE, B.P. 1953		1.95	8.80	
128	POTASSIUM IODIDE, B.P. 1953		6.25	29.60	
129	POTASSIUM NITRATE, B.P. 1953		.65	2.00	
130	POTASSIUM PERMANGANATE, B.P. 1953		1.30	5.30	
	4 ozs.	.50			
131	℞ POTASSIUM THIOCYANATE, Reagent Grade		5.80		
	4 ozs.	2.25			
132	PROCAINE—See Stocaine, Specialties				
133	SILVER NITRATE, B.P. 1953, Crystals				
	1 oz.	2.40			
134	SILVER PROTEIN, Mild				
	Silver Nucleinate—See Argolone, Specialties				
135	SODA LIME—See Kinetolime or Metalime, Specialties				
136	SODIUM BENZOATE, B.P. 1953		2.10		
	4 ozs.	.80			
137	SODIUM BIBORATE		.60	2.40	4.00

★ Narcotic signature required.

℞ Prescription required for retail sales.

List No.		1 lb.	5 lbs.	10 lbs.
138	SODIUM BICARBONATE, B.P. 1953	.35	1.15	1.95
139	SODIUM BROMIDE, B.P. 1953	1.80	8.00	15.20
140	SODIUM CARBONATE, Anhydrous, Reagent Grade	2.10	8.80	
141	SODIUM CARBONATE, Crystals, Reagent Grade	2.25	10.80	
142	SODIUM CHLORIDE, Reagent Grade	1.20		
143	SODIUM CITRATE, B.P. 1953	1.80	8.00	
144	SODIUM CITRATE, Reagent Grade	2.75	12.00	
145	SODIUM HYDROXIDE, B.P. 1953, Pellets	1.30	6.00	
146	SODIUM HYPOSULPHITE, Sodium Thiosulphate, U.S.P. XI	.50	1.45	2.75
147	SODIUM IODIDE, B.P. 1953	7.70		
	4 ozs.	2.10		
148	SODIUM NITRITE, U.S.P. XIV	1.20		
	4 ozs.	.50		
149	SODIUM NITROPRUSSIDE, Reagent Grade	13.95		
	1 oz.	1.60		
	4 ozs.	4.50		
150	SODIUM PERBORATE, N.F. IX	1.40		
	4 ozs.	.60		
151	SODIUM PHOSPHATE, Dibasic, B.P. 1953	1.15	4.80	
152	SODIUM PHOSPHATE, Monobasic, U.S.P. XIV	2.10		
153	SODIUM SALICYLATE, B.P. 1953	2.60	12.00	
154	SODIUM SALICYLATE, Crystals, Reagent Grade	3.85		
	4 ozs.	1.30		
155	STRONTIUM BROMIDE, N.F. IX	3.55		
	4 ozs.	1.05		
156	STRYCHNINE SULPHATE, N.F. IX			
	⅛ oz.	.65		
	1 oz.	3.40		
157	SUGAR OF MILK, Lactose, B.P. 1953— See Milk Sugar—Chemicals and Drugs			
158	SULPHUR, B.P. 1953			
	(a) Precipitated	1.20		
	(b) Sublimed	.50		
159	TALCUM, B & A			
	1 lb. Shaker tin ea.	.50		
	doz.	5.20		
160	TALCUM—Glove Pdr. Sterilized— See Specialties			
161	TOLUOL, Toluene, B.P.C. 1949	.90	3.20	5.60
162	TRAGACANTH, B.P. 1953	4.80		
	4 ozs.	1.40		
163	TRAGACANTH, Hartz Opto Brand	9.60		
	4 ozs.	2.60		
164	WATER, Distilled, Single Distillation			1.60
	6 gals. per gal.	1.45		
	12 gals. per gal.	1.35		
165	WITCH HAZEL, Distilled Extract, N.F. IX (Subject to 10% Cosmetic Tax)	1.20	4.40	7.20
166	XYLOL, Xylene, B.P.C. 1949	.80	2.40	4.00
	1 oz.	.35		
	4 ozs.	.50		
167	ZINC OXIDE, B.P. 1953	1.15	4.40	
168	ZINC STEARATE, B.P. 1953	2.40		
	4 ozs.	.80		
169	ZINC SULPHATE, B.P. 1953	1.60		
	4 ozs.	.65		

PRESCRIPTION BOTTLES

Cabinet ovals, Screw Cap Finish.
King Ovals, Cork or Screw Cap Finish.

Size	Original Ctn.	Less than Ctn.
½ oz. 2 gr. per carton	per gross $ 4.60	$ 5.55
1 oz. 2 gr. per carton	per gross 5.55	6.50
2 oz. 2 gr. per carton	per gross 7.15	8.10
3 oz. 1 gr. per carton	per gross 7.95	8.90
4 oz. 1 gr. per carton	per gross 8.75	9.70
6 oz. ½ gr. per carton	per gross 10.50	11.45
8 oz. ½ gr. per carton	per gross 12.80	13.80
12 oz. ¼ gr. per carton	per gross 15.55	16.50
16 oz. ¼ gr. per carton	per gross 17.00	17.95

(12 oz. supplied in screw-cap finish only)
(*Caps and Corks are not included in above prices*)

CAPS FOR PRESCRIPTION BOTTLES

Size	to fit	Bakelite Caps	Metal Caps
No. 18	½ oz. or 1 oz. bottle	per gross $ 2.20	$ 1.20
No. 20	2 oz. or *3 oz. bottle	per gross 2.35	1.30
No. 22	4 oz. bottle	per gross 2.60	1.45
No. 24	6 oz. or 8 oz. bottle	per gross 2.80	1.55
No. 28	12 oz. or 16 oz. bottle	per gross 3.40	1.70

* Sizes of caps for 3 oz. Cabinet and King Ovals are Nos. 22 and 20 respectively

BOXES — CARDBOARD

Folding, Printed and ruled for directions.

Size -	100	500	1000
Small 1-7/8" x 3/4" x 3/8"	$1.30	$5.60	$10.80
Medium 1-7/8" x 1" x 1/2"			
Large 2-3/8" x 1-7/16" x 9/16"			

PILL BOXES, SQUARE

Size	per gross
No. 30 —1-3/16"	$6.60
No. 31 —1-1/2"	6.75
No. 31X —1-3/4"	7.40
No. 31XX—2"	8.00

WHITE, SLIDE, POWDER BOXES

Size	per gross
No. 76½—2-5/16" x 1-5/16" x 11/16"	$6.35
No. 77½—2-1/2" x 1-11/16" x 7/8"	7.20
No. 78½—2-13/16" x 1-7/8" x 15/16"	7.85
No. 79½—3" x 1-15/16" x 15/16"	8.80
No. 178½—3-1/4" x 2-1/4" x 1-1/8"	9.40

(Packaged in ¼ Gross Lots)

BOXES — TIN

Plain, Seamless, Ointment.
Lacquered Tin, with patent label retaining lids.

Size	Plain	Packaged in	Labelled	Packaged in
¼ oz.			$ 6.80 gross	1 gross box
½ oz.	$ 6.75 gross	¼ gross box	7.80 gross	½ gross box
1 oz.	7.45 gross	¼ gross box	9.80 gross	½ gross box
2 oz.	9.70 gross	¼ gross box	13.60 gross	½ gross box
3 oz.	12.60 gross	¼ gross box	18.00 gross	½ gross box
4 oz.	15.85 gross	¼ gross box	21.60 gross	¼ gross box

CAPSULES, Empty, Hard Gelatin, White or Pink (See Capsule Scale)

Size	100	1000
No. 000	$1.20	$9.60
No. 00	.90	7.05
No. 0	.80	6.25
No. 1	.70	5.20
No. 2	.60	5.00
No. 3	.55	4.35
No. 4	.55	4.10
No. 5	.55	4.00

ENVELOPES

For Powders, Open end, with gummed flap.
Size 4¼" x 2½"

	1000
Plain, White	$5.00
Printed and ruled for directions	8.75

LABELS

Plain Prescription, Gummed and ruled for directions.

Size	1000
Small, 2-1/2" x 1-11/16"	$4.40
Large, 3-5/16" x 2-3/16"	4.80

Prescription—Specially printed to Client's Specifications.

See Samples on pages 168-171.

	Per 1000	3000 per M	5000 per M
Small—Nos. 102, 202, 302, 402 Medium—Nos. 101, 201, 301, 401 Large—Nos. 100, 200, 300, 400	$10.80	$10.00	$9.60

Strip, Gummed

"Poison" "For External Use Only" "Shake the Bottle"

Per 100	Per 500	Per 1000
$ .50	$1.60	$2.80

PAPER, Best Quality Kraft Wrapping

In 9, 12, 15 or 18 inch rolls.

Colours	Per lb.
Brown	$ .36
Green	.42
White	.48

PAPER for Powders

Packed in Boxes of 1000.

Size	Per Box of 1000
No. 1—3¼" x 2½"	$1.80
No. 2—4" x 2¾"	1.95
No. 3—4¼" x 3½"	2.20
No. 4—5¾" x 4¼"	2.65

CORKS, XXX, Extra Long(See Cork Scale)

Size	To fit	Per gross	Per 5 gross bag
No. 1		$ .90	$3.60
No. 2	½ oz. bottle	1.00	4.00
No. 3	1 oz. bottle	1.05	4.40
No. 4	2 and 3 oz. bottle	1.20	5.00
No. 5	4 oz. bottle	1.55	6.65
No. 6	6 oz. bottle	1.80	8.00
No. 7	8 oz. bottle	2.10	9.45
Nos. 1 to 6		1.40	5.60
Nos. 3 to 5		1.45	5.85
Nos. 3 to 6		1.55	6.20